

594.08

M.07.

M18

Moll.

Y.L.

(An autographed
copy is in the Museum)

9-


Catalogue
of the
Mollusca
in the
Collection
of the
Government Central
Museum, Madras.

PURCHASED BY
HODDER & STOUGHTON LTD.
1864

Madras
1864.



Division of Mollusks
Sectional Library





350982

M. 18

moll.

THIS Catalogue is published with the three-fold object of affording a guide to the collection ; of making known its deficiencies (which are many,) ; and to show what the Museum has to offer in exchange for shells not yet in the collection.

Those species of which there are duplicates are marked with one, two, or three asterisks ; the first indicates that the number is very limited ; the second that it is greater ; and the third that a considerable number is available for exchange.

Examples of shells not in this Catalogue will be thankfully received either as donations or in exchange.

J. MITCHELL, CAPTAIN,

Superintendent.

MADRAS, 15th May 1867.

CATALOGUE
OF THE
Mollusca,
IN THE COLLECTION OF
THE GOVERNMENT CENTRAL MUSEUM, MADRAS.

CLASS I.—CEPHALOPODA. *Cuvier*, 1798.

ORDER I.—DIBRANCHIATA. *Owen*, 1838.

SUB-ORDER I.—OCTOPODA. *Leach*, 1817.

FAMILY 1.—OCTOPIDÆ. *D'Orbigny*, 1837.

GENUS.—OCTOPUS. *Lamarch*, 1799.

- | | | | |
|---------------|------------|---------|---------------------|
| 1 O. aranea. | D'Orbigny. | Madras. | } Young, in spirit. |
| 2 O. Indicus. | Ruppell. | „ | |

FAMILY 3.—ARGONAUTIDÆ. *Reeve*, 1841.

GENUS.—ARGONAUTA. *Linnæus*, 1758.

- | | | |
|-------------------|----------|---------|
| 1 A. tuberculosa. | Lamarck. | Brazil. |
|-------------------|----------|---------|

SUB-ORDER 2.—DECAPODA. *Leach*, 1817.

FAMILY 8.—LOLIGIDÆ. *D'Orbigny*, 1837.

GENUS.—LOLIGO. *Lamarch*, 1799.

- | | | | |
|-------------------|------------|---------|-------------------|
| 1 L. Duvaucellii. | D'Orbigny. | Madras. | Young, in spirit. |
|-------------------|------------|---------|-------------------|

FAMILY 12.—SPIRULIDÆ. *D'Orbigny*, 1837.

GENUS.—SPIRULA. *Lamarch*, 1799.

- | | | |
|---------------|----------|---------------|
| 1 S. Peronii. | Lamarck. | Indian Seas.* |
|---------------|----------|---------------|

ORDER 2.—TETRABRANCHIATA. *Owen*, 1838.

FAMILY.—NAUTILIDÆ. *Owen*, 1838.

GENUS.—NAUTILUS. *Linnæus*, 1757.

- | | | | |
|--------------------|----------|-----------------------------|-------------|
| 1 N. Pompilius. | Linnæus. | a Indian Archipe- lago.* | |
| | | b Port Blair, An- | Lt. McGoun. |
| | | damans. | |
| 2 N. stenomphalus. | Sowerby. | „ | Dr. Gamach. |

CLASS II.—PTEROPODA. *Cuvier*, 1804.

FAMILY 1.—HYALIDÆ. *D'Orbigny*, 1837.

GENUS.—HYALÆA. *Lamarck*, 1799.

| | | |
|--------------------------|----------|---------------------------------|
| 1 <i>H. gibbosa</i> . | Rang. | Hab. ? |
| 2 <i>H. inflexa</i> . | Lesueur. | „ |
| 3 <i>H. labiata</i> . | Rang. | „ |
| 4 <i>H. tridentata</i> . | Lamarck. | Mediterranean & Indian Seas. |
| 5 <i>H. uncinata</i> | Rang. | Hab. ? |

GENUS.—DIACRIA. *Gray*, 1840.

| | | |
|------------------------|----------|----------------------------|
| 1 <i>D. trispinosa</i> | Lesueur. | Straits of Gibral- tar. |
|------------------------|----------|----------------------------|

GENUS.—CLEODORA. *Peron and Lesueur*, 1810.

| | | |
|--------------------------|----------|----------------------------------|
| 1 <i>C. obtusa</i> . | Quoy. | Hab. ? |
| 2 <i>C. pyramidata</i> . | Lamarck. | American Seas. |
| 3 <i>C. spinifera</i> . | Rang. | Indian and Euro- pean Oceans. |

CLASS III.—HETEROPODA. *Lamarck*, 1812.

FAMILY 1—IANTHINÆ. *Lamarck*, 1812.

GENUS.—IANTHINA. *Bolten*, 1798.

| | | |
|------------------------|-----------|----------------|
| 1 <i>I. africana</i> . | Reeve. | Madras Coast.* |
| 2 <i>I. fragilis</i> . | Lamarck. | West Indies. |
| 3 <i>I. globosa</i> . | Swainson. | Hab. ? |
| 4 <i>I. iricolor</i> . | Reeve. | Madras. |

FAMILY 4.—FIROLIDÆ.

GENUS.—CARINARIA. *Lamarck*, 1801.

| | | |
|------------------------|-------------------------|----------------|
| 1 <i>C. fragilis</i> . | Bory de St. Vincent. | Mediterranean. |
|------------------------|-------------------------|----------------|

CLASS IV.—GASTEROPODA. *Cuvier*, 1798.

SUB-CLASS 1.—PROSOBRANCHIATA. *Milne Edwards*, 1848.

ORDER I.—PECTINIBRANCHIATA. *Cuvier*, 1817.

SUB-ORDER 1.—PROBOSCIDIFERA. *H. and A. Adams*, 1853.

FAMILY 1—MURICIDÆ. *Fleming*, 1828.

SUB-FAMILY 1.—MURICINÆ. *H. and A. Adams*.

GENUS.—MUREX. *Linnæus*, 1758.

| | | | |
|-----------------------------|----------------------|--|------------------------|
| 1 <i>M. adustus.</i> | Lamarck. | <i>a</i> Philippines and Ceylon. <i>b</i> Port Blair, Andamans. | |
| 2 <i>M. affinis.</i> | Reeve. | Pacific Ocean. | Sir W. Denison. |
| 3 <i>M. anguliferus.</i> | Lamarck. | <i>a</i> Ceylon. <i>b</i> , | |
| | var. entirely brown. | <i>c</i> Madras. | |
| 4 <i>M. brassica.</i> | Lamarck. | Gulf of California. | |
| 5 <i>M. erinaceus.</i> | Linnaeus. | Mediterranean and British Coasts. | |
| 6 <i>M. fiscellum.</i> | Chemnitz. | Philippines. | |
| 7 <i>M. haustellum.</i> | Linnaeus. | Ceylon.* | |
| 8 <i>M. inconspicuus.</i> | Sowerby. | English Channel. | |
| 9 <i>M. Martinianus.</i> | Reeve. | Port Blair, Andamans. | Dr. Gamach. |
| 10 <i>M. maurus.</i> | Broderip. | Port Blair, Andamans. | " |
| 11 <i>M. nigrispinosus.</i> | Reeve. | Port Blair, Andamans. | Singapore. |
| 12 <i>M. palma-rosæ.</i> | Lamarck. | Ceylon. | |
| 13 <i>M. pinnatus.</i> | Wood. | China. | |
| 14 <i>M. ramosus.</i> | Linnaeus. | <i>a</i> Port Blair, Andamans. | Captain W. H. Edgcome. |
| | | <i>b</i> Nassibe. | Sir W. Denison. |
| | | <i>c</i> Young-shell, Eastern seas. | |
| 15 <i>M. regius.</i> | Wood. | Pacific Ocean. | |
| 16 <i>M. salebrosus.</i> | King. | California. | |
| 17 <i>M. ternispina.</i> | Lamarck. | <i>a</i> Philippines.* <i>b</i> Madras.* | |
| 18 <i>M. tenuispina.</i> | ," | Trincomallee. | |
| 19 <i>M. tribulus.</i> | Linnaeus. | Vizagapatam. | Major Fraser. |
| 20 <i>M. triqueter.</i> | Born. | Port Blair, Andamans. | Dr. Walters. |
| 21 <i>M. truncatus.</i> | ? | Toulon. | M. Robillard. |
| 22 <i>M. trunculus.</i> | Linnaeus. | Black Sea. | |

SUB-FAMILY 2.—FUSINÆ. *H. and A. Adams, 1853.*GENUS.—FUSUS. *Lamarck, 1799.*

- 1 *F. colus.* Lamarck.
a Ceylon.
b Madras.

| | | |
|------------------------|-----------|---------------|
| 2 F. corneus. | Deshayes. | British Seas. |
| 3 F. laticostatus. | „ | Ceylon. |
| 4 F. longicauda. | Bory. | Vizagapatam. |
| 5 F. multicarinatus. | Lamarek. | Red Sea. |
| 6 F. proboscidiformis. | „ | New Holland. |

GENUS.—PYRULA.

| | | |
|-------------------|-----------|---|
| 1 P. bezoar. | Lamarek. | Hab. ? |
| 2 P. bucephala. | „ | Mexico. |
| 3 P. bulbosa. | Solander. | a Eastern Seas. b do. |
| 4 P. cochlidium. | Linnæus. | a Torres Straits. b do. |
| 5 P. galeodes. | Lamarek. | Philippines, &c. |
| 6 P. melongena. | „ | a West Indies and Eastern Seas. b do. |
| 7 P. Paradisiaca. | Reeve. | a Ceylon, &c. b do. |
| 8 P. pugilina. | Born. | Negapatam. |
| 9 P. spirillus. | Lamarek. | Eastern Seas. |

SUB-GENUS.—CYRTULUS. *Hinds*, 1843.

| | | |
|-----------------|--------|------------|
| 1 C. serotinus. | Hinds. | Marquesas. |
|-----------------|--------|------------|

FAMILY 2.—PLEUROTOMIDÆ. *H. and A. Adams*.SUB-FAMILY 1.—PLEUROTOMINÆ. *Swainson*, 1840.GENUS.—PLEUROTOMA. *Lamarek*, 1799.

| | | |
|------------------|-----------|------------------------------|
| 1 P. crenularis. | Lamarek. | Tranquebar. |
| 2 P. grandis. | Gray. | Indian & Chinese Seas. |
| 3 P. Javana. | DeRoissy. | a Madras.* b Vizagapatam. |
| 4 P. marmorata. | Lamarek. | Malacca. |
| 5 P. nodifera. | „ | Madras.* |
| 6 P. virginea. | Beck. | Mouth of the Gambia. |

FAMILY 3.—TRITONIIDÆ. *H. and A. Adams*.GENUS.—TRITON. *Lamarek*, 1822.

| | | |
|-------------------|----------|---------------------------------|
| 1 T. ægrotus. | Reeve. | China. |
| 2 T. aquatalis. | „ | Philippines. |
| 3 T. bracteatus. | Hinds. | Kingsmill Island. M. Robillard. |
| 4 T. chlorostoma. | Lamarek. | Pacific Ocean. |

| | | |
|-----------------------------|---------------|---|
| 5 <i>T. cingulatus.</i> | Pfeiffer. | <i>a</i> Philippines. <i>b</i> Madras Coast. |
| 6 <i>T. clandestinus.</i> | Lamarck. | Ceylon. |
| 7 <i>T. clavator.</i> | " | Philippines. |
| 8 <i>T. decipiens.</i> | Reeve. | <i>a</i> " <i>b</i> Madras Coast. <i>c</i> Vizagapatam. |
| 9 <i>T. doliarius.</i> | Lamarck. | Cape of Good Hope. |
| 10 <i>T. lampas.</i> | " | Philippines. |
| 11 <i>T. lotorium.</i> | " | Ceylon. |
| 12 <i>T. Pfeifferianus.</i> | Reeve. | " |
| 13 <i>T. pilearis.</i> | Lamarck. | The Antilles.* |
| 14 <i>T. reticulatus.</i> | DeBlainville. | Mediterranean. |
| 15 <i>T. retusus.</i> | Lamarck. | Ceylon. |
| 16 <i>T. rubecula.</i> | " | Philippines. |
| 17 <i>T. tuberosus.</i> | " | Pacific Ocean. |
| 18 <i>T. variegatus.</i> | " | Eastern Seas. |
| 19 <i>T. vespaceus.</i> | " | New Holland. |

GENUS.—PERSONA. *Montfort*, 1810.

| | | |
|-------------------|----------|---------|
| 1 <i>P. anus.</i> | Lamarck. | Ceylon. |
|-------------------|----------|---------|

GENUS.—RANELLA. *Lamarch*, 1812.

| | | |
|-----------------------------|-----------|---|
| 1 <i>R. albovaricosa.</i> | Reeve. | Ceylon. |
| 2 <i>R. bitubercularis.</i> | Lamarck. | Philippines. |
| 3 <i>R. bufonia.</i> | " | " |
| 4 <i>R. foliata.</i> | Broderip. | <i>a</i> Mauritius. <i>b</i> Madras Coast.* |
| 5 <i>R. granifera.</i> | Lamarck. | <i>a</i> Philippines. <i>b</i> Madras Coast.* <i>c</i> Port Blair, An-damans. |
| 6 <i>R. gyrinus.</i> | Deshayes. | Mediterranean and Eastern Seas. |
| 7 <i>R. margaritula.</i> | Deshayes. | Indian Seas. |
| 8 <i>R. spinosa.</i> | Lamarck. | <i>a</i> Ceylon.* <i>b</i> Madras Coast.* |
| 9 <i>R. subgranosa.</i> | Beck. | Bay of Manilla. |
| 10 <i>R. tuberculata.</i> | Broderip. | <i>a</i> Malacca. <i>b</i> Vizagapatam.* <i>c</i> Port Blair, An-damans. Dr. Walters. |
| 11 <i>R. tuberosissima.</i> | Reeve. | Philippine Islands. |

FAMILY 4.—BUCCINIDÆ.

GENUS.—BUCCINUM. *Linnæus*, 1767.

| | | |
|----------------------------|------------|--|
| 1 B. aciculatum. | Lamarck. | Martinique. |
| 2 B. anomalum. | Reeve. | Hab. ? |
| 3 B. balteatum ? | " | Torres Straits. |
| 4 B. cingillum ? | " | Hab. ? |
| 5 B. dentiferum. | Powis | Coast of Chili. |
| 6 B. erythrostoma. | Reeve. | Madras.* |
| 7 B. melanostoma. | Sowerby. | Ceylon. |
| 8 B. obscurum. ? | Kiener. | Coast of Chili. |
| 9 B. obsoletum. | Say. | Hab. ?* |
| 10 B. plicosum. | Menke. | " |
| 11 B. proteus. | Reeve. | Ceylon & Philip- pines. |
| 12 B. rubiginosum. | " | Red Sea. |
| 13 B. sericatum ? | Hancock. | Port Blair, An- damans. Dr. Walters. |
| 14 B. sertum ? | Bruguière. | " |
| 15 B. Tranquebari- cum. | Martini. | Tranquebar. |
| 16 B. Tritonoides. | Cuming. | Port Blair, An- damans. Dr. Gamach. |
| 17 B. trivittatus. | Say. | Hab. ? |
| 18 B. undatum. | Lamarck. | Atlantic Ocean. |
| 19 B. undosum. | Linnæus. | a Tahiti. M. Robillard. b Straits of Ma- laccia. |

GENUS.—BULLIA. *Gray*, 1835.

| | | |
|------------------|----------|--------------------------------------|
| 1 B. belangeri. | Kiener. | Madras.* * * |
| 2 B. livida. | Reeve. | " * * * |
| 3 B. mauritiana. | Gray. | Madagascar. |
| 4 B. vittata. | Linnæus. | a Trincomallee.* * b Madras.* * * |

GENUS.—PHOS. *DeMontfort*, 1810.

| | | |
|------------------|-------------|--------------|
| 1 P. senticosus. | DeMontfort. | Philippines. |
|------------------|-------------|--------------|

GENUS.—CYLLENE. *Gray*, 1833.

| | |
|---------------|-------------|
| 1 C. fuscata. | China Seas. |
|---------------|-------------|

GENUS—NASSA. *Lamarch*, 1799.

| | | |
|-----------------------------|-----------------|--|
| 1 <i>N. arcularia.</i> | Linnæus. | Philippines.* * |
| 2 <i>N. Bronni.</i> | Philippi. | Java. |
| 3 <i>N. callospira.</i> | A. Adams. | Philippines.* |
| 4 <i>N. collaria.</i> | Gould. | <i>a</i> Panama. <i>b</i> Madras.* |
| 5 <i>N. coromandel.</i> | ? Blanford. | Pulicat lake, and Adyar, Madras.* |
| 6 <i>N. coronata.</i> | Lamarch. | Madagascar. |
| 7 <i>N. crenulata.</i> | Bruguière. | <i>a</i> Philippines. <i>b</i> Madras.* |
| 8 <i>N. gaudiosa</i> , var. | Hinds. | Kingsmill Island. Sir W. Denison. |
| 9 <i>N. gemmulata.</i> | Lamarch. | Philippines. |
| 10 <i>N. globosa.</i> | Quoy & Gaimard. | New Ireland, &c. |
| 11 <i>N. granifera.</i> | Kiener. | Society Islands. Sir W. Denison. |
| 12 <i>N. incrassata.</i> | Müller. | British Seas. |
| 13 <i>N. labida.</i> | Reeve. | Hab. ? |
| 14 <i>N. olivacea.</i> | Bruguière. | <i>a</i> West Indies. <i>b</i> Port Blair, Andamans.* |
| 15 <i>N. ornata.</i> | Kiener. | Ceylon. |
| 16 <i>N. papillosa.</i> | Linnæus. | Port Blair, Andamans. Dr. Walters. |
| 17 <i>N. planicostata.</i> | A. Adams. | Labuan. |
| 18 <i>N. pulla.</i> | Linnæus. | Philippines. |
| 19 <i>N. pygmea.</i> | ? | Hab. ? |
| 20 <i>N. retecosa.</i> | A. Adams. | Labuan.* |
| 21 <i>N. reticulata.</i> | Linnæus. | British Seas.* |
| 22 <i>N. seminodoso.</i> | A. Adams. | South Seas. |
| 23 <i>N. suturalis.</i> | Lamarch. | Madras Coast. |
| 24 <i>N. Thersites.</i> | Bruguière. | Philippines.* |

GENUS.—EBURNA. *Lamarch*, 1801.

| | | | |
|------------------------|----------|-------------------|----------------|
| 1 <i>E. spirata.</i> | Lamarch. | <i>a</i> Ceylon.* | Dr. W. Traill. |
| | | <i>b</i> Madras.* | Dr. A. Hunter. |
| 2 <i>E. zeylanica.</i> | , | <i>a</i> Ceylon.* | Dr. W. Traill. |
| | | <i>b</i> Madras.* | |

FAMILY 6.—PURPURIDÆ.

GENUS. PURPURA. *Bruguière*, 1789.

| | | | |
|-----------------------------|----------|---------------------|---------------|
| 1 <i>P. armigera.</i> | Lamarch. | Reunion. | M. Robillard. |
| 2 <i>P. bitubercularis.</i> | , | Philippine Islands. | |

| | | | |
|-------------------------------|---------------|-----------------------------|-----------------|
| 3 P. bufo. | Lamarck. | <i>a</i> Madras* * | Miss Mitchell. |
| 4 P. carinifera.. | „ | <i>b</i> Pulicat lake* * | |
| 5 P. chocolatum. | Duclos. | Hab. ?* | |
| 6 P. echinata. | DeBlainville. | Peru. | |
| 7 P. echinulata. | Lamarck. | Hab. ? | |
| 8 P. hippocastanum. | Linnæus. | Philippines. | |
| 9 P. hystrix. | Lamarck. | Eastern Seas.* | |
| 10 P. imperialis, (young.) | DeBlainville. | Raddock Island. | Sir W. Denison. |
| 11 P. inerma. | Reeve. | St. Thomas', West Indies. | |
| 12 P. lapillus. | Linnæus. | <i>a</i> Shores of Europe.* | |
| | | <i>b</i> Britain. | |
| 13 P. madreporum. | ? | Reunion. | M. Robillard. |
| 14 P. mancinella. | Linnæus. | Philippines. | |
| 15 P. muricina. | DeBlainville. | „ | |
| 16 P. musiva. | Kiener. | „ | |
| 17 P. patula. | Linnæus. | „ | |
| 18 P. persica. | Lamarck. | Moulmein. | |
| 19 P. pica. | DeBlainville. | <i>a</i> Ceylon. | Sir W. Denison. |
| | | <i>b</i> Port Blair, An- | Capt. Edgcome |
| | | damans. | |
| 20 P. Rudolphi. | Lamarck. | <i>a</i> Philippines. | |
| | | <i>b</i> Andamans. | Lieut. McGoun. |
| | | <i>c</i> Madras.* | |
| 21 P. sacellum. | Chemnitz. | Sadras Coast. | |
| 22 P. trigona. | Reeve. | China & Malacca. | |

GENUS.—RICINULA. *Lamarck*, 1812.

| | | | |
|-------------------|----------|--------------------------|---------------|
| 1 R. arachnoides. | Lamarck. | Philippines.* | |
| 2 R. aspera. | „ | <i>a</i> „ | |
| | | <i>b</i> Vizagapatam. | |
| 3 R. cancellata. | ? | Reunion. | M. Robillard. |
| 4 R. clathrata. | Lamarck. | Elizabeth Island. | |
| 5 R. horrida. | „ | <i>a</i> Philippines.* | |
| | | <i>b</i> Port Blair, An- | Dr. Gamach. |
| | | damans. | |
| 6 R. morus. ? | „ | Sandwich Islands, | M. Robillard. |
| | | (young.) | |
| 7 R. mutica. | „ | Island of Reunion. | „ |

| | | | |
|-------------------|---------------|--------------------------|-------------------|
| 8 R. spectrum ? | Reeve. | <i>a</i> Reunion. | M. Robillard. |
| | - | <i>b</i> Mauritius. | " |
| 9 R. tuberculata, | DeBlainville. | <i>a</i> Lord Hood's Is- | |
| | | land. | |
| | | <i>b</i> Vizagapatam. | Sir W. Denison.** |

SUB-GENUS.—MORULA. *Schumacher*, 1817.

| | | |
|---------------------|---|--------------|
| 1 M. bituberculata. | ? | Philippines. |
|---------------------|---|--------------|

GENUS.—MONOCEROS. *Lamarch*, 1809.

| | | | |
|-----------------|----------|---------------|---------------|
| 1 M. cornigera. | ? | California. | M. Robillard. |
| 2 M. lugubris. | Sowerby. | Nootka Sound. | |

GENUS.—CONCHOLEPAS. *Lamarc*, 1801.

| | | |
|------------------|---------|----------------|
| 1 C. peruvianus. | Lamarc. | Coast of Peru. |
|------------------|---------|----------------|

FAMILY 7.—CORALLIOPHILIDÆ.

GENUS.—LEPTOCONCHUS. *Ruppel*, 1834.

| | | |
|------------------|---|--------|
| 1 L. ellipticus. | ? | Japan. |
|------------------|---|--------|

GENUS.—MAGILUS. *Montfort*, 1810.

| | | | |
|----------------|---------|-------------------------|--------------|
| 1 M. antiquus. | Lamarc. | <i>a</i> Red Sea. | |
| | | <i>b</i> Port Blair An- | Dr. Walters. |

FAMILY 8.—OLIVIDÆ.

GENUS.—OLIVA. *Bruguière*, 1789.

| | | | |
|--------------------|-----------|--------------------------|-----------------|
| 1 O. angulata. | Chemnitz. | Lower California. | Sir W. Denison. |
| 2 O. cruenta. | Dillwyn. | <i>a</i> Zanzibar. | |
| | | <i>b</i> Port Blair, An- | |
| | | damans. | |
| 3 O. elegans. | Lamarc. | Feejee Islands. | |
| 4 O. erythrostoma. | „ | South of the Cape of | |
| | | Good Hope. | |
| 5 O. fimbriata. | Reeve. | West Indies.* | |
| 6 O. gibbosa. | Born. | <i>a</i> Ceylon.* * * | |
| | | <i>b</i> Madras Coast.* | |
| 7 O. inflata. | Lamarc. | Zanzibar. | |
| 8 O. irisans. | „ | <i>a</i> Mauritius.* | |
| | | <i>b</i> Port Blair, An- | Dr. Gamach. |
| | | damans. | |
| 9 O. ispidula. | Linnæus. | <i>a</i> Philippines.* * | |
| | | <i>b</i> Port Blair, An- | Dr. Walters.* |
| | | damans. | |
| | | <i>c</i> Madras Coast. | Surgeon E. |
| | | | Balfour.** |

| | | |
|--------------------|----------|--|
| 10 O. ligneola. | Reeve. | Hab. ? |
| 11 O. maura. | Lamarck. | <i>a</i> Labuan.* |
| | | <i>b</i> Port Blair, An-damans. Dr. Gamach.** |
| 12 O. mustelina. | „ | Singapore. |
| 13 O. mutica. | Say. | West Indies. |
| 14 O. nebulosa. | Lamarck. | Hab. ? |
| 15 O. oryza. | „ | West Indies. Dr. W. Traill. |
| 16 O. peruviana. | „ | Coast of Peru. |
| 17 O. ponderso. | Duclos. | Mauritius. |
| 18 O. porphyria. | Linnæus. | Panama. |
| 19 O. reticularis. | Lamarck. | <i>a</i> Gulf of California. <i>b</i> Guayra. |
| 20 O. splendidula. | Sowerby. | Island of Tobago. |
| 21 O. textilina. | Lamarck. | Philippines.* |
| 22 O. tremulina. | „ | Mauritius. |
| 23 O. tricolor. | „ | „ |
| 24 O. volutella. | „ | Panama. |
| 25 O. zonalis. | „ | Mexico. |

GENUS.—ANCILLARIA. *Lamarck*, 1811.

| | | |
|----------------|-----------|----------------------|
| 1 A. ampla. | Gmelin. | Madras.* * |
| 2 A. glabrata. | Swainson. | Gulf of Mexico. |
| 3 A. torosa. | Meuschen. | Isle of St. Maurice. |

FAMILY 9.—FASCIOLARIIDÆ.

GENUS.—FASCIOLARIA. *Lamarck*, 1799.

| | | |
|-------------------|----------|--|
| 1 F. filamentosa. | Lamarck. | <i>a</i> Ceylon.* <i>b</i> Andamans. Lieut, McGoun. |
| 2 F. persica. | Reeve. | Hab. ?* |
| 3 F. trapezium. | Lamarck. | <i>a</i> Philippines. <i>b</i> Port Blair, An-damans. Dr. Walters. <i>c</i> Mauritius. M. Robillard. |

FAMILY 10.—TURBINELLIDÆ.

GENUS—TURBINELLA. *Lamarck*, 1799.

| | | |
|-------------------|-----------|---|
| 1 T. candelabrum. | Reeve. | Hab. ? |
| 2 T. cornigera. | Lamarck. | <i>a</i> Moluccas.* <i>b</i> Radock Island. Sir W. Denison |
| 3 T. gibbula. | Deshayes. | New Holland. |
| 4 T. polygona. | Lamarck. | Philippines. |

| | | | |
|-------------------|-----------|------------------------|---------------|
| 5 T. pyrum. | Lamarck. | a Ceylon. b Madras. | |
| 6 T. rapa. | „ | Hab. ?* | |
| 7 T. smaragdulus. | Deshayes. | Andamans. | Lieut. McGoun |

FAMILY 11.—VOLUTIDÆ.

GENUS.—VOLUTA. *Lamarek*, 1802.

| | | | |
|-------------------|-----------|---------------|-----------------|
| 1 V. Elliotti. | Sowerby. | W. Australia. | Sir W. Denison. |
| 2 V. imperialis. | Lamarck. | Philippines. | |
| 3 V. interpuncta. | Martyn. | Ceylon. | |
| 4 V. musica. | Linnæus. | W. Indies. | |
| 5 V. rupestris. | Gmelin. | China. | |
| 6 V. scapha. | „ | Singapore. | |
| 7 V. undulata. | Lamarck. | Tasmania. | |
| 8 V. vespertilio. | Linnæus. | Philippines. | |
| 9 V. vexillum. | Chemnitz. | Ceylon. | |

GENUS.—CYMBIUM. *Klein*, 1753.

| | | | |
|----------------|----------|-----------------|-----------------|
| 1 C. Indica. | Gmelin. | Eastern Seas.* | |
| 2 C. diadema ? | Lamarck. | Rogers Straits. | Sir W. Denison. |

GENUS.—MITRA. *Lamarch*, 1799.

| | | | |
|--------------------|---------------|----------------------------|-----------------|
| 1 M. acuminata. | Swainson. | Caroline Isle. | M. Robillard. |
| 2 M. adusta. | Lamarck. | Island of Annaa. | |
| 3 M. amphorella. | „ | Labuan. | |
| 4 M. caffra. | „ | Philippines. | |
| 5 M. cinctella. | „ | Moluccas. | |
| 6 M. coniformis. | ? | Tahiti. | M. Robillard. |
| 7 M. corrugata. | Lamarck. | Labuan. | |
| 8 M. crebrilirata. | Reeve. | Ceylon. | Sir W. Denison. |
| 9 M. crenulata. | Lamarck. | Port Blair, An- damans. | Dr. Gamach. |
| 10 M. cucumerina. | „ | Sandwich Islands. | M. Robillard. |
| 11 M. digitalis. | Chemnitz. | Port Blair, An- damans. | Dr. Walters. |
| 12 M. episcopalis. | D'Argenville. | Ceylon. | |
| 13 M. ferruginea. | Lamarck. | Sandwich Islands. | M. Robillard. |
| 14 M. filosa. | „ | Tahiti. | Sir W. Denison. |
| 15 M. filum. | Wood. | Seychelle Islands. | M. Robillard. |
| 16 M. inquinata. | Reeve. | Hab. ? | ? |
| 17 M. literata. | Lamarck. | Howland Isles. | M. Robillard. |
| 18 M. melongena. | „ | Singapore. | |
| 19 M. papalis. | „ | Island of Annaa. | |
| 20 M. paupercula. | „ | Kingsmill Island. | M. Robillard. |

| | | |
|-----------------------|----------|------------------|
| 21 M. plicata. | Klein. | Labuan. |
| 22 M. pontificalis. | Lamarck. | Island of Annaa. |
| 23 M. sphærulata. | Martyn. | Philippines. |
| 24 M. stigmataria. | Lamarck. | Mauritius. |
| 25 M. vulpecula, var. | „ | Labuan. |

GENUS.—MARGINELLA. *Lamarch*, 1799.

| | | |
|----------------------|----------|---------------------------------|
| 1 M. angustata, var. | Sowerby. | Indian Ocean. |
| 2 M. cornea. | Lamarck. | Senegal, W. Africa. |
| 3 M. cylindracea. | ? | Sandwich Islands. M. Robillard. |
| 4 M. prunum. | Gmelin. | a Panama. b Senegal. |
| 5 M. quinqueplicata. | Lamarck. | Indian Ocean.* |

GENUS.—ERATO. *Risso*, 1826.

| | | |
|-----------------|-------|---------|
| 1 E. Maugeriae. | Gray. | Panama. |
|-----------------|-------|---------|

FAMILY 2.—COLUMBELLINÆ.

GENUS.—COLUMBELLA. *Lamarch*, 1799.

| | | |
|--------------------|-----------------|---|
| 1 C. avara. | Say. | Bay of Massachu- setts. |
| 2 C. discors. | Gmelin. | Philippines. |
| 3 C. Duclosiana. | Sowerby. | Malacca. |
| 4 C. flava. | Bruguière. | Hab. ? |
| 5 C. fulgurans. | Lamarck. | Philippines. |
| 6 C. lævigata. | Linnæus. | Ceylon. Dr. W. Traill. |
| 7 C. mendicaria. | Lamarck. | a Indian Seas. b Port Blair, An- Dr. Walters. damans. |
| 8 C. mercatoria. | Linnæus. | West Indies. |
| 9 C. nitida. | Lamarck. | „ |
| 10 C. pardalina. | „ | Philippines. |
| 11 C. rustica. | Linnæus. | Dalmatia. |
| 12 C. tæniata. ? | Adams and Reeve | Borneo.* |
| 13 C. Terpsichore. | Sowerby. | a Ceylon.* * b Northern Circars. Sir W. Denison. |
| 14 C. varians. | „ | Tahiti. M. Robillard. |
| 15 C. versicolor. | „ | Philippines. |

FAMILY 13.—HARPIDÆ.

GENUS.—HARPA. *Lamarch*, 1799.

| | | |
|-------------|-----------|---|
| 1 H. minor. | Rumphius. | a Philippines. b Port Blair, An- Dr. Walters. damans. |
|-------------|-----------|---|

| | | |
|------------------|-----------|---------------|
| 2 H. nobilis. | Rumphius. | Philippines. |
| 3 H. ventricosa. | Lamarck. | Mauritius.* * |

FAMILY 14.—CASSIDIDÆ.

GENUS.—CASSIS. *Lamarch*, 1799.

| | | |
|--------------------|----------|---|
| 1 C. areola. | Lamarck. | a Island of Negros, Philippines. b Madras Coast.* |
| 2 C. canaliculata. | „ | a Philippine Is- lands. b Madras Coast.* |
| 3 C. cornuta. | „ | Moluccas, &c. |
| 4 C. decussata. | „ | Singapore. |
| 5 C. glauca. | „ | Philippines.* |
| 6 C. pila. | Reeve. | China. |
| 7 C. rufa. | Lamarck. | Moluccas.* |
| 8 C. torquata. | Reeve. | New Holland. |
| 9 C. vibex. | Lamarck. | Port Blair, An- Dr. Walters. damans. |

GENUS.—CASSIDARIA. *Lamarch*, 1812.

| | | |
|-------------------|----------|---------|
| 1 C. echinophora. | Lamarck. | Sicily. |
|-------------------|----------|---------|

GENUS.—ONISCIA. *Sowerby*, 1825.

| | | |
|------------------|----------|-------------|
| 1 O. cancellata. | Sowerby. | China Seas. |
|------------------|----------|-------------|

FAMILY 15.—DOLIIDÆ

GENUS.—DOLIUM. *Lamarch*, 1801.

| | | |
|------------------|-----------|--|
| 1 D. Chinense. | Deshayes. | China Seas. |
| 2 D. costatum. | „ | Ceylon. Sir W. Denison. |
| 3 D. fasciatum. | Lamarck. | a Philippine Ilds. b Madras Coast. and Ceylon.* |
| 4 D. fimbriatum. | Sowerby. | Philippines. |
| 5 D. maculatum. | Lamarck. | Eastern Seas.* * |
| 6 D. olearium. | „ | Ceylon. |
| 7 D. perdix. | „ | Eastern Seas.* |
| 8 D. pomum. | „ | a Philippines and Ceylon. b Port Blair, An- damans. |
| 9 D. variegatum. | Lamarck. | New Holland. |

GENUS.—FICULA. *Swainson*, 1835.

| | | |
|-----------------|-------|--------|
| 1 F. decussata. | Wood. | Hab. ? |
|-----------------|-------|--------|

| | | |
|------------------|--------------|---------------------------------|
| 2 F. Dussumieri. | Valenciennes | China. |
| 3 F. lævigata. | Linnæus. | Eastern Seas.* |
| 4 F. reticulata. | Lamarck. | <i>a</i> Sooloo Sea. Borneo. |
| | | <i>b</i> Negapatam.* |

FAMILY 16.—VELUTINIDÆ. *H. and A. Adams.*GENUS.—VELUTINA. *Blainville*, 1819.

| | | |
|----------------|----------|------------------|
| 1 V. lævigata. | Fleming. | West of England. |
|----------------|----------|------------------|

FAMILY 17.—NATICIDÆ.

GENUS.—NATICA. *Adamson*, 1757.

| | | |
|----------------------|-----------|--|
| 1 N. ala-papilionis. | Chemnitz. | Philippines.* |
| 2 N. albumen. | Lamarck. | Ceylon. Sir W. Denison. |
| 3 N. aurantia. | „ | Philippines. |
| 4 N. Campeachiensis. | Récluz. | Campeachy Bay. |
| 5 N. Chinensis. | Lamarck. | China and Philip- pine Islands. |
| 6 N. columnaris. | Récluz. | Philippines. |
| 7 N. fluctuata. | Sowerby. | „ |
| 8 N. glauca. | Humboldt. | West Columbia.* |
| 9 N. globosa. | Chemnitz. | Singapore. |
| 10 N. lineata. | Lamarck. | <i>a</i> Singapore. <i>b</i> Madras.* |
| 11 N. maculosa. | „ | Singapore. |
| 12 N. mamilla. | „ | <i>a</i> Philippines.* <i>b</i> Port Blair, An- Capt. Edgcome. damans. |
| 13 N. Marochiensis. | „ | West Indies. |
| 14 N. melanostoma. | „ | Seychelle Islands |
| 15 N. monilifera. | „ | European Seas. |
| 16 N. picta. | Récluz. | Philippines. Sir W. Denison. |
| 17 N. plumbea. | Lamarck. | Brisbane Water, East Coast of Australia. |
| 18 N. Raynaudiana. | Récluz. | Ceylon. Sir W. Denison. |
| 19 N. rufa. | Lamarck. | „ |
| 20 N. simiae. | Deshayes. | Philippines. |
| 21 N. tincturata | Reeve. | Madras Coast. |
| 22 N. triseriata. | Say. | Massachusetts Bay. |
| 23 N. Zanzibarica. | Récluz. | Thorn. |

GENUS.—SIGARETUS. *Lamarch*, 1801.

| | | |
|-------------------|-----------|--|
| 1 S. concavus. | Lamarek. | Bay of Callao, Peru. |
| 2 S. Neritoideus. | Linnaeus. | a Vizagapatam. Major Frazer. b West Indies ?* |

FAMILY 18.—SCALARIDÆ.

GENUS.—SCALARIA. *Lamarch*, 1801.

| | | |
|-----------------|----------|--------------------|
| 1 S. lamelloso. | Lamarek. | Mediterranean Sea. |
|-----------------|----------|--------------------|

FAMILY 19.—TEREBRIDÆ.

GENUS.—TEREBRA. *Bruguière*, 1789.

| | | |
|-------------------|-----------|---|
| 2 T. affinis. | Gray. | Island of Radock. M. Robillard. |
| 3 T. chlorata | Lamarek. | a Island of Radock. M. Robillard. b , Sir W. Denison. |
| 4 T. cingula. | Kiener. | West Indies. |
| 5 T. cingulifera. | Lamarek. | Philippines. |
| 6 T. crenulata. | Linnaeus. | a Moluccas. b Pacific Ocean. Sir W. Denison. |
| 7 T. dimidiata. | , | Society Islands.* |
| 8 T. duplicata. | , | Zanzibar.* |
| 9 T. maculata. | , | Society Islands. |
| 10 T. muscaria. | Lamarek. | Philippines. |
| 11 T. myuros. | , | a Moluccas, &c. b Madras Coast* |
| 12 T. oculata. | , | Pacific Ocean. Sir W. Denison. |
| 13 T. strigata. | Sowerby. | Panama, &c. |
| 14 T. strigilata. | Linnaeus. | Philippines. |
| 15 T. subulata. | , | a Society Islands. b Port Blair, Andaman. Dr. Walters. |
| 16 T. tigrina. | Gmelin. | Island of Radock. M. Robillard. |
| 71 T. Traillii. | Deshayes. | a Vizagapatam. Major Fraser. b , Sir W. Denison. |

FAMILY 20.—PUSIONELLIDÆ. *Gray*, 1857.GENUS.—PUSIONELLA. *Gray*, 1850.

| | | |
|---------------|--------|----------|
| 1 P. rapulum. | Reeve. | Malacca. |
|---------------|--------|----------|

FAMILY 21.—PYRAMIDELLIDÆ.

GENUS.—PYRAMIDELLA. *Lamarch*, 1796.

| | | |
|------------------|-----------|-----------------------------|
| 1 P. cincta. | Reeve. | Philippines. |
| 2 P. punctata. | Chemnitz. | Moluccas. |
| 3 P. terebellum. | Lamarek. | West Indies. Dr. W. Traill. |

GENUS.—RINGICULA. *Deshayes*, 1838.

- 1 R. caron. Philippines.

GENUS.—CHEMNITZIA. *D'Orbigny*, 1839.

- 1 C. rufa. Britain.

GENUS.—ODOSTOMIA. *Fleming*, 1848.

- | | |
|------------------|---------------------|
| 1 O. conoides. | Britain. |
| 2 O. unidentata. | Fleming. Loch Fine. |

GENUS.—MONOPTYGMA. *Lea*, 1833.

- 1 M. striata. ? Japan.

FAMILY 22.—EULIMIDÆ. *H. and A. Adams*, 1854.GENUS.—EULIMA. *Risso*, 1826.

- | | |
|----------------|---------------------------|
| 1 E. distorta. | Deshayes. European Ocean. |
| 2 E. polita. | Linnæus. , |

FAMILY 23.—STYLIFERIDÆ.

GENUS.—STYLIFER. *Broderip*, 1832.

- 1 S. Turtoni. Broderip. Britain.

FAMILY 25.—SOLARIIDÆ.

GENUS.—SOLARIUM. *Lamarch*, 1799.

- | | | |
|--------------------|-----------|-----------------------|
| 1 S. laevigatum. | Lamarck. | Madras Coast.* |
| 2 S. maximum. | Philippi. | Java & Ceylon.* |
| 3 S. perspectivum. | Lamarck. | Indian Ocean.* |
| 4 S. stramineum. | „ | Covalum, near Madras. |

SUB-ORDER 2.—TOXIFERA. *Gray*.FAMILY 27.—CONIDÆ. *H. and A. Adams*.GENUS.—CONUS. *Linnæus*, 1758.

- | | | |
|------------------|-----------|--|
| 1 C. achatinus. | Chemnitz. | Indian Ocean. |
| 2 C. acuminatus. | Hwass. | Red Sea. |
| 3 C. amadis. | Martini | Ceylon.* |
| 4 C. araneosus. | Hwass. | a „ b Port Blair, An-damans. Capt. Edgcome. |
| 5 C. arenatus. | „ | Ceylon. |
| 6 C. augur. | „ | „ &c. |
| 7 C. aulicus. | Linnæus. | „ |
| 8 C. betulinus. | „ | „ * |

| | | | |
|-----------------------------|--------------------------|--------------------------|-----------------|
| 9 <i>C. capitaneus.</i> | Linnæus. | <i>a</i> Asiatic Seas. | |
| | | <i>b</i> Port Blair, An- | Dr. Gamach. |
| | | damans. | " |
| 10 <i>C. catus.</i> | Hwass. | " | |
| 11 <i>C. consors.</i> | Sowerby. | Ceylon. | |
| 12 <i>C. distans.</i> | Hwass. | Reunion. | M. Robillard. |
| 13 <i>C. eburneus.</i> | " | Ceylon. | |
| 14 <i>C. episcopus.</i> | Lamarck. | <i>a</i> " | |
| | | <i>b</i> Port Blair, An- | Dr. Gamach. |
| | | damans. | |
| 15 <i>C. figulinus.</i> | Linnæus. | <i>a</i> Ceylon* | |
| | | <i>b</i> Madras.* | |
| 16 <i>C. flavidus.</i> | Lamarck. | Kingsmill Island. | M. Robillard. |
| 17 <i>C. generalis.</i> | Linnæus. | Ceylon. | |
| 18 <i>C. geographus.</i> | " | <i>a</i> Mauritius, &c. | |
| | | <i>b</i> Port Blair, An- | Capt. Edgcome. |
| | | damans. | |
| 19 <i>C. glans.</i> | Hwass. | Philippines. | |
| 20 <i>C. gubernator.</i> | " | Diego. | M. Robillard. |
| 21 <i>C. hebræus.</i> | Linnæus. | <i>a</i> Ceylon. | |
| | | <i>b</i> Port Blair, An- | Capt. Edgcome. |
| | | damans. | |
| 22 <i>C. imperialis</i> | Linnæus. | Philippines. | |
| 23 <i>C. interruptus.</i> | Broderip and Sowerby. | Pacific Ocean. | |
| 24 <i>C. literatus</i> | Linnæus. | <i>a</i> Ceylon. | |
| | | <i>b</i> Andamans. | Lt. McGoun. |
| 25 <i>C. lividus.</i> | Hwass. | Society Islds.* | |
| 26 <i>C. magus.</i> | Linnæus. | Philippines. | |
| 27 <i>C. mallaccanus.</i> | Lamarck. | Hab. ? | |
| 28 <i>C. marmoreus.</i> | Linnæus. | Ceylon, &c. | Sir W. Denison. |
| 29 <i>C. miles.</i> | " | <i>a</i> " | |
| | | <i>b</i> Port Blair, An- | Dr. Walters. |
| | | damans. | |
| 30 <i>C. miliaris.</i> | Hwass. | China. | |
| 31 <i>C. millepunctatus</i> | Lamarck. | Island of Annaa. | |
| 32 <i>C. minimus.</i> | Linnæus. | Sandwich Islands | Sir W. Denison. |
| 33 <i>C. mitratus.</i> | Hwass. | Port Blair, An- | Dr. Gamach. |
| | | damans. | |
| 34 <i>C. monile.</i> | " | Ceylon.* | |
| 35 <i>C. mustellinus.</i> | " | Istd. of Bohol, &c. | |

| | | |
|-----------------------------|------------|--|
| 36 <i>C. nussatella.</i> | Linnæus. | <i>a</i> Philippines. <i>b</i> Port Blair, An-damans. |
| 37 <i>C. obesus.</i> | Hwass. | Ceylon.* |
| 38 <i>C. obscurus.</i> | Humphreys. | <i>a</i> Philippines. <i>b</i> Port Blair, An-damans. |
| 39 <i>C. papilionaceus.</i> | Hwass. | Mouth of the Gambia. |
| 40 <i>C. pulicarius.</i> | , | Moluccas. |
| 41 <i>C. punctatus.</i> | Chemnitz. | Vizagapatam. Sir W. Denison. |
| 42 <i>C. quercinus.</i> | Hwass. | Ceylon. |
| 43 <i>C. regularis.</i> | Sowerby. | Gulf of Nicoya, &c. |
| 44 <i>C. sponsalis.</i> | ? | Kingsmill Island. M. Robillard. |
| 45 <i>C. striatus.</i> | Linnæus. | <i>a</i> Ceylon.* <i>b</i> Port Blair, An-damans. |
| 46 <i>C. sulcatus.</i> | Hwass. | China. |
| 47 <i>C. Taheitensis.</i> | , | Tahiti. M. Robillard. |
| 48 <i>C. terebellum.</i> | Martini. | Philippines. |
| 49 <i>C. terminus.</i> | Lamarek. | Ceylon. |
| 50 <i>C. tessellatus.</i> | Born. | , * |
| 51 <i>C. textile.</i> | Linnæus. | <i>a</i> , <i>b</i> Andamans. Capt. Edgecome. <i>c</i> , Lt. McGoun. |
| 52 <i>C. tulipa.</i> | Linnæus. | Island of Annaa. |
| 53 <i>C. vermiculatus.</i> | ? | Reunion. M. Robillard. |
| 54 <i>C. vexillum.</i> | Martini. | Philippines. |
| 55 <i>C. virgo.</i> | Linnæus. | Ceylon, &c.* |
| 56 <i>C. viridulus.</i> | Lamarek. | , Sir W. Denison. |
| 57 <i>C. vitulinus.</i> | Hwass. | Tahiti. , |
| 58 <i>C. zonatus.</i> | , | Eastern Ocean. |

SUB-ORDER 3.—ROSTRIFERA. *Gray.*FAMILY 28.—STROMBIDÆ. *D'Orbigny.*GENUS.—STROMBUS. *Linnæus*, 1740.

| | | |
|---------------------------|----------|---------------------------------------|
| 1 <i>S. auris</i> , Dianæ | Linnæus. | Ind. Archipelago. |
| 2 <i>S. australis.</i> | Sowerby. | W. Australia. Sir W. Denison. |
| 3 <i>S. canarium.</i> | Linnæus. | <i>a</i> Ceylon.* <i>b</i> Labuan. |
| 4 <i>S. dentatus.</i> | , | Indian Seas. |

| | | |
|----------------------------|-----------|---|
| 5 <i>S. elegans.</i> | Sowerby. | Burmah. |
| 6 <i>S. epidromus.</i> | Linnæus. | Philippines. |
| 7 <i>S. floridus.</i> | Lamarck. | <i>a</i> Seychelle Islds. <i>b</i> Mauritius. |
| 8 <i>S. gibberulus.</i> | Linnæus. | <i>a</i> Philippines. <i>b</i> Port Blair, An- Dr. Walters. damans. |
| 9 <i>S. gigas.</i> | Linnæus. | <i>c</i> Isld. of Radock. Sir W. Denison. The Antilles. |
| 10 <i>S. granulatus.</i> | Gray. | South Seas. |
| 11 <i>S. Isabella.</i> | Lamarck. | Singapore. |
| 12 <i>S. lentiginosus.</i> | Linnæus. | <i>a</i> Indian Seas. <i>b</i> , , young. |
| 13 <i>S. Luhuanus.</i> | , | Indian Seas. |
| 14 <i>S. maculatus.</i> | Nuttall. | Kingsmill Island. M. Robillard. |
| 15 <i>S. marginatus.</i> | Linnæus. | Indian Seas. |
| 16 <i>S. Mauritianus.</i> | Lamarck. | Ceylon.* |
| 17 <i>S. papilio.</i> | Chemnitz. | , Sir W. Denison. |
| 18 <i>S. pugilis.</i> | Linnæus. | The Antilles. |
| 19 <i>S. succinctus.</i> | , | Indian Seas.* |
| 20 <i>S. tricornis.</i> | Lamarck. | Red sea. |
| 21 <i>S. urceus.</i> | Linnæus. | <i>a</i> Singapore. <i>b</i> Indian Seas. |
| 22 <i>S. variabilis.</i> | Swainson. | <i>a</i> Philippines. <i>b</i> Port Blair, An- Dr. Walters. damans. |
| 23 <i>S. vittalus.</i> | Linnæus. | Philippines. |

GENUS.—PTEROCERA. *Lamarch*, 1799.

| | | |
|-----------------------|-----------|--|
| 1 <i>P. aurantia.</i> | Lamarck. | <i>a</i> Ceylon. <i>b</i> , , young. |
| 2 <i>P. bryonia.</i> | Chemnitz. | <i>a</i> , , * <i>b</i> Port Blair, An- Capt. Edgcome. damans. |
| 3 <i>P. chiragra.</i> | Linnæus. | Ceylon. |
| 4 <i>P. lambis.</i> | , | Indian Seas.* |
| 5 <i>P. scorpius.</i> | , | <i>a</i> , , <i>b</i> Port Blair, An- Dr. Gamach. damans. |
| 6 <i>P. violacea.</i> | | Cargados Island, M. Robillard. very rare. |

GENUS.—ROSTELLARIA. *Lamarch*, 1799.

| | | |
|----------------------------|----------|-------------------|
| 1 <i>R. cancellata</i> . | Lamarck. | <i>a</i> Ceylon. |
| | | <i>b</i> Burmah. |
| 2 <i>R. curvirostris</i> . | „ | <i>a</i> Red Sea. |
| | | <i>b</i> Nassibe. |
| 3 <i>R. fusus</i> . | Linnæus. | Labuan. |

GENUS.—CHENOPUS. *Philippi*, 1836.

| | | |
|----------------------------|----------|-------------------|
| 1 <i>C. pes-pelecani</i> . | Lamarck. | Coasts of Europe. |
|----------------------------|----------|-------------------|

GENUS.—STRUTHIOLARIA. *Lamarch*, 1812.

| | | |
|------------------------|---------|--------------|
| 1 <i>S. papulosa</i> . | Martyn. | New Zealand. |
|------------------------|---------|--------------|

GENUS.—TEREBELLUM. *Lamarch*, 1809.

| | | |
|-------------------------|----------|---------|
| 1 <i>T. punctatum</i> . | Linnæus. | Ceylon. |
|-------------------------|----------|---------|

FAMILY 29.—CYPRÆIDÆ. *Gray*, 1824.GENUS.—CYPRÆA. *Linnæus*, 1740.

| | | |
|-------------------------------|----------|--|
| 1 <i>C. algoensis</i> . | Reeve. | Algoa Bay, South Africa. |
| 2 <i>C. annulus</i> . | Linnæus. | <i>a</i> Eastern Seas.* |
| | | <i>b</i> Port Blair, An-damans. Dr. Walters. |
| 3 <i>C. Arabica</i> . | „ | <i>a</i> Eastern Seas.* * |
| | | <i>b</i> Port Blair, An-damans. Dr. Walters. |
| 4 <i>C. Arabicula</i> . | Lamarck. | St. Elena, West Columbo. |
| 5 <i>C. Argus</i> . | Linnæus. | Port Blair, An-damans. Dr. Walters. |
| 6 <i>C. assellus</i> . | „ | <i>a</i> West Indies. |
| | | <i>b</i> Port Blair, An-damans. Dr. Walters. |
| | | <i>c</i> „ Capt.Edgcome. |
| 7 <i>C. australis</i> . | Lamarck. | New Holland. |
| 8 <i>C. caput-serpentis</i> . | Linnæus. | <i>a</i> Pacific Ocean.* |
| | | <i>b</i> Port Blair, An-damans. Dr. Walters. |
| | | <i>c</i> „ Capt.Edgcome. |
| 9 <i>C. carneola</i> . | „ | <i>a</i> Isle of Annaa.* |
| | | <i>b</i> Port Blair, An-damans. Dr. Gamach. |

| | | |
|--------------------|-----------|--|
| 10 C. caurica. | Linnæus. | <i>a</i> Eastern Seas.* * |
| | | <i>b</i> Port Blair, An-damans. Dr. Walters. |
| 11 C. Childreni. | Grey. | Isle of Annaa. |
| 12 C. cicercula. | Linnæus. | <i>a</i> , <i>b</i> Port Blair, An-damans. |
| 13 C. clandestina. | , | <i>a</i> Ceylon. <i>b</i> Port Blair, An-damans. Dr. Walters. |
| 14 C. cribaria. | , | <i>a</i> Ceylon. Sir W. Denison. <i>b</i> , young. " <i>c</i> Port Blair, An-damans. Dr. Gamach. |
| 15 C. cylindrica. | Born. | Ceylon. |
| 16 C. diliculum. | Linnæus. | Philippines. |
| 17 C. errones. | , | <i>a</i> Eastern Seas.* <i>b</i> Port Blair, An-damans. Dr. Walters. |
| 18 C. erosa. | , | <i>a</i> Ceylon, Mauri-tius, &c. Dr. Walters.* <i>b</i> Andamans. Lieut. McGoun. |
| 19 C. Europæa | Montague. | Shores of Britain.* |
| 20 C. felina. | Gray. | <i>a</i> Madras. <i>b</i> Port Blair, An-damans. Dr. Walters. |
| 21 C. fimbriata. | Gmelin. | Japan. |
| 22 C. gaugrenosa. | Solander | Hab. ? |
| 23 C. globulus. | Linnæus. | <i>a</i> East Indies. <i>b</i> Port Blair, An-damans. Dr. Walters. |
| 24 C. helvola | , | Ceylon.* |
| 25 C. insecta. | ? | Sandwich Islands. M. Robillard. |
| 26 C. interupta. | Gray. | Ceylon. |
| 27 C. Isabella. | Linnæus | <i>a</i> Mauritius.* <i>b</i> Port Blair, An-damans. Dr. Walters. |
| 28 C. Lamarkii ? | Gray. | Ceylon. Sir W. Denison. |
| 29 C. lynx. | Linnæus. | <i>a</i> , * <i>b</i> Port Blair, An-damans. Dr. Walters. <i>c</i> , Capt. Edgcome. |

| | | | |
|------------------------------|-----------|--|-----------------|
| 30 <i>C. maculata.</i> | Barnes. | Polynesian Islands. | Sir W. Denison. |
| 31 <i>C. mappa.</i> | Linnæus. | <i>a</i> Isle of Annaa. <i>b</i> Port Blair, An-damans. | Dr. Walters. |
| 32 <i>C. Mauritiana.</i> | , | <i>a</i> Mauritius.* <i>b</i> Port Blair, An-damans. | Capt. Edgecome. |
| | | <i>c</i> , | Lieut. McGoun. |
| | | <i>d</i> , | Dr. Walters. |
| 33 <i>C. miliaris.</i> | Gmelin. | Japan. | |
| 34 <i>C. moneta.</i> | Linnæus. | <i>a</i> Tahiti.* <i>b</i> Madras. | |
| 35 <i>C. mus.</i> | , | Hab. ? | |
| 36 <i>C. neglecta.</i> | Sowerby. | Mauritius. | |
| 37 <i>C. nucleus.</i> | Linnæus. | <i>a</i> Hab. ? <i>b</i> Port Blair, An-damans. | |
| 38 <i>C. ocellata.</i> | , | <i>a</i> Eastern Seas.* <i>b</i> Vizagapatam. | Major Fraser. |
| 39 <i>C. onyx.</i> | Linnæus. | <i>a</i> California. <i>b</i> Port Blair, An-damans. | Dr. Walters. |
| 40 <i>C. oryza.</i> | Lamarck. | <i>a</i> Philippines. <i>b</i> Port Blair, An-damans. | Dr. Gamach. |
| 41 <i>C. pantherina.</i> | Solander. | Red Sea. | |
| 42 <i>C. pediculus.</i> | Linnæus. | West Indies. | |
| 43 <i>C. piperata.</i> | Solander. | New Holland. | |
| 44 <i>C. poraria.</i> | Linnæus. | Tahiti. | |
| 45 <i>C. punctatata.</i> | , | Port Blair, An-damans. | Dr. Gamach. |
| 46 <i>C. pustulata.</i> | Lamarck. | Island of Plata, N. America. | |
| 47 <i>C. pyriformis.</i> | Gray. | Ceylon. | |
| 48 <i>C. quadrimaculata.</i> | , | Hab. ? | |
| 49 <i>C. reticulata.</i> | Martyn. | Eastern Seas. | |
| 50 <i>C. Scottii</i> | Broderip. | W. Australia. | Sir W. Denison. |
| 51 <i>C. scurra.</i> | Chemnitz. | <i>a</i> Isle of Annaa. <i>b</i> Port Blair, An-damans. | Dr. Walters. |
| 52 <i>C. spurca.</i> | Linnæus. | Adriatic Gulph. | M. Robillard. |

| | | | |
|-----------------------|------------|--|----------------|
| 53 C. staphylea. | Linnaeus. | <i>a</i> Philippines. <i>b</i> Port Blair, An- damans. | |
| 54 C. stolida. | " | Ceylon. | |
| 55 C. talpa. | " | <i>a</i> Eastern Seas. <i>b</i> Port Blair, An- damans. | Dr. Walters. |
| | | <i>c</i> " | Capt. Edgcome. |
| 56 C. testitudinaria. | " | Mauritius. | |
| 57 C. thersites. | Gaseoigne. | Australia. | |
| 58 C. tigris. | Linnaeus. | <i>a</i> Eastern Seas.* <i>b</i> Port Blair, An- damans. | Lieut. McGoun. |
| | | <i>c</i> " | Capt. Edgcome. |
| 59 C. turdus. | Lamarck. | Hab. ? | |
| 60 C. ventriculus | " | Isle of Annaa. | |
| 61 C. vitellus. | Linnaeus. | Port Blair, An- damans.* | Dr. Walters. |
| 62 C. zigzag. | " | Mozambique. | |

GENUS.—OVULUM. *Bruguière*, 1789.

| | | | |
|------------------|-----------|---|---|
| 1 O. ovum. | Linnaeus. | <i>a</i> Port Blair, An- damans. <i>b</i> " <i>c</i> " | Dr. Walters.* Capt. Edgecome. Dr. Gamach. |
| 2 O. verrucosum. | " | Port Blair, An- damans. | Dr. Walters. |
| 3 O. volva. | " | West Indies. | Sir W. Denison. |

FAMILY 30.—CANCELLARIIDÆ. *H. and A. Adams*.GENUS.—CANCELLARIA. *Lamarck*, 1799.

| | | |
|------------------------|-----------|-------------------------|
| 1 C. bifasciata. | Deshayes. | Straits of Malacea. |
| 2 C. hystrix. | Reeve. | Mauritius. |
| 3 C. lamellosa. | Hinds. | Indian Archipelago. |
| 4 C. Littorinaeformis. | Sowerby. | Ceylon. Sir W. Denison. |
| 5 C. mangelioides. | Reeve. | Hab. ? |

FAMILY 31.—TRICHOTROPIDÆ.

GENUS.—TRICHOTROPIS. *Sowerby and Broderip*, 1826.

| | | |
|------------------|--------|-------------------|
| 1 T. cancellata. | Hinds. | Vancouver's Isld. |
|------------------|--------|-------------------|

FAMILY.—CERITHIIDÆ.

GENUS.—CERITHIUM. *Bruguière*, 1789.

| | | | |
|---------------|---|---------|-----------------|
| 1 C. alveola. | ? | Tahiti. | Sir W. Denison. |
|---------------|---|---------|-----------------|

| | | |
|-------------------|------------|--|
| 2 C. granosum. | Kiener. | New Holland. |
| 3 C. litteratum. | Born. | West Indies. |
| 4 C. morus. | Lamarck. | a Bay of Bengal. b Vizagapatam. Major Fraser. |
| 5 C. nodulosum. | Bruguière. | a Port Blair, An-damans. b Red Sea. |
| 6 C. palustre. | " | a Port Blair, An-damans. b East Indies.* |
| 7 C. reticulatum. | Costa. | Cornwall, England. |
| 8 C. rugosum. | Wood. | a Tahiti. Sir W. Denison. b New Holland. |

GENUS.—VERTAGUS. *Klein.*

| | | |
|-----------------|-------------|---|
| 1 V. fasciatus. | Bruguière. | East Indies. |
| 2 V. gemmatus. | Hinds ? | Acapulco. Sir W. Denison. |
| 3 V. lineatus. | Lamarck. | Port Blair, An-damans. Capt Edgcome. |
| 4 V. obeliscus. | Bruguière. | a Singapore.* b Labuan. c Port Blair, An-damans. d Kingsmill Island. M. Robillard. |
| 5 V. Sowerbyi. | Kiener. | Hab. ? |
| 6 V. vulgaris. | Schumacher. | a East Indies.* b Port Blair, An-damans. Dr. Gamach. |

GENUS.—TELESCOPIUM. *Montfort, 1810.*

| | | |
|--------------|-------------|-----------------------------------|
| 1 T. fuscum. | Schumacher. | a East Indies. b Pulicat Lake. |
|--------------|-------------|-----------------------------------|

GENUS.—CERITHIDEA. *Swainson, 1840.*

| | | |
|-----------------|----------|----------------|
| 1 C. decollata. | Linnæus. | Hab. ? |
| 2 C. Lafondii. | Michaud. | Jamaica. |
| 3 C. obtusa. | Wood. | Seas of Timor. |
| 4 C. quadrata. | Sowerby. | Malacca. |

FAMILY 33.—MELANIIDÆ.

GENUS.—MELANIA. *Lamarck, 1799.*

| | | |
|-----------------|--------|--------------------------------|
| 1 M. acuta. | Lea. | Georgia, U. States. |
| 2 M. Australis. | Reeve. | Victoria River, N. Australia.* |

| | | |
|--------------------|----------------|---|
| 3 M. balteata. | Reeve. | Ceylon. |
| 4 M. collistriata. | „ | Madras.* * * |
| 5 M. corrugata. | Lamarek. | India.* |
| 6 M. crenulata. | Chemnitz. | a River Irrawadi, Burmah. b Philippine Islands. |
| 7 M. episcopalis. | Lea. | Malacca. |
| 8 M. flammulata. | Von dem Busch. | Labuan. |
| 9 M. gemmulata. | Reeve. | Calcutta. |
| 10 M. gracilior. | Anthony. | Ohio. |
| 11 M. Herculea. | Gould. | Ceylon. |
| 12 M. lyrata. | Menke. | Sikkim-Himalaya. |
| 13 M. mancensis. | ? | Sandwich Islands. M. Robillard. |
| 14 M. Newcombi. | ? | „ „ |
| 15 M. pyramis. | Benson. | a Borneo.* var. b Ceylon, |
| 16 M. spinulosa. | Lamarek. | a „, b Calcutta. |
| „ young. | | . |
| 17 M. subsolida. | Lea. | Indiana. |
| 18 M. tuberculata. | Müller. | Calcutta & vicinity of Madras.* * * |
| 19 M. variabilis. | Benson. | Bengal. |
| 20 M. virgulata. | Ferussac. | Pulla River, near Cuddapah.* Miss S. Mitchell. |

GENUS.—LEPTOXIS. *Rafinesque*, 1819.

| | | |
|-------------------|-----------|---------------------------|
| 1 L. geniculatus. | Haldeman. | Tennessee, United States. |
|-------------------|-----------|---------------------------|

GENUS.—MELANOPSIS. *Ferussac*, 1807.

| | | |
|---------------|-----------|---------|
| 1 M. cariosa. | Linnaeus. | Spain ? |
| 2 M. prærosa. | „ | „ |

GENUS.—PIRENA. *Lamarche*, 1812.

| | | |
|---------------|-----------|-----------------------------|
| 1 P. atra. | Müller. | Calcutta & Ceylon. |
| 2 P. spinosa. | Lamarche. | Madagascar. Sir W. Denison. |

FAMILY 34.—LITTORINIDÆ. *Gray*, 1840.GENUS.—LITTORINA. *Ferussac*, 1821.

| | | |
|--------------------|------------|-------------------------|
| 1 L. carnifera. | Menke. | Java.* |
| 2 L. columellaris. | D'Orbigny. | Pernambuco. |
| 3 L. conica. | Philippi. | Japan. M. Robillard. |
| 4 L. conspersa. | ? | Panama. Sir W. Denison. |
| 5 L. fasciata. | Gray. | „ „ |

| | | | |
|--------------------|-----------|-----------------------------------|-----------------|
| 6 L. irrorata. | Say. | Sitka, U. States. | Sir W. Denison. |
| 7 L. laevis. | Philippi. | a Calcutta. | |
| 8 L. littoralis. | Linnæus. | b Island of Reunion. | M. Robillard. |
| 9 L. littorea. | " | Britian, &c.* | |
| | | Atlantic shores of Europe. | |
| 10 L. Malaccana. | Philippi. | a Ceylon. | |
| | | b Madras.** | |
| 11 L. melanostoma. | Gray. | Singapore. | |
| 12 L. muricata. | Linnæus. | West Indies. | |
| 13 L. Newcombi. | Reeve. | Sandwich Islands. | M. Robillard. |
| 14 L. obesa. | Sowerby. | Philippines. | |
| 15 L. obligata. | Say. | Maine, U. States. | |
| 16 L. palliata. | " | United States.* | |
| 17 L. picta. | Philippi. | Sandwich Islands. | M. Robillard. |
| 18 L. pintado. | Wood. | Island of Reunion. | " |
| 19 L. plena. | ? | San Francisco. | " |
| 20 L. reticulata. | ? | Island of Reunion. | " |
| 21 L. rufis. | Donovan. | Britain, & U. States. | |
| 22 L. seabra. | Linnæus. | Philippines. | |
| 23 L. Sitchana. | Philippi. | Sitka, North West Coast, America. | Sir W. Denison. |
| 24 L. tenebrosa. | Montagu. | Britain, & U. States. | |
| 25 L. trochoides. | Gray. | Ceylon. | |
| 26 L. zigzag. | Chemnitz. | " | |

GENUS.—LACUNA. *Turton, 1827.*

| | | |
|-----------------|----------|----------|
| 27 L. crassior. | Montagu. | Britain. |
| 28 L. vincta. | " | " |

GENUS.—CREMNOBATES. *W. T. Blanford, 1863.*

| | | | |
|-------------------|-----------------|----------------|---------------------|
| 1 C. carmatus. | Layard. | Mahableshwar. | Mr. W. T. Blanford. |
| 2 C. conicus. | W. T. Blanford. | Torna, Dukhun. | " |
| 3 C. Syhadrensis. | " | Western Ghats. | " |

FAMILY 35.—PLANAXIDÆ. *H. and A. Adams.*GENUS—PLANAXIS. *Lamarck, 1822.*

| | | | |
|--------------------|----------|-------------------|-----------------|
| 1 P. boricinoides. | ? | Tahiti. | M. Robillard. |
| 2 P. Judicularis. | Lamarck. | West Indies. | |
| 3 P. lineolatus. | Gould. | Tahiti. | Sir W. Denison. |
| 4 P. plumbea. | Pease. | Sandwich Islands. | " |

| | | |
|--------------------|----------|----------------|
| 5 P. semisuleatus. | Sowerby. | Hab. ? |
| 6 P. sulcatus. | Lamarek. | a Ceylon.* |
| | | b Vizagapatam. |

SUB-GENUS.—QUOYIA. *H. and A. Adams*, 1854.

| | | |
|-----------------|----------------------|------------------|
| 1 Q. decollata. | Quoy and Gaimard. | North Australia. |
|-----------------|----------------------|------------------|

FAMILY 37.—RISSOIDÆ. *H. and A. Adams*.GENUS.—RISSOA. *Frémerville*, 1814.

| | | |
|-------------------|----------|--------------------------|
| 1 R. cingilla. | Fleming. | Plymouth, &c. |
| 2 R. fulgida. | ? | Britain. |
| 3 R. labiosa. | Fleming. | „ |
| 4 R. minuta. | ? | Ceylon. Dr. W. Traill. |
| 5 R. parva. | Récluz. | Britain. |
| 6 R. rufilabris. | ? | „ |
| 7 R. scalurella. | Adams. | Jamaica. Sir W. Denison. |
| 8 R. semistriata. | Fleming. | South Coast of Devon. |
| 9 R. ventricosa. | , | Weymouth. |

FAMILY 38.—PALUDINIDÆ. *H. and A. Adams*.GENUS.—PALUDINA. *Lamarek*, 1821.

| | | |
|-------------------|-------------|----------------------------|
| 1 P. Bengalensis. | Lamarek. | a Madras.* |
| | | b Benares. Mr. W. Theodo- |
| | | bald. |
| | | c Vizagapatam. * * |
| 2 P. conlecta. | Millet. | Central Europe. |
| 3 P. decisæ. | Say. | Erie Canal.* |
| 4 P. fallax. | Frauenfeld. | Tenasserim. Mr. W. Theodo- |
| | | bald. |
| 5 P. malleata. | Reeve. | Japan. |
| 6 P. melanostoma. | Benson. | a Madras. * * * |
| | | b Bengal. Mr. E. Blyth. |
| 7 P. vivipira. | Linnaeus. | Central Europe. |

GENUS.—PALUDOMUS. *Swainson*, 1840.

| | | |
|-------------------|---------|-----------------------------|
| 1 P. acutus. | Reeve. | Courtalliar River. * * * |
| 2 P. Chilinoides. | „ | Mahawelle Gunga, Ceylon. |
| 3 P. conicus. | Gray. | Sylhet, India. |
| 4 P. funiculatus. | Reeve. | Rutnapoora, Ceylon. |
| 5 P. Gardneri. | „ | Ceylon. |
| 6 P. lævis. | Layard. | „ |

| | | | |
|------------------|---------|---------------------|------------------|
| 7 P. loricatus. | Reeve. | Ceylon. | |
| 8 P. phasianina. | " | " | |
| 9 P. pictus. | " | Rutnapoora, Ceylon. | |
| 10 P. Stephanus. | Benson. | Bengal. | Mr. W. Theobald. |
| 11 P. sulcatus. | Reeve. | Rutnapoora, Ceylon. | |
| 12 P. Tanjorica. | Eydoux. | Courtalliar River.* | |

GENUS.—*BITHYNIA*. *Gray*, 1821.

| | | | |
|--------------------|----------|---------------------------------------|------------------|
| 13 B. cerameopoma. | Benson. | Benares. | Mr. W. Theobald. |
| 14 B. impura. | Lamarek. | Bordeaux. | |
| 15 B. marginata. | | a Ceylon.* | |
| | | b Thoosmamundoor, near Conjeveram. | |
| 16 B. minuta. | | Ceylon.* | |
| 17 B. pulchella. | Hutton. | Madras. * * * | |

FAMILY 39.—*VALVATIDÆ*. *Gray*.GENUS.—*VALVATA*. *Müller*, 1774.

| | | |
|------------------|------------|-----------|
| 1 V. carinata. | Say. | Hab. ? |
| 2 V. piscinalis. | Ferrussac. | Bordeaux. |

FAMILY 40.—*AMPULLARIIDÆ*. *D'Orbigny*, 1837.GENUS.—*AMPULLARIA*. *Lamarch*, 1799.

| | | | |
|-----------------|-----------|----------------|-----------------|
| 1 A. adusta. | Reeve. | Madagascar. | Sir W. Denison. |
| 2 A. amazonica. | " | River Amazon. | |
| 3 A. carinata. | Swainson. | Red Hill Lake. | |
| 4 A. glauca. | Linnæus. | " | |
| 5 A. globosa. | Swainson. | " | * * * |
| 6 A. Javanica. | Reeve. | Bombay. | |

FAMILY 41.—*TURRITELLIDÆ*. *Clark*, 1851.GENUS.—*TURRITELLA*. *Lamarch*, 1799.

| | | |
|--------------------|----------|-----------------------|
| 1 T. attenuata. | Reeve. | Coromandel.* |
| 2 T. bicingulata ? | Lamarek. | Cape de Verd Islands. |
| 3 T. cornea. | " | British Seas. |
| 4 T. duplicata. | " | Eastern Seas.** |
| 5 T. terebra. | " | Singapore. |

FAMILY 42.—*CÆCIDÆ*. *Gray*.GENUS.—*CÆCUM*. *Fleming*, 1811.

| | | |
|---------------|---------|----------|
| 1 C. trachæa. | Forbes. | Britain. |
|---------------|---------|----------|

FAMILY 43.—VERMETIDÆ. *D'Orbigny*, 1840.GENUS.—VERMETUS. *Adanson*, 1757.

- 1 *V. cereus*. Reeve ? Peru.

FAMILY 44.—SILIQUARIIDÆ.

GENUS.—SILIQUARIA. *Bruguière*, 1789.

- 1 *S. trochlearis*. ? Philippines.

FAMILY 45.—ONUSTIDÆ. *H. and A. Adams*.GENUS.—PHORUS. *Montfort*, 1810.

- 1 *P. calculiferus*. Reeve. Ceylon. Sir W. Denison.
2 *P. Indicus*. , Cochin China.

FAMILY 46.—CALYPTRÆIDÆ. *Broderip*, 1835.GENUS.—CALYPTRÆA. *Lamarch*, 1799.

- 1 *C. spinura*. California.

GENUS.—CRUCIBULUM. *Schumacher*, 1817.

- 1 *C. corrugatum*. Carpenter. California.
2 *C. extintorum*. Lamarck. Malacca.* *
3 *C. radiatum*. Broderip. California.

GENUS.—TROCHITA. *Schumacher*, 1817.

- 1 *T. Sinensis*. Linnæus. Britain.

GENUS.—CREPIDULA. *Lamarch*, 1799.

- 1 *C. fornicata*. Linnæus. United States,
2 *C. Walshi*. Hermannson. Ceylon.

FAMILY 47.—PILEOPSIDÆ.

GENUS.—PILEOPSIS. *Lamarch*, 1812.

- 1 *P. ungaricus*. Linnæus. Britain.

GENUS.—HIPPONYX. *Defrance*, 1819.

- 1 *H. barbata*. Sowerby. Society Islands.
2 *H. incurvata*. ? Island of Reunion. M. Robillard.

FAMILY 48.—NERITOPSIDÆ.

GENUS.—NARICA. *Récluz*, 1841.

- 1 *N. Deshayesiana*. Récluz. New Zealand.
2 *N. peletrina*. Tahiti. Tahiti. M. Robillard.

GENUS.—NERITOPSIS. *Grateloup*, 1832.

- 1 *N. radula*. Linnæus. Philippines.

ORDER II.—SCUTIBRANCHIATA. *H. and A. Adams.*

SUB-ORDER.—PODOPHTHALMA:

FAMILY 1.—NERITIDÆ.

GENUS.—NERITA. *Linnæus*, 1758.

| | | | |
|----------------------------|-----------|----------------------------------|-----------------|
| 1 <i>N. albicilla.</i> | Linnæus. | <i>a</i> Philippines.* * | |
| | | <i>b</i> Solomon Islds. | M. Robillard. |
| 2 <i>N. annulata.</i> | Reeve. | Vizagapatam. | |
| 3 <i>N. antiquata.</i> | Récluz. | Philippines. | |
| 4 <i>N. atrata.</i> | Chemnitz. | Australia. | |
| 5 <i>N. atro-purpurea.</i> | Récluz. | Philippines. | |
| 6 <i>N. costata</i> | Chemnitz. | Nicobar Islands.* | |
| 7 <i>N. exuvia.</i> | Linnæus. | Philippines. | |
| 8 <i>N. funiculata.</i> | Reeve. | Hab. ? | |
| 9 <i>N. lineata.</i> | Chemnitz. | Port Essington, N. Australia. | |
| 10 <i>N. maura?</i> | Récluz. | Solomon Islands. | M. Robillard. |
| 11 <i>N. ornata.</i> | Sowerby. | Panama. | |
| 12 <i>N. peloronta.</i> | Linnæus. | West Indies. | |
| 13 <i>N. plexa.</i> | Chemnitz. | Philippines. | |
| 14 <i>N. plicata.</i> | Linnæus. | West Indies. | |
| 15 <i>N. polita.</i> | " | Philippines.* * * | |
| 16 <i>N. præcognita.</i> | Adams. | Hab. ? | |
| 17 <i>N. Rumphii.</i> | Récluz. | Philippines.* | |
| 18 <i>N. semirugosa.</i> | " | Vizagapatam. | |
| 19 <i>N. signata.</i> | Macleay. | Kingsmill Island. | Sir W. Denison. |
| 20 <i>N. tessellata.</i> | Linnæus. | West Indies.* | |
| 21 <i>N. versicolor.</i> | Lamarck. | " | |

GENUS.—NERITINA. *Lamarch*, 1809.

| | | | |
|-------------------------------|-----------|---|---------------------|
| 1 <i>N. auriculata?</i> | Lamarck. | Calcutta. | |
| 2 <i>N. chlorostoma.</i> | Broderip. | Tahiti. | M. Robillard. |
| 3 <i>N. cornucopia</i> , var. | Benson. | Hab. ? | Mr. W. T. Blanford. |
| 4 <i>N. corona?</i> | Linnæus. | Palawan. | |
| 5 <i>N. cryptosira.</i> | Benson. | Salween River. | Mr. W. Theobald. |
| 6 <i>N. depressa.</i> | " | <i>a</i> Calcutta. <i>b</i> Singapore. | |
| 7 <i>N. dubia.</i> | Chemnitz. | Ceylon. | |
| 8 <i>N. faba.</i> | Sowerby. | Hab. ? | |
| 9 <i>N. fuliginosa.</i> | Theobald. | Ava. | Mr. W. Theobald. |

| | | | |
|----------------------|-----------|--------------------------------|-----------------|
| 10 N. granosa. | Sowerby. | Sandwich Islands. | M. Robillard. |
| 11 N. insculpta. | Reeve. | Island of Diego. | „ |
| 12 N. longispina. | Récluz. | Mauritius. | Sir W. Denison. |
| 13 N. melanostoma | Troschel. | Ceylon & Bengal. | |
| 14 N. meleagris ? | Lamarck. | Dalmatia. | |
| 15 N. Mertonia. | Récluz. | Pulicat Lake and Ceylon.* | |
| 16 N. obtusa. | Benson. | River Ganges, Calcutta. | |
| 17 N. Perrotettiana. | Récluz. | Madras and Neil- gherries.* | |
| 18 N. pisiformis. | Récluz. | Sandwich Islands. | M. Robillard. |
| 19 N. ponderosa. | ? | Mauritius. | Sir W. Denison. |
| 20 N. Prevostiana. | Sowerby. | Valencia. | |
| 21 N. pupa. | Linnæus. | Jamaica. | Dr. W. Traill. |
| 22 N. retifera. | ? | Calcutta. | * |
| 23 N. Sandwichensis. | Deshayes. | Reunion & Mauri- tius. | M. Robillard. |
| 24 N. Smithii. | Gray. | River Ganges, Calcutta.* | |
| 25 N. spinosa. | Sowerby. | Maurice Island. | M. Robillard. |
| 26 N. Souleyetana. | Récluz. | Marquesas Island. | „ |
| 27 N. vespertina. | Nuttall. | Tahiti. | „ |
| 28 N. virginea ? | Lamarck. | West Indies. | Dr. W. Traill. |
| 29 N. viridis. | Linnæus. | Martinique. | |
| 30 N. zebra. | Lamarck. | Tahiti. | Sir W. Denison. |
| 31 N. zigzag. | „ | Labuan. | |

GENUS.--NAVICELLA. *Lamarck*, 1809.

| | | |
|------------------|----------|--------------------|
| 1 N. tessellata. | Lamarck. | Philippine Islds.* |
|------------------|----------|--------------------|

FAMILY 2.—TROCHIDÆ.

TRIBE 1.—PHASIANELLINÆ.

GENUS.--PHASIANELLA. *Lamarck*, 1804.

| | | |
|-----------------|----------|--------------------------------|
| 1 P. australis. | Gmelin. | Kangaroo Island, Australia. |
| 2 P. nivosa. | Reeve. | Ceylon.* |
| 3 P. pulla. | Linnæus. | Britain. |
| 4 P. variegata. | Lamarck. | The Antilles.* |

TRIBE 2.—TURBININÆ.

GENUS.—TURBO. *Linnæus*, 1758.

| | | |
|---------------------|--------|----------|
| 1 T. articulatus. | Reeve. | Ceylon.* |
| 2 T. Chemnitzianus. | „ | Red Sea. |

| | | | |
|-------------------|-----------|-------------------|---------------|
| 3 T. chrysostoma. | Linnæus. | Santa Cruz. | |
| 4 T. marmoratus. | „ | Moulmein.* | |
| 5 T. petholatus. | „ | Port Blair, An- | Dr. Walters. |
| | | damans. | |
| 6 T. setosus. | Gmelin. | Kingsmill Island. | M. Robillard. |
| 7 T. spinosus. | Chemnitz. | Nicobar Islands. | |
| 8 T. Ticaonicus. | Reeve. | Philippines. | |
| 9 T. versicolor. | „ | „ | |

TRIBE 5.—ROTELLINÆ.

GENUS.—ROTELLA. *Lamarck*, 1822.

| | | | |
|------------------|----------|---------------------------------------|--|
| 1 R. gigantea. | Lesson. | Japan ? | |
| 2 R. suturalis ? | Lamarck. | Indian Seas.** | |
| 3 R. vestiaria. | Linnæus. | a Mediterranean b Madras Coast.*** | |

TRIBE 6.—TROCHIINÆ.

GENUS.—DELPHINULA. *Lamarch*, 1803.

| | | | |
|----------------|---------|-------------------|--|
| 1 D. distorta. | Lamarck | Nicobar Islands ? | |
| 2 D. Tyria. | Reeve. | Swan River. | |

GENUS.—TROCHUS. *Linnæus*, 1758.

| | | | |
|--------------------|-----------|---------------------|-----------------|
| 1 T. acutangulus. | Chemnitz. | Philippine Islands. | |
| 2 T. ater. | Lesson. | Peru. | |
| 3 T. brunneus. | Philippi. | California. | Sir W. Denison. |
| 4 T. cinereus. | ? | ? | M. Robillard. |
| 5 T. cinerarius. | Linnæus. | Britain. | |
| 6 T. confragosus. | G. S. K. | Tahiti. | Sir W. Denison |
| 7 T. gallinus. | ? | California. | , |
| 8 T. maculatus ? | Lamarck. | Philippine Islds. | |
| 9 T. magus. | Linnæus. | Britain. | |
| 10 T. Montagui. | Wood. | Ireland. | |
| 11 T. Niloticus. | Linnæus. | Eastern Seas.* | |
| 12 T. noduliferus. | Lamarck. | Red Sea, Philip- | |
| | | pine Islands. | |
| 13 T. punctulatus. | Martyn. | New Zealand. | |
| 14 T. pyramis. | Born. | Philippine Islds.* | |
| 15 T. rhodostoma. | Lamarck. | Island of Tortola, | |
| | | West Indies. | |
| 16 T. stellatus. | Gmelin. | Malacca. | |
| 17 T. striatus. | Linnæus. | Cornwall & Devon. | |
| 18 T. tentorium. | Chemnitz. | Philippines. | |
| 19 T. tumidus. | Linnæus. | Devon & Dorset, | |
| | | Britain. | |

| | | |
|--------------------|----------|----------------------------|
| 20 T. umbilicatus. | Pennant. | Britain. |
| 21 T. vividus. | Reeve. | Port Blair, An- damans. |

GENUS.—CLANCULUS. *Montfort*, 1810.

| | | |
|-----------------|----------|----------|
| 1 C. Pharaonis. | Linnæus. | Red Sea. |
|-----------------|----------|----------|

GENUS.—MONODONTA. *Lamarch*, 1799.

| | | |
|-----------------|----------|-----------------|
| 1 M. angulata. | Adams. | Jamaica. |
| 2 M. labio. | Lamarck. | Atlantic Ocean. |
| 3 M. turbinata. | Gmelin. | France. |

GENUS.—ZIZYPHINUS. *Gray*, 1840.

| | | |
|----------------------|-----------|--------------|
| 1 Z. conulooides. | Lamarck. | Britain.* |
| 2 Z. Tranquebaricus. | Chemnitz. | Vizagapatam. |

GENUS.—ELENCHUS. *Humphrey*, 1797.

| | | |
|--------------|-------|------------------|
| 1 E. badius. | Wood. | South Australia. |
|--------------|-------|------------------|

GENUS.—BANKIVIA. *Beck*, 1848.

| | | |
|--------------------|-----------|------------------|
| 1 B. purpurascens. | Deshayes. | South Australia. |
|--------------------|-----------|------------------|

GENUS.—TROCHISCUS. *Sowerby*, 1838.

| | | |
|----------------|----------|---------------------|
| 1 T. Norrisii. | Sowerby. | Vancouver's Island. |
|----------------|----------|---------------------|

GENUS.—MARGARITA. *Leach*, 1819.

| | | |
|----------------|----------|-------------|
| 1 M. undulata. | Sowerby. | North Seas. |
|----------------|----------|-------------|

TRIBE 7.—STOMATELLINÆ.

GENUS.—STOMATELLA. *Lamarch*, 1809.

| | | |
|-----------------|----------|------------|
| 1 S. imbricata. | Lamarck. | Australia. |
|-----------------|----------|------------|

FAMILY 3.—HALIOTIDÆ. *Fleming*, 1829.GENUS.—HALIOTIS. *Linnæus*, 1740.

| | | | |
|-------------------|----------|--------------------------------|----------------|
| 1 H. asinina. | Linnæus. | Port Blair, An- damans. | Dr. Walters.* |
| 2 H. excavata. | Lamarck. | „ | „ |
| 3 H. iris. | Gmelin. | Kangaroo Island, Australia. | |
| 4 H. Midæ. | Linnæus. | Cape of Good Hope.* | |
| 5 H. revelata. | ? | Reunion. | M. Robillard. |
| 6 H. semistriata. | Reeve. | Ceylon. | |
| 7 H. squamata. | „ | West Australia. | Sir W. Denison |
| 8 H. tuberculata. | Linnæus. | Guernsey. | |

Sub-Order 2.—EDRIOPHTHALMA.

FAMILY 4.—FISSURELLIDÆ.

GENUS.—FISSURELLA. *Bruguière*, 1789.

- F. reticulata*. Donovan. Britain.

GENUS.—CEMORIA. *Leach*, 1820.

- 1 C. noachina. Linnæus. Britain.

GENUS.—EMARGINULA. Lamarck, 1801.

- 1 *E. rosea*. Lamarck. Devonshire, England.

GENUS.—PARMOPHORUS. *Blainville*, 1817.

- 1 P. Australis. Blainville. New Zealand.

FAMILY 5.—DENTALIIDÆ.

GENUS.—DENTALIUM. *Linnæus*, 1740.

- | | | | |
|---|--------------------------|-----------|--------------|
| 1 | <i>D. Elephantinum.</i> | Linnæus. | Indian Seas. |
| 2 | <i>D. entalis.</i> | „ | Britain. |
| 3 | <i>D. novemcostatum.</i> | Deshayes. | France. |
| 4 | <i>D. octogonum.</i> | „ | China Seas. |
| 5 | <i>D. tarentinum.</i> | Sowerby. | Britain. |

FAMILY 6.—SCUTELLIIDÆ.

GENUS.—TECTURA. *Audoin*, 1830.

- 1 *T. fluviatilis.* W.T.Blanford. Pegu. Mr.W.T.Blanford.

FAMILY 7.—GADINIIDÆ.

GENUS.—GADINIA. *Gray*, 1824.

- 1 *G. reticulata.* Sowerby. Chili.

FAMILY 8.—PATELLIDÆ.

GENUS.—PATELLA. *Linnæus*, 1752.

- | | | |
|----------------------------|-----------|---|
| 1 <i>P. lima.</i> | Reeve. | Japan. |
| 2 <i>P. nigro-lineata.</i> | „ | Philippines. |
| 3 <i>P. pellucida.</i> | Linnæus. | Britain. |
| 4 <i>P. rota.</i> | Chemnitz. | Island of Reunion. M. Robillard. |
| 5 <i>P. saccharina.</i> | Linnæus. | Philippine Islands. |
| 6 <i>P. sandwichensis.</i> | | Sandwich Islands. M. Robillard. |
| 7 <i>P. sanguinans.</i> | Reeve. | South Africa. |
| 8 <i>P. testudinalis.</i> | Müller. | Britain. |
| 9 <i>P. testudinaria.</i> | Linnæus. | Port Blair, An- Dr. Walters. damans. |
| 10 <i>P. vulgata.</i> | „ | a Britain.* b France. M. Robillard. |

GENUS.—ACMÆ.

1 A. persona. Eschricht ? California. Sir W. Denison,

FAMILY 9.—CHITONIDÆ. *Guilding.*GENUS.—CHITON. *Linnaeus*, 1758.

| | | | |
|------------------|----------|----------------------------------|---------------------------|
| 1 C. aculeatus. | Linnæus. | Chili. | Bellary, Local Museum. |
| 2 C. cinereus. | „ | Britain. | |
| 3 C. incarnatus. | Reeve. | Dalmatia. | |
| 4 C. rusticus. | ? | Island of Reunion. M. Robillard. | |
| 5 C. siculus. | Gray. | Dalmatia. | |

SUB-GENUS.—CHITONELLUS. *Lamarch*, 1819.

1 C. Gunnii. Reeve. New Zealand.

SUB-CLASS.—OPISTHOBRANCHIATA. *Milne Edwards*, 1848.

ORDER 1.—TECTIBRANCHIATA.

FAMILY 1.—TORNATELLIDÆ.

GENUS.—TORNATELLA. *Lamarch*, 1812.

1 T. solidula. Lamarek. Indian Ocean.

FAMILY 2.—APLUSTRIDÆ.

GENUS.—APLUSTRUM. *Schumacher*, 1817.

1 A. Thallasiarchi. Martin. Hab ?

GENUS.—HYDATINA. *Schumacher*, 1817.

1 H. physis. Linnæus. Island of Reunion. M. Robillard.

FAMILY 4.—BULLIDÆ.

GENUS.—BULLA. *Klein*, 1753.

| | | | |
|-----------------|------------|--------------------|-----------------|
| 1 B. ampulla. | Linnæus. | Indian Ocean. | |
| 2 B. aplustre. | „ | Island of Reunion. | M. Robillard. |
| 3 B. australis. | Quoy. | Tahiti. | Sir W. Denison. |
| 4 B. fasciata. | Bruguière. | Negapatam. | |
| 5 B. hydatis. | Linnæus. | Britain. | |
| 6 B. naucum. | „ | Indian Ocean. | |
| 7 B. solida. | Bruguière. | „ | |
| 8 B. viridis. | Rang. | Seychelles. | M. Robillard. |

GENUS.—HAMINEA. *Leach*, 1847.

1 H. curta. Sandwich Islands. M. Robillard.

2 H. nigro-cincta. Tahiti. „

GENUS.—ATYS. *Montfort*, 1810.

1 A. parallella. Sandwich Islands. M. Robillard,

FAMILY 5.—BULLÆIDÆ.

GENUS.—BULLÆA. *Lamarch*, 1801.

- 1 *B. aperta*. Lamarck. Britain.

FAMILY 7.—APLYSIIDÆ.

GENUS.—DOLABELLA. *Lamarch*, 1801.

- 1 *D. Rumphii*. Cuvier. Indian Ocean.

GENUS.—APLYSIA. *Linnæus*, 1767.

- 1 *A. ocellata*. Reeve ? Philippine Islands.

FAMILY 8.—PLEUROBRANCHIDÆ

TRIBE 1.—PLEUROBRANCHINÆ.

GENUS.—PLEUROBRANCHUS. *Cuvier*, 1805.

- 1 *P. membranaceus*. Montfort. Britain.

TRIBE 2.—UMBRELLINÆ.

GENUS.—UMBRELLA. *Lamarch*, 1812.

- 1 *U. Cumingii*. Reeve. Sandwich Islands.

- 2 *U. Indica*. Lamarck. Eastern Seas. Sir W. Denison.
-

3RD SUB-CLASS.—PULMONATA. *Cuvier*, 1817.ORDER 1.—INOPERCULATA. *Gray*, 1850.

SUB-ORDER 1.—GEOPHILA.

FAMILY 1.—HELICIDÆ.

GENUS.—HELIX. *Linnæus*, 1758.

| | | | |
|--------------------------|-------------------|--|----------------------|
| 1 <i>H. acetabulum</i> . | ? | Tahiti. | M. Robillard. |
| 2 <i>H. achatina</i> . | Gray. | Moulmein. | Mr. W. Theobald. |
| 3 <i>H. acuta</i> . | Lamarck. | Jamaica. | Sir W. Denison. |
| 4 <i>H. Adansoni</i> . | Webb & Bertholet. | Teneriffe. | M. Robillard. |
| 5 <i>H. albolabris</i> . | Say. | North America. | |
| 6 <i>H. Alonensis</i> . | Ferussac. | Spain. | |
| 7 <i>H. alternata</i> . | Say. | North America. | |
| 8 <i>H. ampulla</i> . | Benson. | <i>a</i> Manantoddy. <i>b</i> Anamallays. | Mr. H. R. P. Carter. |
| | | <i>c</i> „ | Sir W. Denison. |
| 9 <i>H. angigyra</i> . | Ziegler. | North Italy. | |
| 10 <i>H. annulata</i> . | Sowerby. | Philippines. | |

| | | | |
|--------------------------------|-------------|----------------------|------------------------|
| 11 <i>H. anomala.</i> | Adams. | Jamaica. | Sir W. Denison. |
| 12 <i>H. aperta.</i> | Born. | Dalmatia. | |
| 13 <i>H. apex.</i> | Adams. | Jamaica. | , |
| 14 <i>H. arborea.</i> | Say. | North America. | |
| 15 <i>H. arbustorum.</i> | Linnaeus. | Britain. | |
| 16 <i>H. artificiosa.</i> | Benson. | Tenasserim Valley. | Mr. W. Theobald. |
| 17 <i>H. aspera.</i> | Ferussac. | Jamaica. | |
| 18 <i>H. aspersa.</i> | Müller. | Britain.* | |
| 19 <i>H. Bainbridgei.</i> | Pfeiffer. | Jamaica. | |
| 20 <i>H. Bajadera.</i> | " | Bengal. | |
| 21 <i>H. Barrakporensis.</i> | " | Barrakpore. | Mr. H. Blanford. |
| 22 <i>H. Basileus.</i> | Benson. | <i>a</i> Anamallays. | Captain R. H. Beddome. |
| | | <i>b</i> ,, | Mr. H. R. P. Carter. |
| 23 <i>H. bidens.</i> | Chemnitz. | Germany, &c. | Sir W. Denison. |
| 24 <i>H. bistrialis.</i> | Beck. | Madras.* * * | |
| 25 <i>H. bolus.</i> | Benson. | Thayet Myo. | Mr. W. Theobald. |
| 26 <i>H. Bombayana.</i> | Grateloup. | Poona. | |
| 27 <i>H. Boothiana.</i> | Pfeiffer. | Cuba. | Sir W. Denison. |
| 28 <i>H. cacuminifera.</i> | Benson. | Neilgherries. | |
| 29 <i>H. cælatura.</i> | Ferussac. | Island of Reunion. | M. Robillard. |
| 30 <i>H. Caldwelli.</i> | ? | „ Maurice. | „ |
| 31 <i>H. Campbelli.</i> | Gray. | Norfolk Island. | Sir W. Denison* |
| 32 <i>H. caperata.</i> | Montagu. | Dalmatia. | M.J.L. Laporte |
| 33 <i>H. capitium.</i> | Benson. | Ava. | Mr. W.T. Blanford. |
| 34 <i>H. Cara.</i> | Adams. | Jamaica. | |
| 35 <i>H. cariosula.</i> | Michaud. | Algeria. | |
| 36 <i>H. Carmelita.</i> | Ferussac. | Jamaica. | |
| 37 <i>H. Carocolla.</i> | Linnaeus. | Mauritius ? | |
| 38 <i>H. Carthusiana.</i> | Müller. | British Isles. | M.J.L. Laporte |
| 39 <i>H. Cecillei.</i> | Philippi. | China. | |
| 40 <i>H. cellaria.</i> | Müller. | Central Europe. | |
| 41 <i>H. ceraria ?</i> | Benson. | Ceylon. | |
| 42 <i>H. cespitum</i> (young.) | Drapernaud. | Bordeaux. | |
| 43 <i>H. Chamissoi.</i> | Pfeiffer. | Sandwich Islands. | M. Robillard. |
| 44 <i>H. cicatricosa.</i> | Müller. | China. | |
| 45 <i>H. ciliata.</i> | Venetz. | Switzerland. | Sir W. Denison. |

| | | | |
|-------------------------------|----------------|--|------------------|
| 46 <i>H. cinctella.</i> | Drapernaud. | Lombardy. | Sir W. Denison. |
| 47 <i>H. cingulata.</i> | Studer. | " | " |
| 48 <i>H. citrina.</i> | Linnæus. | Moluccas. | |
| 49 <i>H. climacterica.</i> | Benson. | East Frontier of Bengal. | Mr. W. Theobald. |
| 50 <i>H. conspurcata.</i> | Drapernaud. | <i>a</i> Montpelier. <i>b</i> France & Spain. | Sir W. Denison. |
| 51 <i>H. conula.</i> | ? | Tahiti. | M. Robillard. |
| 52 <i>H. convexa.</i> | Rafinesque. | <i>a</i> Ohio, N. America. <i>b</i> " | |
| ,, var, <i>fraterna.</i> | Say. | | |
| 53 <i>H. Cookiana.</i> | Gmelin. | Jamaica. | |
| 54 <i>H. Coryreensis.</i> | Partsch. | Schumla. | Sir W. Denison. |
| 55 <i>H. cornea.</i> | Drapernaud. | France. | |
| 56 <i>H. cornu-militaire.</i> | Linnæus. | Hab. ? | |
| 57 <i>H. costulata.</i> | Ziegler. | Germany. | Sir W. Denison. |
| 58 <i>H. crassicostata.</i> | Benson. | South India. | |
| 59 <i>H. Cunninghami.</i> | Gray. | Darling Downs, Australia. | |
| 60 <i>H. Cyclopax.</i> | Benson. | Darjeeling. | |
| 61 <i>H. cysis.</i> | ,, | Neilgherries. | |
| 62 <i>H. densa.</i> | Adams & Reeve. | Isld. of Daat, Borneo. | |
| 63 <i>H. desertorum.</i> | Forskael. | Deserts of Egypt, &c. | |
| 64 <i>H. detecta.</i> | Ferussac. | Bourbon. | |
| 65 <i>H. diminuta.</i> | Adams. | Jamaica. | |
| 66 <i>H. epistylium.</i> | ,, | „ | |
| 67 <i>H. epistyloides.</i> | Ferussac. | „ | |
| 68 <i>H. ericetorum.</i> | Müller. | Europe. | Sir W. Denison. |
| 69 <i>H. erronea.</i> | Albers. | Ceylon. | " |
| 70 <i>H. excellens.</i> | Pfeiffer. | St. Domingo. | |
| 71 <i>H. explanata.</i> | Müller. | Algeria and South of France. | Sir W. Denison. |
| 72 <i>H. fabrefacta.</i> | ? | Tahiti. | M. Robillard. |
| 73 <i>H. fallaciosa.</i> | Ferussac. | <i>a</i> South India.* <i>b</i> Naggery Hills.*** | |
| 74 <i>H. fibula.</i> | Pfeiffer. | Philippines. | |
| 75 <i>H. ficta.</i> | ? | Tahiti. | M. Robillard. |
| 76 <i>H. fidelis.</i> | Gray. | North America. | |
| 77 <i>H. Fraseri.</i> | „ | Clarence River, Australia. | Sir W. Denison. |
| 78 <i>H. fruticum.</i> | Müller. | Germany, &c. | " |
| 79 <i>H. fulva.</i> | „ | Europe. | |
| 80 <i>H. fusco-cincta.</i> | Adams. | Jamaica. | Sir W. Denison. |

| | | | |
|-------------------------------|----------------|-----------------------------------|------------------------|
| 81 <i>H. fuscobrachialis.</i> | Adams. | Jamaica. | |
| 82 <i>H. graminicola.</i> | " | " | Sir W. Denison. |
| 83 <i>H. Guerini.</i> | Pfeiffer. | Neilgherries. | |
| 84 <i>H. Gualteriana.</i> | Linnæus. | Spain. | |
| 85 <i>H. hæmostoma.</i> | " | Ceylon.* | |
| 86 <i>H. hieroglyphicula.</i> | Michaud. | North Africa. | |
| 87 <i>H. hispana.</i> | Linnæus. | " Italy. | |
| 88 <i>H. hispida.</i> | " | Germany, &c. | Sir W. Denison. |
| 89 <i>H. holoserica.</i> | Studer. | Central & S. Eur. | " |
| 90 <i>H. honesta.</i> | Gould. | Moulmein. | Mr. W. Theobald. |
| 91 <i>H. Huaheinensis.</i> | Pfeiffer. | Tahiti. | M. Robillard. |
| 92 <i>H. humilis.</i> | Hutton. | Himalayas. | |
| 93 <i>H. Huttoni.</i> | Pfeiffer. | Darjeeling. | |
| 94 <i>H. Iloconensis.</i> | Sowerby. | Philippines. | |
| 95 <i>H. immaculata.</i> | Adams & Reeve. | " | |
| 96 <i>H. interrupta.</i> | Benson. | Calcutta. | Mr. W. Theobald. |
| 97 <i>H. intorta.</i> | Sowerby. | Philippines. | |
| 98 <i>H. intumescens.</i> | W.T. Blanford. | Mahabaleshwar. | Mr. W.T. Blanford. |
| 99 <i>H. inversicolor.</i> | Ferussac. | Mauritius. | |
| 100 <i>H. Jamaicensis.</i> | Chemnitz. | Jamaica. | Sir W. Denison. |
| 101 <i>H. Jugosa.</i> | Mighels. | Sandwich Islands. | M. Robillard. |
| 102 <i>H. Juliana.</i> | Gray. | Ceylon. | |
| 103 <i>H. lactea.</i> | Müller. | Algiers.* | |
| 104 <i>H. lœvipes.</i> | " | Elephanta, Bombay. | |
| 105 <i>H. lapicida.</i> | Linnæus. | Britain, &c. | |
| 106 <i>H. lauta.</i> | Lowe. | Toulon. | |
| 107 <i>H. laxata.</i> | Ferussac. | Chili. | |
| 108 <i>H. Layardi.</i> | Pfeiffer. | <i>a</i> South India.* | Sir W. Denison. |
| | | <i>b</i> Anamallays.* * | Captain R. H. Beddome. |
| 109 <i>H. Leprieurii.</i> | Petit. | Amazon. | |
| 110 <i>H. leucostyla.</i> | Pfeiffer. | Maurice Island. | M. Robillard. |
| 111 <i>H. ligulata.</i> | Ferussac. | <i>a</i> Bengal.* | |
| | | <i>b</i> Trivelloor, Madras.* * * | |
| 112 <i>H. limbata.</i> | Drapernaud. | Britain. | |
| 113 <i>H. lineata.</i> | Say. | North America. | |
| 114 <i>H. Luzonica.</i> | Sowerby. | Island of Luzon, Philippines. | |

| | | | |
|------------------------------|-------------|---------------------------|------------------------|
| 115 <i>H. MacMurrayi.</i> | Adams. | Jamaica. | |
| 116 <i>H. Maderaspatana.</i> | Gray. | South India.* * | |
| 117 <i>H. magnifica.</i> | Ferussac. | Madagascar. | Sir H. Barkly. |
| 118 <i>H. Mauritiana.</i> | Pfeiffer. | Maurice Island. | M. Robillard. |
| 119 <i>H. Mauritius.</i> | ? | ? | " |
| 120 <i>H. melanostoma.</i> | Drapernaud. | Africa. | |
| 121 <i>H. melanotragus.</i> | Born. | Ceylon.* | |
| 122 <i>H. Merguiensis?</i> | Philippi. | Moulmein. | Mr. W. Theobald. |
| 123 <i>H. metaformis.</i> | Ferussac. | Philippines. | |
| 124 <i>H. mirabilis.</i> | „ | „ | Sir W. Denison. |
| 125 <i>H. Moricandi.</i> | Sowerby. | „ | |
| 126 <i>H. munda.</i> | Adams. | Jamaica. | |
| 127 <i>H. muralis.</i> | Müller. | Italy and Sicily. | Sir W. Denison. |
| 128 <i>H. Naninoides.</i> | Benson. | Singapore. | |
| 129 <i>H. nemoralis.</i> | Linnæus. | a France.* b Britain.* | M.J.L. Laporte |
| 130 <i>H. Niciensis.</i> | Ferussac. | Nice. | Sir W. Denison. |
| 131 <i>H. Nicobarica.</i> | Chemnitz. | Nullamallays. | Captain R. H. Beddome* |
| 132 <i>H. Nilagirica.</i> | Pfeiffer. | Neilgherries. | |
| 133 <i>H. nitens.</i> | Michaud. | Austria, France, &c. | |
| 134 <i>H. nobilis.</i> | Pfeiffer. | Singapore. | |
| 135 <i>H. nummus.</i> | Ehrenberg. | Aden. | |
| 136 <i>H. obvoluta.</i> | Müller. | N. & Central Europe. | Sir W. Denison. |
| 137 <i>H. Orobia.</i> | Benson. | Darjeeling. | |
| 138 <i>H. Oxytes.</i> | „ | E. frontier of Ben- | Mr. W. Theobald. |
| 139 <i>H. patina.</i> | Adams. | Jamaica. | |
| 140 <i>H. paupercula.</i> | Lowe. | Madeira, &c. | Sir W. Denison. |
| 141 <i>H. pedina.</i> | Benson. | Bombay. | |
| 142 <i>H. peliomphala.</i> | Pfeiffer. | Japan.* | |
| 143 <i>H. peraffinis.</i> | Adams. | Jamaica. | Sir W. Denison. |
| 144 <i>H. personata.</i> | Lamarck. | Germany. | " |
| 145 <i>H. perspectiva.</i> | Say. | N. America. | Dr. Traill. |
| 146 <i>H. philyrina.</i> | Mortillet. | Maurice Island. | M. Robillard. |
| 147 <i>H. picturata.</i> | Adams. | Jamaica. | |
| 148 <i>H. pila.</i> | „ | „ | |
| 149 <i>H. Pisana.</i> | Müller. | Britain, &c. | |
| 150 <i>H. planulata</i> | Lamarck. | Philippines. | |
| 151 <i>H. plectostoma.</i> | Benson. | N. Bengal. | Mr. W. Theobald. |
| 152 <i>H. polychroa.</i> | Sowerby. | Philippines. | Sir W. Denison. |

| | | | |
|-------------------------------|----------------|--------------------------------|--------------------------------------|
| 153 <i>H. pomatia.</i> | Linnæus. | England. | M.J.L.Laporte |
| 154 <i>H. propinqua.</i> | Pfeiffer. | Bombay. | |
| 155 <i>H. pulchella</i> | Müller. | Europe. | |
| 156 <i>H. pulcherrima</i> | Sowerby. | Philippines. | Sir W. Denison. |
| 157 <i>H. pura.</i> | Alder. | Europe & America.* | |
| 158 <i>H. quæsita.</i> | Deshayes. | Moluccas. | |
| 159 <i>H. radiella.</i> | Pfeiffer. | Tahiti. | M. Robillard. |
| 160 <i>H. Rawsonis.</i> | Barclay. | Maurice Island. | , |
| 161 <i>H. regalis.</i> | Benson. | Borneo. | |
| 162 <i>H. resplendens.</i> | Philippi. | Istd. of Daat, Borneo.* | |
| 163 <i>H. Richmoniana.</i> | Pfeiffer. | Australia. | |
| 164 <i>H. Rivolii.</i> | „ | Ceylon. | |
| 165 <i>H. Roissyana.</i> | Ferussac. | Philippines. | |
| 166 <i>H. rotabilis.</i> | Reeve. | Australia. | |
| 167 <i>H. rotatoria.</i> | Von dem Busch. | Irrawaddi. | Mr. W. Theobald. |
| 168 <i>H. rotundata.</i> | Müller. | Britain, &c. | Sir W. Denison. |
| 169 <i>H. rufescens.</i> | Pennant. | „ | |
| 170 <i>H. rugosiuscula.</i> | Michaud. | Pyrenees. | |
| 171 <i>H. sagemon.</i> | Beck. | Cuba. | |
| 172 <i>H. Schumacheriana.</i> | Pfeiffer. | Borneo. | |
| 173 <i>H. scuta.</i> | ? | Tahiti. | M. Robillard. |
| 174 <i>H. semidecussata.</i> | Pfeiffer. | Mauritius. | |
| 175 <i>H. semirugata.</i> | Beck. | α Carnatic. b Nullahmalays. | Captain R. H. Beddome. |
| 176 <i>H. sepulchralis.</i> | Ferussac. | Madagascar. | |
| 177 <i>H. sericea.</i> | Draparnaud. | Britain, &c. | |
| 178 <i>H. serpentina.</i> | Ferussac. | Toulon. | |
| 179 <i>H. serrula.</i> | Benson. | Teria Ghaut. | Mr. W. Theobald |
| 180 <i>H. similaris.</i> Var. | Ferussac. | α Ava. b Maurice Island. | Mr. W. T. Blanford. M. Robillard. |
| | | c „ „ „ | " |
| | | d Reunion „ „ „ | " |
| 181 <i>H. sincera.</i> | Adams. | Jamaica. | |
| 182 <i>H. sinuata.</i> | Müller. | „ | Sir W. Denison. |
| 183 <i>H. Siquijorensis.</i> | Broderip. | Philippines. | |
| 184 <i>H. Sirena.</i> | Beck. | „ | |
| 185 <i>H. solata.</i> | Benson. | Neilgherries. | |
| 186 <i>H. soror.</i> | Ferussac. | Jamaica. | |

| | | |
|------------------------------|--------------------|---|
| 187 <i>H. sphærica.</i> | Sowerby. | Philippines. |
| 188 <i>H. striatella.</i> | Anthony. | North America. |
| 189 <i>H. Studeriana.</i> | Ferussac. | Seychelle Islands. |
| 190 <i>H. subconica.</i> | Adams. | Jamaica. |
| 191 <i>H. tapeina.</i> | Benson. | E. frontier of Bengal. |
| 192 <i>H. terrestris.</i> | Chemnitz. | S. of France, &c. |
| 193 <i>H. thyreus.</i> | Benson. | Neilgherries. |
| 194 <i>H. thyroides.</i> | Say. | North America. |
| 195 <i>H. tiara.</i> | Mighels. | Sandwich Islands. |
| 196 <i>H. tigrina.</i> | Christofori & Jan. | Lombardy. |
| 197 <i>H. Tranquebarica.</i> | Fabricius. | <i>a</i> Tranquebar. <i>b</i> Trivelloor, Madras.*** |
| 198 <i>H. trochoides.</i> | Poiret. | Dalmatia. |
| 199 <i>H. tumida.</i> | Pfeiffer. | West Indies. |
| 200 <i>H. umbilicata.</i> | Montagu. | Central & S. Europe. |
| 201 <i>H. unidentata.</i> | Chemnitz. | Mauritius. |
| 202 <i>H. vermiculata.</i> | Müller. | South Europe. |
| 203 <i>H. vindobonensis.</i> | Ferussac. | Austria. |
| 204 <i>H. virgata.</i> | Montagu. | Bordeaux. |
| 205 <i>H. viridis.</i> | Deshayes. | <i>a</i> Madagascar. <i>b</i> St. Mary's Isld. M. Robillard. |
| ,, var. | ,, | Madras.*** |
| 206 <i>H. vitellina.</i> | Pfeiffer. | Ceylon. |
| 207 <i>H. vittata.</i> | Müller. | " |
| 208 <i>H. Waltoni.</i> | Reeve. | " |
| 209 <i>H. Woodiana.</i> | Pfeiffer. | " |
| 210 <i>H. Zebuensis.</i> | Broderip. | Philippines. |
| 211 <i>H. zonata.</i> | Studer. | Piedmontese Alps. |
| | | Sir W. Denison. |

GENUS.—BOYSIA. *Pfeiffer, 1850.*

| | | |
|----------------------|-----------|-----------|
| 1 <i>B. Bensoni.</i> | Pfeiffer. | Katiawar. |
|----------------------|-----------|-----------|

GENUS.—ANOSTOMA. *Fischer, 1807.*

| | | |
|-------------------------|----------|---------|
| 1 <i>A. Globulosum.</i> | Lamarck. | Brazil. |
|-------------------------|----------|---------|

GENUS.—STREPTAXIS. *Gray, 1837.*

| | | |
|-------------------------|--------|----------------|
| 1 <i>S. Perrotteti.</i> | Petit. | Neilgherries.* |
| 2 <i>S. Petiti.</i> | Gould. | Burmah. |

Mr. W. Theobald

GENUS.—ENNEA. *H. and A. Adams, 1855.*

| | | | |
|----------------------|--------|------------------------|------------------|
| 1 <i>E. bicolor.</i> | Gould. | Foot of the Himalayas. | Mr. W. Theobald. |
|----------------------|--------|------------------------|------------------|

| | | |
|---------------|-----------|-------------|
| 2 E. Dunkeri. | Pfeiffer. | Port Natal. |
| 3 E. Plantii. | " | " |

GENUS.—BULIMUS. *Scopoli*, 1786.

| | | | |
|-------------------------|------------------------|-----------------------------|---------------------|
| 1 B. Abyssinicus. | Rüppell. | Abyssinia. | Sir W. Denison. |
| 2 B. acutus. | Müller. | Bordeaux. | " |
| 3 B. Adamsii. | Reeve. | E. coast of Borneo. | " |
| 4 B. albizonatus. | " | Ceylon. | |
| 5 B. atomatus. | Gray. | Ash Islds., Australia. | |
| 6 B. atricallosus. | Gould. | Tavoy, Burmah. | Mr. W. Theobald. |
| 7 B. auris-bovinæ. | Bruguière. | Feejee Islands. | Sir W. Denison. |
| 8 B. auris-leporis. | " | Brazil. | |
| 9 B. Bairdii. | Reeve. | New Caledonia. | |
| 10 B. Bengalensis. | Lamarck. | Bengal. | |
| 11 B. Bontiæ. | Chemnitz. | South India. | |
| 12 B. calcareus. | Wagner. | Brazil. | |
| 13 B. Calista. | Broderip. | Philippines. | |
| 14 B. candelaris. | Pfeiffer. | Cashmere. | Mr. W. T. Blanford. |
| 15 B. Ceylanicus. | " | Ceylon. | |
| 16 B. Chloris. | Reeve. | Singapore. | |
| 17 B. chrysalidiformis. | Sowerby. | Philippines. | |
| 18 B. citrinus. var. | Bruguière. a and b. | Moluccas. | |
| 19 B. cœlebs. | Benson. | Landour, &c. | |
| 20 B. cœnopictus. | Hutton. | Bombay. | Mr. W. Theobald |
| 21 B. Coquimbensis. | Sowerby. | Mountains of Co- quimbo. | |
| 22 B. Cuyoënsis. | Pfeiffer. | Philippines. | |
| 23 B. dactylus. | Broderip. | " | |
| 24 B. Daphnis. | " | " | |
| 25 B. decollatus. | Bruguière. | Dalmatia. | |
| 26 B. Dufresnii. | Leach. | Van Dieman's Land. | |
| 27 B. eos. | Reeve. | Hindoostan. | |
| 28 B. Fairbanki. | Pfeiffer. | Ahmednuggur. | |
| 29 B. Faunus. | Broderip. | Philippines. | |
| 30 B. fulgoratus. | Jay. | Feejee Islands. | |
| 31 B. Funkii. | Nyst. | Venezuela. | |
| 32 B. gallina-sultana. | Lamarck. | Brazil. | |
| 33 B. goniostoma. | Ferussac. | " | |
| 34 B. Gossei. | Pfeiffer. | Jamaica. | |

| | | |
|------------------------------|---------------|--|
| 35 <i>B. gracilis.</i> | Hutton. | <i>a</i> Bundlecund, &c. Sir W. Denison. <i>b</i> Island of Bombay, |
| 36 <i>B. Guadaloupensis.</i> | Bruguière. | West Indies. |
| 37 <i>B. Jayanus.</i> | Reeve. | Eastern Islands. |
| 38 <i>B. Jerdoni.</i> | Benson. | <i>a</i> The Dukhun. Mr. W. T. Blanford. |
| | | <i>b</i> Bombay, Dukhun, Sir W. Denison. &c. |
| 39 <i>B. latebricola.</i> | Benson. | Darjeeling. Mr. H. Blanford. |
| 40 <i>B. lignarius.</i> | Pfeiffer. | Philippines. |
| 41 <i>B. lubricus.</i> | Bruguière. | Britain. Sir W. Denison. |
| 42 <i>B. Lyonnnetianus.</i> | Pallas. | Mauritius. |
| 43 <i>B. Malabaricus.</i> | Pfeiffer. | The Dukhun. Mr. W. T. Blanford. |
| 44 <i>B. miltocheilus.</i> | Reeve. | San Christoval. |
| 45 <i>B. mus.</i> | , | Philippines. |
| 46 <i>B. oblongus.</i> | Müller. | East coast of S. America. |
| 47 <i>B. obscurus.</i> | Drapernaud. | Britain. |
| 48 <i>B. octonoides.</i> | Adams. | Jamaica. Sir W. Denison. |
| 49 <i>B. ovoideus.</i> | Bruguière. | Philippines. |
| 50 <i>B. Peruvianus.</i> | " | Peru. |
| 51 <i>B. Pfeifferianus.</i> | Reeve. | Philippines. |
| 52 <i>B. phasianellus.</i> | Valenciennes. | Chili and Peru. |
| 53 <i>B. pictor.</i> | Broderip. | Penang. |
| 54 <i>B. planidens.</i> | Michelin. | Brazil. |
| 55 <i>B. pudicus.</i> | Deshayes. | " |
| 56 <i>B. pullus.</i> | Gray. | India. Mr. W. Theobald.* |
| 57 <i>B. punctatus.</i> | Anton. | <i>a</i> Bombay and Madras.*** <i>b</i> Nullahmallays. Capt. R. H. Beddome. |
| 58 <i>B. pythogaster.</i> | Ferussac. | Philippines. |
| 59 <i>B. Reevii.</i> | Cuming. | " |
| 60 <i>B. Regina.</i> | D'Orbigny. | Peru, &c. |
| 61 <i>B. rosaceus.</i> | King. | Brazil. |
| 62 <i>B. segregatus.</i> | Benson. | Simla. Sir W. Denison. |
| 63 <i>B. signatus.</i> | Wagner. | Brazil. |
| 64 <i>B. Sindicus.</i> | Benson. | Punjab. Mr. W. Theobald |
| 65 <i>B. suffusus.</i> | Reeve. | Hab ? |

| | | | |
|----------------------|----------------------|------------------|---------------|
| 66 B. sylvanus. | Broderip. | Philippines. | |
| 67 B. Taunaysii. | D'Orbigny. | Brazil. | |
| 68 B. tenebricus. | Reeve. | Sierra Leone. | M. Robillard. |
| 69 B. Ticaonicus. | Broderip. | Island of Ticao. | |
| 70 B. tri-fasciatus. | Chemnitz. | Ceylon. | |
| 71 B. tri-lineatus. | Quoy and Gaimard. | New Holland. | |
| 72 B. Tupacii. | D'Orbigny. | Bolivia. | |
| 73 B. Zebra. | Müller. | South America.* | |
| 74 B. zonulatus. | Pfeiffer. | Philippines. | |

GENUS.—PARTULA. *Ferussac*, 1819.

| 1 P. abbreviata. | Pease. | Sandwich Islands. | Sir W. Denison |
|--------------------|------------|-------------------|----------------|
| 2 P. affinis. | " | " | " |
| 3 P. alternata. | " | " | " |
| 4 P. bilineata. | " | " | " |
| 5 P. clara. | " | " | " |
| 6 P. compacta. | " | " | " |
| 7 P. crassa. | " | " | " |
| 8 P. crassilabrum. | " | " | " |
| 9 P. elongata. | " | " | " |
| 10 P. faba. | Martyn. | " | ," * |
| 11 P. Garrettii. | Pease. | " | " |
| 12 P. gibba. | Ferussac. | " | " |
| 13 P. globosa. | Pease. | " | " |
| 14 P. gracilior. | " | " | " |
| 15 P. Hebe. | Pfeiffer. | " | " |
| 16 P. hyalina. | Broderip. | " | " |
| 17 P. labiata. | Pease. | " | " |
| 18 P. lignaria. | " | " | " |
| 19 P. lineolata. | " | " | " |
| 20 P. lugubris. | " | " | " |
| 21 P. nucleola. | " | " | " |
| 22 P. Otaheitana. | Bruguière. | " | " |
| 23 P. producta. | Pease. | " | " |
| 24 P. pulchra. | " | " | " |
| 25 P. radiata. | Gould. | " | " |
| 26 P. radiolata. | Pfeiffer. | " | " |
| 27 P. recta. | Pease. | " | " |
| 28 P. rosea. | Broderip. | " | " |
| 29 P. rustica. | Pease. | " | " |
| 30 P. simulans. | " | " | " |
| 31 P. sinistrorsa. | " | " | " |

| | | | |
|-------------------|-----------|-------------------|-----------------|
| 32 P. solidula. | Reeve. | Sandwich Islands. | Sir W. Denison. |
| 33 P. striolata. | Pease. | " | " |
| 34 P. trilineata. | " | " | " |
| 35 P. turricula. | " | " | " |
| 36 P. umbilicata. | " | " | " |
| 37 P. varia. | Broderip. | " | " |
| 38 P. variabilis. | Pease. | " | " |
| 39 P. virginia. | " | " | " |

GENUS.—ACHATINELLA. *Swainson, 1828.*

| | | | |
|-------------------------|-----------|-------------------|-----------------|
| 1 A. abbreviata. | Reeve. | Sandwich Islands. | Sir W. Denison. |
| 2 A. affinis. | Newcomb. | " | " |
| 3 A. albolabris. | " | " | " |
| 4 A. bacca. | Reeve. | " | " |
| 5 A. Bulimoides. | Swainson. | " | " |
| 6 A. castanea. | Reeve. | " | " |
| 7 A. colorata. | " | " | " |
| 8 A. cornea. | Newcomb. | " | " |
| 9 A. crassa. | " | " | " |
| 10 A. cylindrica var B. | " | " | " |
| 11 A. decora ? | Ferussac. | " | " |
| 12 A. fulgens. | Newcomb. | " | " |
| 13 A. fumosa. | " | " | " |
| 14 A. fusca. | " | " | " |
| 15 A. gigantea. | " | " | " |
| 16 A. glabra. | " | " | " |
| ,, var B. elegans. | ,, | " | " |
| 17 A. grana. | " | " | " |
| 18 A. gravida. | Ferussac. | " | " |
| 19 A. lugubris. | Chemnitz. | " | " |
| var B. | " | " | " |
| 20 A. marmorata. | Gould. | " | " |
| 21 A. melanostoma. | Newcomb. | " | " |
| 22 A. mighelsiana. | Pfeiffer. | " | " |
| 23 A. nitida. | Newcomb. | " | " |
| 24 A. nubilosa. | Mighels. | " | " |
| 25 A. nucleola. | Gould. | " | " |
| 26 A. plicata. | Mighels. | " | " |
| 27 A. prasina. | Reeve. | " | " |
| 28 A. radiata. | Gould. | " | " |
| 29 A. recta. | Newcomb. | " | " |
| 30 A. Redfieldi. | " | " | " |
| 31 A. rosea. | Swainson. | " | " |

| | | | |
|-------------------|-----------|-------------------|-----------------|
| 32 A. rugosa. | Newcomb. | Sandwich Islands. | Sir W. Denison. |
| 33 A. sanguinea. | " | " | " |
| 34 A. simulans. | Reeve. | " | " |
| 35 A. spirazona. | Ferussac. | " | " |
| 36 A. splendida. | Newcomb. | " | " |
| 37 A. straminea. | Reeve. | " | " |
| 38 A. Swifti. | Newcomb. | " | " |
| 39 A. taeniolata. | Pfeiffer. | " | " |
| 40 A. tesselata. | Newcomb. | " | " |
| 41 A. turgida. | " | " | " |
| 42 A. turritella. | Ferussac. | " | " |
| 43 A. variabilis. | Newcomb. | " | " |
| 44 A. venusta. | Mighels. | " | " |
| 45 A. virgulata. | " | " | " |
| 46 A. vitrea. | Newcomb. | " | " |
| 47 A. vulpina. | Ferussac. | " | " * |

GENUS.—SPIRAXIS. *C. B. Adams*, 1850.

| | | | |
|-----------------|------|-------------------|---------------|
| 1 S. bicolor. | Jay. | Sandwich Islands. | M. Robillard. |
| 2 S. Haughtoni. | ? | Andamans. | |

GENUS.—ACHATINA. *Lamarck*, 1799.

| | | | |
|--------------------|----------------|----------------------------|-------------------------|
| 1 A. conifera. | Reeve. | Island of Reunion. | |
| 2 A. crassilabris. | Benson. | N.E. frontiers, Bengal | |
| 3 A. crassula. | " | Darjeeling. | |
| 4 A. fulica. | Ferussac. | Mauritius. | Mr. E. Blyth.* |
| 5 A. gemma. | Benson. | Ceylon. | Dr. Traill. |
| 6 A. nitens. | Gray. | " | |
| 7 A. octona. | " | West Indies. | Sir W. Denison. |
| 8 A. orobia. | ? | Darjeeling. | |
| 9 A. panthera. | Ferussac. | Madagascar. | M. Robillard. |
| 10 A. purpurea. | Lamarck. | Cape Palmas, W. Africa. | |
| 11 A. tenuispira. | Benson. | Darjeeling. | |
| 12 A. tornensis. | W.T. Blanford. | W. Ghauts, India. | Mr. W.T. Blan- ford. |
| 13 A. variegata. | Roissy. | Sierra Leone. | |
| 14 A. virginea. | Lamarck. | Cuba, &c. | |
| 15 A. zebra. | Lamarck. | Cape of Good Hope. | |

GENUS.—OLEACINA. *Bolton*, 1798.

| | | | |
|-------------------|-----------|----------|-----------------|
| 1 O. leucozonias. | Sowerby. | Jamaica. | |
| 2 O. nemorensis. | Adams. | " | Sir W. Denison. |
| 3 O. Philippiana. | Pfeiffer. | a " | " |
| " var. elegans. | " | b " | " |

| | | | |
|-----------------|-----------|----------|-----------------|
| 4 O. Philipsii. | Adams. | Jamaica. | Sir W. Denison. |
| 5 O. procera. | " | " | " |
| 6 O. propinqua. | " | " | " |
| 7 O. similis. | " | " | " |
| 8 O. venusta. | Pfeiffer. | " | |

GENUS.—PUPA. *Draparnaud*, 1805.

| | | | |
|-----------------------|--------------|--------------------|-----------------|
| 1 P. avenacea. | Bruguière. | Switzerland. | Sir W. Denison. |
| 2 P. contracta. | Say. | Virginia, &c. | |
| 3 P. dolium. | Draparnaud. | Switzerland. | " |
| 4 P. edentula. | " | Britain. | " |
| 5 P. frumentum. | " | Como. | " |
| 6 P. Marmorata. | Pfeiffer. | Guadalupe. | M.J.L. Laporte |
| 7 P. Mauritiana. | ? | Maurice Island. | M. Robillard. |
| 8 P. megacheilos. | Jan. | Como. | Sir W. Denison. |
| 9 P. Mumia. | Bruguière. | West Indies. | |
| 10 P. muscorum. | Linnæus. | Britain. | " |
| 11 P. obesa. | ? | Island of Maurice. | M. Robillard. |
| 12 P. ovata. | Say. | North America. | |
| 13 P. quinquedentata. | Born. | France, Spain, &c. | Sir W. Denison. |
| 14 P. secale. | Draparnaud. | Britain. | " |
| 15 P. Sempronii. | Charpentier. | Pays de Vaud. | " |
| 16 P. sulcata. | Müller. | Maurice Island. | M. Robillard. |
| 17 P. umbilicata. | Draparnaud. | Britain. | |
| 18 P. variabilis. | " | Switzerland. | Sir W. Denison. |

GENUS.—CYLINDRELLA. *Pfeiffer*, 1840.

| | | | |
|------------------|-----------|----------|-----------------|
| 1 C. Agnesiana. | Adams. | Jamaica. | |
| 2 C. alba. | " | " | Sir W. Denison. |
| 3 C. Baquieana. | Chitty. | " | |
| 4 C. brevis. | Pfeiffer. | Ceylon. | Dr. Traill. |
| 5 C. cylindrus. | Chemnitz. | Jamaica. | |
| 6 C. elongata. | " | " | " |
| 7 C. gracilis. | Wood. | " | Sir W. Denison. |
| 8 C. intermedia. | ? | " | " |
| 9 C. lata. | Adams. | " | |
| 10 C. Maugeri. | Wood. | " | " |
| 11 C. nobilior. | Adams. | " | |
| 12 C. rosea. | Pfeiffer. | a " | " |
| ,, var. major. | | b " | |
| 13 C. sanguinea. | " | " | Dr. Traill. |
| 14 C. seminuda. | Adams. | " | |
| 15 C. subula. | Ferussac. | " | Sir W. Denison. |

| | | | |
|---|--------------|-------------------|------------------|
| 16 C. tenella. | Adams. | Jamaica. | Sir W. Denison. |
| 17 C. tricolor. | Pfeiffer. | " | |
| 18 C. zonata. | Adams. | " | |
| GENUS.—MEGASPIRA. <i>Lea</i> , 1834. | | | |
| 1 M. elatior. | Spix. | Brazil. | |
| GENUS.—BALEA. <i>Prideaux</i> , 1824. | | | |
| 1 B. perversa. | Linnæus. | Bordeaux. | M.J.L. Laporte |
| GENUS.—CLAusILIA. <i>Draparnaud</i> , 1805. | | | |
| 1 C. bidens. | Linnæus. | Italy. | |
| 2 C. Bielzi. | Parreyss. | Hungary, &c. | Sir W. Denison. |
| 3 C. Bogatensis. | Bielz. | Transylvania. | " |
| 4 C. canescens. | Parreyss. | " | " |
| 5 C. commutata. | Rossmässler. | Illyria. | " |
| 6 C. concilians. | A. Schmidt. | Transylvania. | " |
| 7 C. conspersa. | Parreyss. | Janino. | " |
| 8 C. coregrensis. | Mousson. | Corfu. | " |
| 9 C. diodon. | Studer. | Liyano. | |
| 10 C. elata. | Ziegler. | Buccovina. | " |
| 11 C. elegans. | Bielz. | Transylvania. | " |
| 12 C. Fussiana. | " | Konigstein. | " |
| 13 C. Jös. | Benson. | Darjeeling. | |
| 14 C. labiata. | Montagu. | France and Italy. | " |
| 15 C. lævissima. | Ziegler. | Dalmatia. | " |
| 16 C. laminata. | Montagu. | England. | " |
| 17 C. latestriata. | Bielz. | Transylvania. | " |
| 18 C. loxostoma. | Benson. | Sylhet. | Mr. W. Theobald. |
| 19 C. Madensis. | Fuss. | Transylvania. | Sir W. Denison. |
| 20 C. maesta. | Ferussac. | Palestine. | " |
| 21 C. marginata. | Ziegler. | Transylvania. | |
| 22 C. Meschenderferi. | Bielz. | " | " |
| 23 C. nigricans. | Pulteney. | England. | " |
| 24 C. pagana. | Ziegler. | Turkey. | " |
| 25 C. parvula. | Studer. | Switzerland. | " |
| 26 C. Philippiana. | Pfeiffer. | Moulmein. | Mr. W. Theobald. |
| 27 C. plicata. | Draparnaud. | Germany, &c. | Sir W. Denison. |
| 28 C. plumbea. | Rossmässler. | Kronstadt. | |
| 29 C. rubilabris. | Mousson. | Jamaica. | " |
| 30 C. rugosa. | Draparnaud. | France. | M.J.L. Laporte |
| 31 C. senilis. | Ziegler. | Corfu. | Sir W. Denison. |

| | | | | |
|----|--------------------|-------------|--------------|-----------------|
| 32 | C. straminicollis. | Parreyss. | Wallachia. | Sir W. Denison. |
| 33 | C. ventricosa. | Draparnaud. | Switzerland. | " |

GENUS.—VITRINA. *Draparnaud.*

| | | | |
|---|--------------|-----------|------------------|
| 1 | V. gigas. | Benson. | Sylhet.* |
| 2 | V. major. | Ferussac. | South of France. |
| 3 | V. præstans. | Gould. | Tavoy. |

GENUS.—SUCCINEA. *Draparnaud.*

| | | | | |
|----|------------------|--------------|---------------------------------|-----------------|
| 1 | S. avara. | Say. | Massachusetts. | Sir W. Denison. |
| 2 | S. campestris. | " | " | " |
| 3 | S. crassiuscula. | Benson. | Jaffna and India. | Dr. Traill.* |
| 4 | S. daucina. | Pfeiffer. | Calcutta. | Sir W. Denison. |
| 5 | S. Girnarica. | Theobald. | Girnar Hill, Katia-war. | |
| 6 | S. humerosa. | Gould. | Tahiti. | M. Robillard. |
| 7 | S. labiata. | ? | " | " |
| 8 | S. Menkeana. | Pfeiffer. | New Holland. | Sir W. Denison. |
| 9 | S. obliqua. | Say. | North America. | |
| 10 | S. Pfeifferi. | Rossmässler. | Bordeaux. | |
| 11 | S. putris. | Linnæus. | <i>a</i> " <i>b</i> Britain. | |

FAMILY.—LIMACIDÆ.

GENUS.—LIMAX.

| | | | |
|---|---------------|--------|----------|
| 1 | L. carinatus. | Reeve. | Britain. |
|---|---------------|--------|----------|

GENUS.—PARMACELLA. *Cuvier.*

| | | | |
|---|----------------|--------|-------|
| 1 | P. Deshayesii. | Reeve. | Oran. |
|---|----------------|--------|-------|

FAMILY.—LIMNÆIDÆ.

TRIBE 1.—LIMNÆINÆ.

GENUS.—CHILINA. *Gray.*

| | | | |
|---|----------|---|--------------------|
| 1 | C. sp. ? | ? | Chili, S. America. |
|---|----------|---|--------------------|

GENUS.—LIMNÆA. *Lamarch*, 1799.

| | | | |
|---|-----------------|-------------|--|
| 1 | L. acuminata. | Lamarck. | <i>a</i> Calcutta. <i>b</i> Streepermatoor.** |
| 2 | L. auricularia. | Draparnaud. | Europe. |
| 3 | L. canalis. | Villa. | Bordeaux. |
| 4 | L. columella. | Say. | North America. |
| 5 | L. desidiosa. | " | " |
| 6 | L. elodes. | " | Pensylvania.* |
| 7 | L. fusca. | Pfeiffer. | Valencia. |
| 8 | L. glaber. | Müller. | Britain. |
| 9 | L. humilis. | Say. | North America. Sir W. Denison. |

| | | | |
|-------------------|-------------|------------------|---------------|
| 10 L. minuta. | Draparnaud. | France. | |
| 11 L. ovata. | " | a Bordeaux. | |
| | | b Tahiti. | M. Robillard. |
| 12 L. palustris. | " | Britain. | |
| 13 L. peregra. | " | France. | |
| 14 L. stagnalis. | " | a Britain. | |
| | | b Dalmatia. | M.J.L.Laporte |
| 15 L. umbrosa. | Say. | North America. ? | |
| 16 L. umbilicata. | " | " | |

GENUS.—*PHYSA*. *Draparnaud*, 1801.

| | | | |
|---------------------|--------------|----------------|-----------------|
| 1 P. acuta. | Draparnaud. | Bordeaux. | |
| 2 P. ancillaria. | Say. | North America. | |
| 3 P. elongata. | " | " | |
| 4 P. fusca. | Rossmässler. | Mazzaron. | |
| 5 P. heterostropha. | Say. | North America. | Sir W. Denison. |
| 6 P. hypnorum. | Linnæus. | Transylvania. | " |

TRIBE.—*ANCYLINÆ*.GENUS.—*ANCYLUS*. *Geoffroy*, 1767.

| | | | |
|-------------------|---------|-----------|--|
| 1 A. fluviatilis. | Müller. | Britain. | |
| 2 A. striatus. | Dupuy. | Bordeaux. | |

SUB-ORDER.—*THALASSOPHILA*.FAMILY.—*AMPULLACERIDÆ*.GENUS.—*AMPULLACERA*. *Quoy*, 1832.

| | | | |
|--------------------|--------------|--------------|--|
| 1 A. nux-avellana. | Quoy & Gaim- | New Holland. | |
| | ard. | | |

GENUS.—*AMPHIBOLA*.

| | | | |
|---------------|---------------|-------|--------------|
| 1 A. Burmana. | W.T.Blanford. | Pegu. | Mr.W.T.Blan- |
| | | | ford. |

FAMILY.—*SIPHONARIIDÆ*. *Gray*, 1840.GENUS.—*SIPHONARIA*. *Sowerby*, 1824.

| | | | |
|-------------------|------------|-------------------|---------------|
| 1 S. amosa. | ? | Kingsmill Island. | M. Robillard. |
| 2 S. Diemensis. ? | Quoy&Gaim- | VanDieman's Land. | |

ard.

TRIBE.—*PLANORBINÆ*.GENUS.—*PLANORBIS*. *Guettard*, 1756.

| | | | |
|----------------------|------|----------------|-----------------|
| 1 P. armigerus. | Say. | North America. | |
| 2 P. bicarinatus. | " | a , | Sir W. Denison. |
| | | b America. | |
| 3 P. bituberculatus. | " | Massachusetts. | |

| | | | |
|---------------------|-------------|-------------------|-----------------|
| 4 P. campanulatus. | Say. | North America. | |
| 5 P. carinatus. | Müller. | Britain. | |
| 6 P. complanatus. | Lamarek. | Mæstricht. | Sir W. Denison. |
| 7 P. compressus. | Benson. | Lower Bengal. | |
| 8 P. contortus. | Müller. | Britain & France. | |
| 9 P. corneus. | Draparnaud. | Bordeaux. | |
| 10 P. coromandus. | ? | Madras. | |
| 11 P. deflectus. | Say. | North America. | |
| 12 P. dilatatus. | Gould. | " | |
| 13 P. hispidus. | Draparnaud. | Switzerland. | Sir W. Denison. |
| 14 P. janinensis. | Mousson. | Jamaica. | " |
| 15 P. latus. | Say. | North America. | |
| 16 P. nitidus. | Müller. | Dulendorf. | Sir W. Denison. |
| 17 P. parvus. | Say. | North America. | |
| 18 P. Rossmässleri. | Auerswald. | Leipzig. | |
| 19 P. spirorbis. | Müller. | Britain. | |
| 20 P. trivolvus. | Say. | Tennessee. | Sir W. Denison. |
| 21 P. virens. | Adams. | America. | |
| 22 P. vortex. | Müller. | Britain. | |

FAMILY.—AURICULDIÆ. *Risso*, 1828.SUB-FAMILY 2.—MELAMPEA. *Pfeiffer*, 1853.GENUS.—MELAMPUS. *Montfort*, 1810.

| | | | |
|--------------------|---------------|---------------------|-----------------|
| 1 M. caffer. | Küster. | Tahiti. | M. Robillard. |
| 2 M. castaneus. | Muhlfeld. | Sandwich Island. | „ * |
| 3 M. cinctus. | Pease. | a Kingsmill Island. | „ |
| | | b „ | Sir W. Denison. |
| 4 M. coffea. | Linnæus. | America. | |
| 5 M. fasciatus. | Deshayes. | a Tahiti. | „ * |
| | | b Ceylon. | |
| | | c Labuan. | |
| 6 M. leuteus. | Quoy&Gaimard. | Tahiti. | „ |
| 7 M. parvulus. | Nuttall. | Sandwich Islands. | M. Robillard. |
| 8 M. Philippi. | Küster. | „ | Sir W. Denison. |
| 9 M. pusillus. | Gmelin. | Ceylon. | |
| 10 M. semiplicata. | Pease. | Sandwich Islands. | „ |
| 11 M. striatus. | „ | Tahiti. | „ |

SUB-FAMILY 3.—AURICULEA.

GENUS.—PYTHIA. *Bolten*, 1798.

| | | |
|------------------|-----------|--------------|
| 1 P. borneensis. | A. Adams. | Borneo. |
| 2 P. castanea. | Lesson. | Philippines. |

| | | | |
|-----------------|-----------|---------------------------------|-----------------------|
| 3 P. leopardus. | Reeve. | New Georgia. | |
| 4 P. plicata. | Ferussac. | India, Jaffna, Ceylon. | |
| 5 P. striata. | Reeve. | San Nicholas. | |
| 6 P. trigona. | Troschel | a Isld. of Luzon. b Arracan. | Mr.W.T.Blan- ford. |

GENUS.—CASSIDULA. *Ferussac*, 1819.

| | | | |
|-------------------|------------|------------|-----------------------|
| 1 C. auris-felis. | Bruguière. | a Arracan. | Mr.W.T.Blan- ford. |
| | | b Bombay. | " |

| | | | |
|-----------------|-----------|--------------|--|
| 2 C. mustelina. | Deshayes. | New Zealand. | |
|-----------------|-----------|--------------|--|

GENUS.—AURICULA. *Lamarch*, 1799.

| | | | |
|------------------|---------------|----------------------|-----------------------|
| 1 A. auris-Judæ. | Linnæus. | Vizagapatam. | |
| 2 A. auris-Midæ. | „ | Malacca, &c. | |
| 3 A. fustis. | Benson, M. S. | Bombay. | Mr.W.T.Blan- ford. |
| 4 A. Gangetica. | Benson. | Delta of the Ganges. | " |
| 5 A. integra. | Say. | America. | |

GENUS.—ALEXIA. *Leach*, 1847.

| | | | |
|--------------------|-------------|-----------|---------------|
| 1 A. denticulata ? | Montagu. | Britain. | |
| 2 A. microstoma ? | Küster. | Dalmatia. | |
| 3 A. myosotis. | Draparnaud. | France. | SirW.Denison. |

GENUS.—LEUCONIA. *Gray*, 1840.

| | | | |
|-----------------|----------|----------|--|
| 1 L. bidentata. | Montagu. | Britain. | |
|-----------------|----------|----------|--|

GENUS.—CARYCHIUM. *O. F. Müller*, 1774.

| | | | |
|---------------|------|----------------|--|
| 1 C. exiguum. | Say. | United States. | |
|---------------|------|----------------|--|

FAMILY.—PROSERPINACEA. *Gray*.GENUS.—PROSERPINA. *Gray*, 1840.

| | | | |
|--------------|-------|----------|---------------|
| 1 P. nitida. | Gray. | Jamaica. | SirW.Denison. |
|--------------|-------|----------|---------------|

PNEUMONOPOMA.

SUB-ORDER 1.—OPISTHOPTHALMA.

FAMILY 1.—ACICULACEA.

GENUS.—GEOMELANIA. *Pfeiffer*, 1845.

| | | | |
|-------------|--------------|----------|--|
| 1 G. minor. | C. B. Adams. | Jamaica. | |
|-------------|--------------|----------|--|

GENUS.—TRUNCATELLA. *Risso*, 1826.

| | | | |
|-----------------|-----------|--------------|--|
| 1 T. Ceylanica. | Pfeiffer. | Ceylon. | |
| 2 T. Montagui. | Lowe. | Southampton. | |

FAMILY 2.—DIPLOMMATINACEA.

GENUS.—DIPLOMMATINA. *Benson*, 1849.

| | | | | |
|---|------------------|----------------|---------------------------------|---------------|
| 1 | D. Blanfordiana. | Benson. | Darjeeling. | Mr. H. Blan- |
| | | | | ford. |
| 2 | D. diplocheilus. | „ | Teria Ghaut. | Mr. W. Theo- |
| | | | | bald. |
| 3 | D. liricincta. | W.T. Blanford. | Western Ghauts, near Bombay. | Mr. W.T.Blan- |
| | | | | ford. |
| 4 | D. pachycheilus. | Benson. | Darjeeling. | Mr. H. Blan- |
| | | | | ford. |
| 5 | D. pullula. | „ | „ | „ |

SUB-ORDER 2.—ECTOPHTHALMA, 1852.

FAMILY 1.—CYCLOSTOMACEA.

SUB-FAMILY 1.—CYCLOTEA.

GENUS.—CYCLOTUS. *Guilding*, 1840.

| | | | | |
|---|-----------------|----------------|-----------------|---------------|
| 1 | C. Deccanense. | W.T. Blanford. | Western Ghauts. | Mr.W.T.Blan- |
| | | | | ford. |
| 2 | C. filocinctus. | Benson. | Neilgherries. | Mr.H.Blanford |
| 3 | C. Malabaricus. | W. & H.Blan- | Pykara, Neil- | |
| | | ford. | gherries. | „ |
| 4 | C. suturalis. | Sowerby. | Jamaica. | SirW.Denison. |
| 5 | C. variegatus. | Swainson. | Ceylon. | |

GENUS.—OPISTHOPORUS. *Benson*, 1855.

| | | | | |
|---|----------------|-----------|-------------------|---------------|
| 1 | O. biciliatus. | Mousson. | Borneo. | SirW.Denison. |
| 2 | O. birostris. | Pfeiffer. | Borneo & Sarawak. | „ |

GENUS.—PTEROXYCLOS. *Benson*, 1832.

| | | | | |
|---|---------------------|-----------|--|---------------|
| 1 | P. bilabiatus. | Benson. | Salem, South India. | |
| 2 | P. hispidus. | Pearson. | Khasia Hills. | Mr. W. Theo- |
| | | | | bald. |
| 3 | P. rupestris. | Benson. | a Cuttack, India.* b Nullahmallays. | Captain R. H. |
| | | | | Beddome. |
| 4 | P. tenuilabiatus. ? | Metcalfe. | Borneo. | |

GENUS.—ALYCÆUS. *Gray*, 1850.

| | | | | |
|---|-------------------|-----------|---------------|--------------|
| 1 | A. Bembex. | Benson. | Darjeeling. | Mr. H. Blan- |
| | | | | ford. |
| 2 | A. exul. | Blanford. | Neilgherries. | „ |
| 3 | A. Otiphorus. | Benson. | Darjeeling. | „ |
| 4 | A. plectocheilus. | „ | „ | „ |

| | | | |
|-----------------|---------|--------------|------------------|
| 5 A. prosectus. | Benson. | Teria Ghaut. | Mr. W. Theobald. |
| 6 A. stylifer. | " | Darjeeling. | Mr. H. Blanford. |
| 7 A. Urnula. | " | " | " |

GENUS.—*OPISTHOSTOMA*. *Blanford*, 1864.

| | | | |
|------------------|----------------|------------------------------|---------------------------|
| 1 O. macrostoma. | S. N. Beddome. | Bramahmullays, S. Wynaud. | Captain R. H. Beddome. |
|------------------|----------------|------------------------------|---------------------------|

GENUS.—*HYBOCYSTIS*. *Benson*, 1859.

| | | | |
|---------------|---------|-----------|------------------|
| 1 H. gravida. | Benson. | Moulmein. | Mr. W. Theobald. |
|---------------|---------|-----------|------------------|

SUB-FAMILY 2.—CYCLOPHOREA.

GENUS.—*CYCLOPHORUS*. *Montfort*, 1810.

| | | | |
|---------------------|---------------------------|-------------------|---------------------|
| 1 C. annulatus. | Troschel. | a Ceylon. | |
| ,, small var. | | b " | |
| 2 C. aquila. | Sowerby. | Burmah. | |
| 3 C. Aurora. | Benson. | Darjeeling. | |
| 4 C. Bensoni. | Pfeiffer. | Assam. | |
| 5 C. Borneensis. | Metcalfe. | Borneo. | |
| 6 C. cœloconus. | Benson. | Neilgherries. | |
| 7 C. cuspidatus. | " | " | Mr. W. T. Blanford. |
| 8 C. excellens. | Pfeiffer. | Moulmein. | Mr. W. Theobald. |
| 9 C. expansus. | " | Pegu. | " |
| 10 C. fulgoratus. | " | Thayet Myo. | " |
| 11 C. Himalayanus. | " | Darjeeling. | " |
| 12 C. Indicus. | Deshayes. | Matheran, Bombay. | |
| 13 C. involvulus. | Müller. | Midnapore.* | " |
| 14 C. patens. | W. T. Blanford. | Pegu. | Mr. W. T. Blanford. |
| 15 C. Pearsoni. | Benson. | Chittagong. | Mr. W. Theobald. |
| 16 C. perdix. | Broderip, and Sowerby. | Singapore. | |
| 17 C. Phænotopicus. | Benson. | Darjeeling. | |
| 18 C. pyrotrema. | " | Rajmahal. | |
| 19 C. Scurra. | " | Pegu. | Mr. W. T. Blanford. |
| 20 C. semisulcatus. | Sowerby. | Malacca. | |

| | | | |
|---------------------|-----------|--------------------|------------------|
| 21 C. Siamensis. | Sowerby. | Teria Ghat. | Mr. W. Theobald. |
| 22 C. stenomphalus. | Pfeiffer. | Elephanta, Bombay. | |
| 23 C. stenostomus. | Sowerby. | Neilgherries.* | |
| 24 C. Theobaldianus | Benson. | Tenasserim. | |
| 25 C. tigrinus. | Sowerby. | Philippines. | |
| 26 C. tuba. | , | Malacca. | |
| 27 C. zebrinus. | Benson. | Khasia Hills. | Mr. W. Theobald. |

GENUS.—LEPTOPOMA. *Pfeiffer*, 1847.

| | | | |
|-----------------|-----------|--------------------------|------------------|
| 1 L. aspirans. | Benson. | Tenasserim Valley. | Mr. W. Theobald. |
| 2 L. sericatum. | Pfeiffer. | Island of Daat, Borneo.* | |

GENUS.—DERMATOCERA. *H.* and *A. Adams*.

| | | | |
|--------------|---------|-----------------------------------|--|
| 1 D. vitrea. | Lesson. | Island of Puppan, near Labuan. | |
|--------------|---------|-----------------------------------|--|

SUB-FAMILY 3.—PUPINEA.

GENUS.—MEGALOMASTOMA. *Guilding*, 1840.

| | | | |
|-------------------|---------|-------------|------------------|
| 1 M. funiculatum. | Benson. | Darjeeling. | Mr. H. Blanford. |
|-------------------|---------|-------------|------------------|

GENUS.—CATAULUS. *Pfeiffer*.

| | | | |
|------------------|-----------|-------------|-----------------------|
| 1 C. recurvatus. | Pfeiffer. | Anamallays. | Capt. R. H. Beddome.* |
|------------------|-----------|-------------|-----------------------|

GENUS.—ARINIA. *H.* and *A. Adams*, 1852.

| | | | |
|-----------------|-----------|-----------------------|------------------|
| 1 A. Nilgirica. | Blanford. | Pykara, Neilgherries. | Mr. H. Blanford. |
|-----------------|-----------|-----------------------|------------------|

GENUS.—PUPINA. *Vignard*, 1829.

| | | | |
|---------------|--------|--------------------|--|
| 1 P. Ottonis. | Dohrn. | Istd. of Mindanao. | |
|---------------|--------|--------------------|--|

SUB-FAMILY 4.—LICINEA.

GENUS.—CHOANOPOMA. *Pfeiffer*, 1847.

| | | | |
|------------------|-----------|-------------|-----------------|
| 1 C. decussatum. | Lamarck. | Porto-rico. | |
| 2 C. fimbriatum. | Sowerby, | Jamaica. | Sir W. Denison. |
| 3 C. Lincina. | Linnaeus. | „ | „ |

GENUS.—CYCLOTOPSIS. *W. T. Blanford*, 1864.

| | | | |
|---------------------|----------|-----------------|----------------------|
| 1 C. semistriatus. | Sowerby. | Poonah. | Mr. W. T. Blanford. |
| 2 C. subdiscoidens. | , | a Orissa. | |
| | | b Nullahmallays | Capt. R. H. Beddome. |

GENUS.—ADAMSIELLA. *Pfeiffer*, 1851.

| | | | | |
|------------------|--------------|----------|---|-----------------|
| 1 A. ignilabris. | Adams. | Jamaica. | . | Sir W. Denison. |
| 2 A. monstrosa. | C. B. Adams. | „ | „ | „ |
| 3 A. pulchrior. | „ | „ | „ | „ |
| 4 A. variabilis. | „ | „ | „ | „ |

SUB-FAMILY.—CYCLOSTOMEA.

GENUS.—OTOPOMA. *Gray*, 1850.

| | | | |
|-----------------|-----------------|------------|---------------|
| 1 O. Hinduorum. | W. T. Blanford. | Kattiawar. | |
| 2 O. Listeri. | Gray. | Mauritius. | M. Robillard. |

GENUS.—CYCLOSTOMUS. *Montfort*, 1810.

| | | | |
|--------------------|--------------|---|-----------------|
| 1 C. aplustre. | Sowerby. | Madagascar. | |
| 2 C. articulatus. | Gray. | Island of Rodrigues. | M. Robillard. |
| 3 C. Bronni. | Adams. | Jamaica. | Sir W. Denison. |
| 4 C. costulatus. | Ziegler. | Hermannstadt. | „ |
| 5 C. elegans. | Müller. | a Britain. b Bordeaux. | |
| 6 C. occlusus. | Mörch. | Madagascar. | M. Robillard. |
| 7 C. retrosus. | C. B. Adams. | Jamaica. | Sir W. Denison. |
| 8 C. tricarinatus. | Müller. | Mauritius, very rare, never found alive. | M. Robillard. |

GENUS.—TUDORA. *Gray*.

| | | | |
|----------------|--------------|----------|-----------------|
| 1 T. armata. | Adams. | Jamaica. | Sir W. Denison. |
| 2 T. columna. | Wood. | „ | „ |
| 3 T. maritima. | C. B. Adams. | „ | „ |

SUB-FAMILY 7.—POMATIATEA. *Pfeiffer*.GENUS.—POMATIAS. *Studer*, 1789.

| | | | |
|--------------------|--------------|--------------------------|----------------------|
| 1 P. Carthusianus. | Dupuy. | Savoy. | Sir W. Denison. |
| 2 P. cinerascens. | Rossmässler. | Italy. | „ |
| 3 P. Himalayæ. | Benson. | Darjeeling. | Mr. H. Blanford. |
| 4 P. maculatus. | Draparnaud. | a Pyrenees. b Verona. | Sir W. Denison. „ |
| 5 P. patulus. | „ | France. | „ |
| 6 P. striolatus | Porro. | Genoa. | „ |
| 7 P. tessellatus. | Wiegmann. | Corfu. | „ |

GENUS.—HYDROCENA. *Parreyss*, 1843.

| | | | |
|------------------|--------|---------|---------------|
| 1 H. robusta. | ? | Tahiti. | M. Robillard. |
| 2 H. Tahitensis. | Pease. | „ | „ |
| 3 H. varia. | ? | „ | „ |

GENUS.—OMPHALOTROPIS. *Pfeiffer*, 1851.

| | | | |
|---------------|---|------------|---------------|
| 1 O. Layardi. | ? | Hab.? | M. Robillard. |
| 2 O. vario. | ? | Mauritius. | „ |

FAMILY 2.—HELICINACEA.

SUB-FAMILY 1.—STOASTOMEA.

GENUS.—STOASTOMA. *C. A. Adams*, 1849.

| | | |
|-----------------|----------|--------------|
| 1 S. succineum. | Sowerby. | South Spain. |
|-----------------|----------|--------------|

SUB-FAMILY 2.—HELICINEA.

GENUS.—TROCHATELLA. *Swainson*, 1840.

| | | |
|--------------------|-------|----------|
| 1 T. pulchella. | Gray. | Jamaica. |
| 2 T. Tankervillei. | „ | „ |

GENUS.—LUCIDELLA. *Swainson*, 1840.

| | | | |
|---------------|-----------|----------|-----------------|
| 1 L. aureola. | Ferussac. | Jamaica. | Sir W. Denison. |
|---------------|-----------|----------|-----------------|

GENUS.—HELICINA. *Lamarck*.

| | | | |
|------------------|------------|------------|-----------------|
| 1 H. Adamsiana. | Pfeiffer. | Jamaica. | Sir W. Denison. |
| 2 H. albolabris. | Jacquinot. | Tahiti. | „ |
| 3 H. costata. | Gray. | Jamaica. | „ |
| 4 H. discoidea. | ? | Tahiti. | M. Robillard. |
| 5 H. faba. | ? | „ | „ |
| 6 H. maxima. | Sowerby. | Jamaica. | Sir W. Denison. |
| 7 H. neritella. | Lamarck. | Barbadoes. | |
| 8 H. pisum. | Jacquinot. | Tahiti. | M. Robillard. |
| 9 H. rufescens. | ? | „ | „ |
| 10 H. solida. | ? | „ | „ |

GENUS.—ALCADIA. *Gray*, 1842.

| | | | |
|--------------------|--------|----------|-----------------|
| 1 A. Brownei. | Gray. | Jamaica. | Sir W. Denison. |
| 2 A. consanguinea. | Adams. | „ | „ |
| 3 A. Hollandi. | „ | „ | „ |
| 4 A. megastoma. | „ | „ | „ |
| 5 A. palliata. | „ | „ | „ |

SUB-FAMILY.—GEORISSEA.

GENUS.—GEORISSA. *W. T. Blanford*.

| | | | |
|-------------------|---------|------|------------------|
| 1 G. Frustrillum. | Benson. | Ava. | Mr. W. Theobald. |
|-------------------|---------|------|------------------|

SUB-ORDER.—PROSOPHTHALMA.

FAMILY.—ASSIMINIIDÆ.

GENUS.—ASSIMINIA. *Leach*, 1816.

| | | |
|---------------|---|----------|
| 1 A. faciata. | ? | Hooghly. |
| 2 A. Grayana. | ? | Britain. |

| | | | |
|------------------|-----------------|-------------------|---------------------|
| 3 A. miniata. | Von Martens. | Singapore. | |
| 4 A. rotundata. | Fairbank. | Bombay. | Mr. W. T. Blanford. |
| 5 A. rubella. | W. T. Blanford. | Pegu. | " |
| 6 A. sub-conica. | Leith. | Bombay. | " |
| 7 A. sulcata. | Benson. | Banks of Hooghly. | |

2D SUB-DIVISION.

CLASS.—CONCHIFERA. *Lamarck*, 1818.ORDER 1.—PHOLADACEA. *Blainville*, 1818.FAMILY 1.—PHOLADIDÆ. *Leach*, 1819.SUB-FAMILY.—PHOLADINÆ. *H. and A. Adams*, 1855.GENUS.—PHOLAS. *Linnæus*, 1757.

1 P. Bakeri ? Deshayes. Madras.

GENUS.—DACTYLINA. *Gray*, 1847.

1 D. dactylus. Linnæus. Britain.

GENUS.—BARNEA. *Leach*, 1826.

1 B. parva. Linnæus. Britain.

GENUS.—PHOLADIDEA. *Turton*, 1819.

1 P. papyracea. Solander. Britain.

GENUS.—MARTESIA. *Leach*, 1847.1 M. striata. Linnæus. Burmah (probably) } Was cut out of
a log of Teak
at the Museum.SUB-FAMILY 2.—TEREDININÆ. *H. and A. Adams*, 1855.GENUS.—TEREDO. *Linnæus*, 1757.

1 T. corniformis. Lamarck. Tropical Seas.

2 T. navalis. Linnæus. European Seas.

FAMILY 2.—GASTROCHÆNIDÆ. *Gray*, 1840.GENUS.—GASTROCHÆNA. *Lamarck*, 1818.

1 G. modiolina. Lamarck. Britain.

GENUS.—CLAVAGELLA. *Lamarck*, 1807.

1 C. aperta. Sowerby. Malta.

GENUS.—ASPERGILLUM. *Lamarck*, 1809.

1 A. disjunctum. Deshayes. Hab. ?

FAMILY 3.—SOLENIDÆ. *Latreille*, 1825.SUB-FAMILY 1.—SOLENINÆ. *H. and A. Adams*.GENUS.—SOLEN. *Linnæus*, 1757.

| | | |
|----------------|----------|---------------|
| 1 S. corneus ? | Lamarck. | Java. |
| 2 S. ensis. | Linnæus. | Britain, &c. |
| 3 S. siliqua. | " | " * |
| 4 S. vagina. | " | Indian Seas.* |

SUB-FAMILY 2.—PHARINÆ. *H. and A. Adams*.GENUS.—PHARUS. *Leach*, 1840.

| | | |
|---------------|----------|----------|
| 1 P. legumen. | Linnæus. | Britain. |
|---------------|----------|----------|

GENUS.—CULTELLUS. *Schumacher*, 1817.

| | | | |
|-----------------|-----------|----------|-----------------|
| 1 C. cultellus. | Linnæus. | Ceylon. | Sir W. Denison. |
| 2 C. lacteus. | Spengler. | Malacca. | |

GENUS.—MACHÆRA. *Gould*, 1841.

| | | |
|---------------|----------|--|
| 1 M. radiata. | Linnæus. | a Bay of Bengal. b Madras Coast.*** |
|---------------|----------|--|

GENUS.—SOLECURTUS. *Blainville*, 1824.

| | | | |
|-------------------|----------|---------|----------------|
| 1 S. strigilatus. | Linnæus. | Ceylon. | Sir W. Denison |
|-------------------|----------|---------|----------------|

GENUS.—NOVACULINA. *Benson*, 1830.

| | | |
|-----------------|-----------|-----------|
| 1 N. Gangetica. | Benson. | Calcutta. |
| 2 N. olivacea. | Metcalfe. | Malacca. |

FAMILY 4.—GLYCIMERIDÆ. *Deshayes*, 1839.GENUS.—SAXICAVA. *Fleurieu de Bellevue*, 1802.

| | | |
|--------------|----------|----------|
| 1 S. rugosa. | Linnæus. | Britain. |
|--------------|----------|----------|

GENUS.—PANOPÆA. *Menard de la Groye*, 1807.

| | | |
|------------------|----------|-----------|
| 1 P. Aldrovandi, | Lamarck. | Portugal. |
|------------------|----------|-----------|

GENUS.—GLYCIMERIS. *Lamarck*, 1801.

| | | |
|---------------|-----------|-----------|
| 1 G. siliqua. | Chemnitz. | America.* |
|---------------|-----------|-----------|

FAMILY 5.—MYIDÆ. *Gray*, 1839.GENUS.—MYA. *Linnæus*, 1747.

| | | |
|----------------|----------|------------------|
| 1 M. arenaria. | Linnæus. | European Ocean.* |
|----------------|----------|------------------|

FAMILY 6.—CORBULIDÆ. *Broderip*, 1839.GENUS.—CORBULA. *Bruguière*, 1792.

| | | |
|---------------|----------|--------------|
| 1 C. nucleus. | Lamarck. | Britain. |
| 2 C. polita. | Hinds. | Philippines. |

FAMILY 7.—ANATINIDÆ. *D'Orbigny*, 1845.GENUS.—ANATINA. *Lamarck*, 1809.

| | | |
|----------------|---------------|--------|
| 1 A. Cumingii. | Valenciennes. | Hab. ? |
|----------------|---------------|--------|

GENUS.—LYONIA. *Turton*, 1822.

1 *L. norvegica*. Chemnitz. Britain.

GENUS.—THRACIA. *Leach*, 1824.

1 *T. villosiuscula* McGillivray. Britain.

GENUS.—NEÆRA. *Gray*, 1834.

1 *N. cuspidata*. Olivier. Britain.

GENUS.—PANDORA. *Bruguière*, 1792.

1 *P. obtusa*. Lamarck. Britain.

GENUS.—MYODORA. *Gray*, 1840.

1 *M. ovata*. Reeve. Moreton Bay.

GENUS.—MYOCHAMA. *Stutchbury*, 1830.

1 *M. transversa*. Adams. Moreton Bay.

GENUS.—CHAMOSTREA. *DeRoissy*, 1805.CLEIDOTHERUS. *Stutchbury*, 1829.

1 *C. albida*. Lamarck. Sydney.

ORDER 2.—VENERACEA. *Menke*, 1830.FAMILY 8.—MACTRIDIÆ. *Gray*, 1840.SUB-FAMILY 1.—MACTRINÆ. *H. and A. Adams*.GENUS.—MACTRA. *Linnæus*, 1767.

| | | | |
|-----------------------------|-----------|--|-----------------|
| 1 <i>M. attenuata</i> . | Deshayes. | Madras. | |
| 2 <i>M. decora</i> . | " | Hab. ? | |
| 3 <i>M. egena</i> ? | " | " | |
| 4 <i>M. elliptica</i> . | Brown. | British Seas. | |
| 5 <i>M. exoleta</i> . | Gray. | Cape Horn. | |
| 6 <i>M. laevis</i> . | Chemnitz. | <i>a</i> Philippines. <i>b</i> Madras.* | |
| 7 <i>M. ornata</i> . | Gray. | Ceylon. | Sir W. Denison. |
| 8 <i>M. plicataria</i> . | Linnæus. | Sumatra. | |
| 9 <i>M. Reevesii</i> . | Gray. | Malacea. | |
| 10 <i>M. solidissima</i> . | Chemnitz. | Massachusetts. | |
| 11 <i>M. stultorum</i> . | Linnæus. | Britain. | |
| 12 <i>M. subtruncata</i> . | Montagu. | " | |
| 13 <i>M. symmetrica</i> . | Deshayes. | Ceylon.* | |
| 14 <i>M. transversa</i> . | " | Singapore. | |
| 15 <i>M. triangularis</i> . | Lamarck. | Hab. ? | |
| 16 <i>M. truncata</i> . | Montagu. | Britain. | |
| 17 <i>M. violacea</i> . | Chemnitz. | Malacea. | |

GENUS.—RANGIA. *Desmoulinis*, 1832.

1 R. cyrenoides. Desmoulinis. Lake Pontchartrain. M.J.L. Laporte

SUB-FAMILY 2.—LUTRARIINÆ. *H. and A. Adams.*GENUS.—LUTRARIA. *Lamarch*, 1799.

1 L. oblonga. Turton. Britain.

FAMILY 9.—TELLINIDÆ.

SUB-FAMILY 1.—TELLININÆ.

GENUS.—ASAPHIS. *Modeer*, 1793.

1 A. rugosa. Lamarck. Reunion Island. M. Robillard.

GENUS.—PSAMMOBIA. *Lamarch*, 1818.

| | | | |
|-------------------|---------------|-----------|-----------------|
| 1 P. amethystus. | E. L. Layard. | Ceylon. | Sir W. Denison. |
| 2 P. cærulescens. | Lamarck. | " | " |
| 3 P. Ferroensis. | Chemnitz. | Britain. | |
| 4 P. Malaccana. | Reeve. | Malacca. | |
| 5 P. occidens. | Chemnitz. | Ceylon.* | " |
| 6 P. Tellinella. | Lamarck. | Britain. | |
| 7 P. tripartita. | Deshayes. | Aden. | |
| 8 P. vespertina. | Gmelin. | Britain ? | |

GENUS.—SANGUINOLARIA. *Lamarch*, 1799.

1 S. sanguinolenta. Gmelin. Philippines.

GENUS.—SOLETELLINA. *Blainville*, 1824.

1 S. diphos. Linnæus. Malacca.*

SUB-GENUS.—PSAMMOTELLA. *Blainville*, 1826.

1 P. Skinneri ? Reeve. Ceylon.

GENUS.—TELLINA. *Linnæus*, 1758.

| | | | |
|--------------------|-----------|-----------------------|----------------|
| 1 T. capsoides. | Lamarck. | Island of St. Pierre. | |
| 2 T. carnaria. | Linnæus. | La Guayra. | M.J.L. Laporte |
| 3 T. crassa. | Pennant. | Britain. | |
| 4 T. depressa. | Gmelin. | Cayenne. | " |
| 5 T. donacina. | Linnæus. | Britain. | |
| 6 T. foliacea. | " | Indian Ocean. | |
| 7 T. lingua-felis. | " | " * | |
| 8 T. pisiformis. | Lamarck. | Jamaica. | |
| 9 T. radiata. | Linnæus. | The Antilles. | " |
| 10 T. rostrata. | " | Indian Ocean.* | |
| 11 T. solidula. | Pulteney. | Britain.* | |
| 12 T. Spengleri. | Chemnitz. | Malacca. | |
| 13 T. staurella. | Lamarck. | New Holland. | |
| 14 T. subar. | ? | Kingsmill Island. | M. Robillard. |

| | | | |
|--------------------|-----------|-----------------------------------|-----------------|
| 15 T. tenuis. | DaCosta. | Atlantic. | M.J.L.Laporte |
| 16 T. Tongana. | Quoy. | Tonga Tabou. | |
| 17 T. unimaculata. | Lamarck. | The Antilles. | , |
| 18 T. virgata. | Linnaeus. | a The Indian Ocean.* b Ceylon. | Sir W. Denison. |

GENUS.—LUCINOPSIS. *Forbes and Hanley*, 1848.

| | | |
|--------------|----------|----------|
| 1 L. undata. | Pennant. | Britain. |
|--------------|----------|----------|

SUB-FAMILY.—DONACINÆ.

GENUS.—DONAX. *Linnaeus*, 1758.

| | | |
|-------------------|-----------|--------------------------------------|
| 1 D. anatinus. | Lamarck. | British Seas. |
| 2 D. cuneata. | Linnaeus. | a Ceylon. b Madras.*** |
| 3 D. deltoides. | Lamarck. | Brisbane, Australia. |
| 4 D. denticulata. | Linnaeus. | West Indies. |
| 5 D. scortum. | „ | a Madras.*** b Cape of Good Hope. |

GENUS.—IPHIGENIA. *Schumacher*, 1817.

| | | |
|-------------|---------------|--------------|
| 1 I. media. | Shuttleworth. | West Indies. |
|-------------|---------------|--------------|

GENUS.—CAPSA. *Lamarch*, 1818.

| | | |
|-----------------|-----------|---------------|
| 1 C. deflorata. | Linnaeus. | Eastern Seas. |
|-----------------|-----------|---------------|

GENUS.—GALATEA. *Bruguière*, 1792.

| | | |
|---------------|----------|-------------|
| 1 G. radiata. | Lamarck. | Ceylon, &c. |
|---------------|----------|-------------|

SUB-FAMILY 3.—SCROBICULARIINÆ.

GENUS.—SCROBICULARIA. *Schumacher*, 1817.

| | | |
|----------------|---------|----------|
| 1 S. piperata. | Gmelin. | Britain. |
|----------------|---------|----------|

GENUS.—AMPHIDESMA. *Lamarch*, 1818.

| | | |
|--------------|---------|--------------|
| 1 A. scabra. | Hanley. | Philippines. |
|--------------|---------|--------------|

GENUS.—CUMINGIA. *Sowerby*, 1833.

| | | |
|----------------|--------|--------------|
| 1 C. eucharis. | Reeve. | West Indies. |
|----------------|--------|--------------|

SUB-FAMILY 4.—PAPHIINÆ. *H. and A. Adams*.GENUS.—MESODESMA. *Deshayes*, 1830.

| | | |
|----------------|-----------|----------------------------------|
| 1 M. crassula. | Deshayes. | Hab. ? |
| 2 M. glabrata. | ? | Island of Reunion. M. Robillard. |
| 3 M. nitida. | Deshayes. | Hab. ? |
| 4 M. ovalis. | „ | New Zealand. |
| 5 M. striata. | „ | Hab. ? |

FAMILY 10.—VENERIDÆ. *H. and A. Adams.*SUB-FAMILY 1.—VENERINÆ. *H. and A. Adams.*GENUS.—VENUS. *Linnæus*, 1758.

| | | | |
|---------------------------|--------------------------|----------------------|-----------------|
| 1 <i>V. alatus.</i> | Reeve. | Swan River.** | |
| 2 <i>V. Columbiensis.</i> | Sowerby. | St. Elena. | |
| 3 <i>V. crispata?</i> | Deshayes. | Hab.? | |
| 4 <i>V. fasciata.</i> | DaCosta. | Britain. | |
| 5 <i>V. Gnidia.</i> | Broderip and Sowerby. | San Blas, Mexico. | |
| 6 <i>V. Isabellina.</i> | Philippi. | Sydney.* | Sir W. Denison. |
| 7 <i>V. Lamarckii.</i> | Gray. | China. | |
| 8 <i>V. Listeri.</i> | „ | Philippines. | |
| 9 <i>V. lyra?</i> | Hanley. | Gulf of Guinea. | |
| 10 <i>V. mercenaria.</i> | Linnæus. | North America. | |
| 11 <i>V. ovata.</i> | Pennant. | W. Coast of Britain. | |
| 12 <i>V. plicata.</i> | Gmelin. | West Africa. | |
| 13 <i>V. puerpera.</i> | Linnæus. | Philippines. | |
| 14 <i>V. resticulata.</i> | Sowerby. | Rogers' Straits. | Sir W. Denison. |
| 15 <i>V. reticulata.</i> | Linnæus. | Philippines. | |
| 16 <i>V. striatula.</i> | DaCosta. | Britain. | |
| 17 <i>V. verrucosa.</i> | Linnæus. | „ | |

GENUS.—CYTHEREA. *Lamarck*, 1805.

| | | | |
|------------------------|----------|--------------------------------------|--------------------------|
| 18 <i>C. castanea.</i> | Lamarck. | Indian Ocean.* | |
| 19 <i>C. creplini.</i> | Dunker. | Cannanore. | Mr. W. T. Blan- ford. |
| 20 <i>C. impudica.</i> | Lamarck. | <i>a</i> India. <i>b</i> Labuan.* | |
| 21 <i>C. morphina.</i> | „ | Ceylon.** | |
| 22 <i>C. ovum.</i> | Hanley. | Madras.* | |

GENUS.—DIONE. *Gray*, 1847.

| | | | |
|-----------------------|--------------------------|-----------------------------|-------------------|
| 1 <i>D. aurantia.</i> | Gray. | Acapulco, | South America. |
| 2 <i>D. chione.</i> | Linnæus. | Seas of Europe. | |
| 3 <i>D. erycina.</i> | „ | Ceylon.* | |
| 4 <i>D. festiva.</i> | Sowerby. | Eastern Seas. | |
| 5 <i>D. Hagenowi.</i> | Dunker. | Red Sea. | Sir H. Barlly. |
| 6 <i>D. impar.</i> | Lamarck. | Swan River, Aus- tralia. | Sir W. Denison. |
| 7 <i>D. rosea.</i> | Broderip and Sowerby. | Panama. | |

GENUS.—MERŒ. *Schumacher*, 1817.

| | | |
|----------------|-----------|--|
| 1 M. hians. | Reeve. | Madras.* |
| 2 M. picta. | Lamarek. | Indian Ocean.** |
| 3 M. seminuda. | Philippi. | Moluccas.* |
| 4 M. scripta. | Rumphius. | Indian Ocean.* |
| 5 M. Solandri. | Gray. | Madras Coast.** |
| 6 M. truncata. | Deshayes. | <i>a</i> Philippines. <i>b</i> Madras Coast.** <i>c</i> Vizagapatam. |

GENUS.—CIRCE. *Schumacher*, 1817.

| | | |
|-------------------|-----------|---|
| 1 C. castrensis. | Linnæus. | Indian Ocean. |
| 2 C. divaricata. | Chemnitz. | <i>a</i> Bombay. Mr. W.T. Blanford. <i>b</i> Indian Ocean. |
| 3 C. gibba. | Lamarek. | , |
| 4 C. lentiginosa. | Chemnitz. | Aden. |
| 5 C. pectinata. | Linnæus. | Kingsmill Island. M. Robillard. |
| 6 C. scripta. | „ | Indian Ocean.* |
| 7 C. Sowerbyi. | Deshayes. | Philippines. |
| 8 C. trimaculata. | Lamarek. | Ceylon ?* Sir W. Denison. |

SUB-FAMILY 2.—DOSINIINÆ.

GENUS.—DOSINIA. *Scopoli*, 1777.

| | | |
|--------------------|-----------|--------------------------------------|
| 1 D. exoleta. | Deshayes. | Britain. |
| 2 D. fibula. | Reeve. | Pulicat.* |
| 3 D. laminata. | „ | Philippines. |
| 4 D. lineta. | Deshayes. | Britain. |
| 5 D. Patagonica. | Philippi. | Patagonia. |
| 6 D. penicillata ? | Reeve. | <i>a</i> Hab. ? <i>b</i> Malacca. |

SUB-FAMILY 3.—TAPESINÆ.

GENUS.—TAPES. *Megerle*, 1811.

| | | | |
|-----------------|-----------|--------------------------|-----------------|
| 1 T. aurea. | Gmelin. | Constantinople. | M. Robillard. |
| | | <i>b</i> Britain. | |
| 2 T. Bruguièri. | Hanley. | Vizagapatam. | |
| 3 T. decussata. | Linnaeus. | <i>a</i> Toulon. | M. Robillard. |
| | | <i>b</i> Britain. | |
| 4 T. literata. | „ | <i>c</i> Atlantic Ocean. | M.J.L. Laporte |
| | | <i>a</i> W. Australia. | Sir W. Denison. |
| | | <i>b</i> Indian Ocean. | |
| 5 T. marmorata. | Lamarek | Bombay.* | |
| 6 T. pullastra. | Montagu. | Britain. | |

| | | | |
|---------------------|-----------|---------------|-----------------|
| 7 T. quadriradiata. | Deshayes. | Ceylon ? | Sir W. Denison. |
| 8 T. radiata. | Chemnitz. | Indian Ocean. | |
| 9 T. rotundata. | Linnæus. | Ceylon.* | |
| 10 T. textrix. | Chemnitz. | Malacca.* | |
| 11 T. virginea. | Linnæus. | Britain. | |

GENUS.—VENERUPIS. *Lamarch*, 1818.

| | | |
|------------|----------|----------|
| 1 V. Irus. | Linnæus. | Britain. |
|------------|----------|----------|

GENUS.—CYPRICARDIA. *Lamarch*, 1819.

| | | |
|-----------------|--------|--------------|
| 1 C. vellicata. | Reeve. | Philippines. |
|-----------------|--------|--------------|

FAMILY 11.—PETRICOLIDÆ.

GENUS.—PETRICOLA. *Lamarch*, 1801.

| | | |
|------------------|----------|----------------|
| 1 P. lithophaga. | Retzius. | Mediterranean. |
|------------------|----------|----------------|

FAMILY 12.—GLAUCONOMYIDÆ.

GENUS.—GLAUCONOMA. *Gray*, 1828.

| | | |
|--------------|---------|----------|
| 1 G. rugosa. | Hanley. | Malacca. |
|--------------|---------|----------|

FAMILY 13.—CYPRINIDÆ.

GENUS.—CYPRINA. *Lamarch*, 1812.

| | | |
|-----------------|----------|----------|
| 1 C. islandica. | Lamarck. | Britain. |
|-----------------|----------|----------|

FAMILY 14—CYRENIDÆ.

GENUS.—CYRENA. *Lamarch*, 1806.

| | | | |
|-------------------|-----------|-------------------------|---------------------|
| 1 C. Bengalensis. | Deshayes. | Sunderbunds, Bengal. | Mr. W. T. Blanford. |
| 2 C. Ceylanica ? | Chemnitz. | Rutnagherry. | , |
| 3 C. fuscata. | Lamarck. | Moulmein. | |
| 4 C. Malaccensis. | ? | Malacca. | |
| 5 C. Sumatrensis. | Sowerby. | Sumatra.* | |

GENUS.—CYCLAS. *Bruguière*, 1792.

| | | | |
|-----------------|-----------|------------|----------------|
| 1 C. cornea. | Linnæus. | Britain.* | |
| 2 C. Linslayi | ? | America ?* | |
| 3 C. modesta. | Pfeiffer. | „ | |
| 4 C. nucleus. | Normand. | Bordeaux. | M.J.L. Laporte |
| 5 C. ovalis. | Stimpson. | „ | " |
| 6 C. partumeia. | Say. | America.* | |
| 7 C. similis. | „ | „ * | |

GENUS.—PISIDIUM. *Pfeiffer*, 1821.

| | | |
|----------------|---------|----------|
| 1 P. dubium. | Say. | America. |
| 2 P. pusillum. | Gmelin. | Britain. |

FAMILY 16.—CARDIIDÆ.

GENUS.—CARDIUM. *Linnæus*, 1758.

| | | | Sir W. Denison. |
|----|-------------------|----------|--|
| 1 | C. alternatum. | Sowerby. | Australia. |
| 2 | C. cardissa. | Linnæus. | Eastern Seas. |
| 3 | C. costatum. | " | E. Coast of Africa. |
| 4 | C. echinatum. | " | European Seas. |
| 5 | C. edule. | " | " * |
| 6 | C. elatum. | Sowerby. | California. |
| 7 | C. enode. | " | Ceylon. |
| 8 | C. fimbriatum. | Wood. | China. |
| 9 | C. hemicardium. | Linnæus. | Philippines. * |
| 10 | C. latum. | Born. | " * |
| 11 | C. lyratum. | Sowerby. | " |
| 12 | C. multispinosum. | " | China. |
| 13 | C. muticum. | Reeve. | Ceylon. |
| 14 | C. nebulosum. | " | " |
| 15 | C. oxygonum. | Sowerby. | China, &c. |
| 16 | C. Pennantii. | Beck. | Exmouth, Devon. |
| 17 | C. pseudo-lima. | Lamarck. | Zanzibar. |
| 18 | C. pygmaeum. | ? | Britain. |
| 19 | C. rugosum. | Lamarck. | Ceylon, &c. |
| 20 | C. rusticum. | Linnæus. | Adriatic Sea. |
| 21 | C. tenuicostatum. | Lamarck. | <i>a</i> New Holland. Sir W. Denison. <i>b</i> Mauritius. M. Robillard. |
| 22 | C. tumoriferum. | " | New Holland. |
| 23 | C. unedo. | Linnæus. | <i>a</i> Rogers' Straits. Sir W. Denison. <i>b</i> Ceylon, &c. |
| 24 | C. vertebratum. | Jonas. | Australia. |

FAMILY 17.—ISOCARDIIDÆ.

GENUS.—ISOCARDIA. *Lamarck*, 1799.

| | | | |
|---|--------------|--------|--------|
| 1 | I. vulgaris. | Reeve. | China. |
|---|--------------|--------|--------|

FAMILY 18.—CHAMIDÆ.

GENUS.—CHAMA. *Bruguière*, 1789.

| | | | |
|---|-------------------|--------|--------------|
| 1 | C. multisquamosa. | Reeve. | Philippines. |
|---|-------------------|--------|--------------|

FAMILY 19.—TRIDACNIDÆ.

GENUS.—TRIDACNA. *Bruguière*, 1789.

| | | | | |
|---|--------------|----------|--|-----------------|
| 1 | T. Cumingii. | Reeve. | Andamans. | Lieut. McGoun. |
| 2 | T. elongata. | Lamarck. | <i>a</i> Australia. <i>b</i> Philippines. | Sir W. Denison. |

| | | | |
|----------------|----------|------------------------------|-------------------|
| 3 T. gigas. | Linnæus. | Indian and Pacific Seas. | Lieut. W. Norris. |
| 4 T. squamosa. | Lamarck. | a Moluccas. b Australia.* | Sir W. Denison. |

GENUS.—HIPPOPUS. *Lamarch*, 1799.

| | | |
|-----------------|----------|---------------|
| 1 H. maculatus. | Linnæus. | Eastern Seas. |
|-----------------|----------|---------------|

ORDER 3.—LUCINACEA.

FAMILY 20.—LUCINIDÆ.

GENUS.—LUCINA. *Bruguière*, 1792.

| | | |
|-------------------|--------------------|------------------|
| 1 L. exasperata. | Reeve. | Bay of Honduras. |
| 2 L. ferruginosa. | Forbes and Hanley. | Britain. |
| 3 L. flexuosa. | Donovan. | " |
| 4 L. tigerina. | Linnæus. | Bay of Honduras. |

GENUS.—CORBIS. *Cuvier*, 1817.

| | | |
|-----------------|----------|--------------|
| 1 C. fimbriata. | Linnæus. | Philippines. |
|-----------------|----------|--------------|

FAMILY 21.—UNGULINIDÆ.

GENUS.—UNGULINA. *Daudin*, 1802.

| | | |
|---------------|----------|---------------|
| 1 U. alba. | Rang. | North Africa. |
| 2 U. oblonga. | Lamarck. | " |

FAMILY 22.—ERYCINIDÆ.

GENUS.—KELLIA. *Turton*, 1822.

| | | |
|-------------|---------|----------|
| 1 K. rubra. | Turton. | Britain. |
|-------------|---------|----------|

GENUS.—GALEOMMA. *Turton*, 1825.

| | | |
|---------------|-----------|--------------|
| 1 G. ambigua. | Deshayes. | Philippines. |
|---------------|-----------|--------------|

FAMILY 23.—SOLEMYADÆ. *Deshayes*.GENUS.—SOLEMYA. *Lamarch*, 1818.

| | | |
|-----------------|----------|------------|
| 1 S. Australis. | Lamarck. | Australia. |
|-----------------|----------|------------|

FAMILY 24.—CRASSATELLIDÆ. *Gray*.GENUS.—CRASSINA. *Lamarch*, 1818.

| | | |
|-----------------|---------------|----------------|
| 1 C. compressa. | Macgillivray. | Scotland. |
| 2 C. fusca. | Poli. | Mediterranean. |
| 3 C. sulcata. | DaCosta. | Britain. |

GENUS.—CRASSATELLA. *Lamarch*, 1799.

| | | |
|-----------------|----------|---------------------------|
| 1 C. Kingicola. | Lamarck. | King Island, New Holland. |
| 2 C. rostrata. | „ | Ceylon. |

GENUS.—CARDITA. *Bruguière*, 1789.

| | | |
|-------------------|------------|----------|
| 1 C. antiquata. ? | Linnæus. | Madras. |
| 2 C. radula. | Reeve. | Hab. ? |
| 3 C. variegata. | Bruguière. | Reunion. |

FAMILY 25.—UNIONIDÆ.

SUB-FAMILY 1.—UNIONINÆ.

GENUS.—UNIO. *Retzius*, 1788.

| | | |
|---------------------|-------------|--|
| 1 U. alatas. | Lamarck. | Rocky River. |
| 2 U. Anadontoides. | Lea. | North America. |
| 3 U. Arcæformis. | „ | Tennessee. |
| 4 U. cariosa. | Say. | North America. |
| 5 U. cælatus. | Conrad. | „ |
| 6 U. cœruleus. | Lea. | a River Hooghly. b Sinde. Mr. W.T.Blan- |
| 7 U. circulus. | „ | ford. Wabash. |
| 8 U. complanatus. | Deshayes. | Massachusetts. |
| 9 U. compressus. | Lea. | Hab. ? |
| 10 U. Congaræus. | „ | South Carolina. |
| 11 U. Conradicus. | „ | Hab. ? |
| 12 U. crassidens. | Lamarck. | North America. |
| 13 U. Cunninghamii. | ? | Australia. |
| 14 U. cylindricus. | Say. | Wabash. |
| 15 U. cyphius. | Rafinesque. | „ |
| 16 U. donaciformis. | Lea. | Ohio. |
| 17 U. electrinus. | Reeve. | „ Canal. |
| 18 U. elegans. | Lea. | North America. |
| 19 U. flavidens. | Benson. | Bengal.* |
| 20 U. generosus ? | Gould. | Pegu. Mr. W.T. Blanford. |
| 21 U. gibbosa. | Barnes. | India. |
| 22 U. gibbosus. | Rafinesque. | North America. |
| 23 U. glans. | Lea. | River Ohio. |
| 24 U. gracilis. | Barnes. | Ohio. |
| 25 U. Grayana. | Lea. | China. |
| 26 U. Haysianus. | „ | Tennessee. |
| 27 U. heterodon. | „ | Schuylkill Lake, North America. |
| 28 U. hopetonensis. | „ | North America. |
| 29 U. infucatus. | Conrad. | Georgia. |
| 30 U. intermedius. | „ | Tennessee. |

| | | | |
|------------------------------|--------------|--|-------------------|
| 31 <i>U. interruptus.</i> | Rafinesque. | Tennessee. | M.J.L.Laporte |
| 32 <i>U. irroratus.</i> | Lea. | North America. | |
| 33 <i>U. lachrymosus.</i> | " | Ohio. | |
| 34 <i>U. lanceolatus.</i> | " | Virginia. | |
| 35 <i>U. ligamentinus.</i> | Lamarck. | Ohio. | |
| 36 <i>U. littoralis.</i> | Cuvier. | Garonne. | M.J.L.Laporte |
| 37 <i>U. luteolus.</i> | Lamarck. | Ohio. | |
| 38 <i>U. maculatus.</i> | Conrad. | Carolina. | |
| 39 <i>U. margaritiferus.</i> | Linnæus. | Hab. ? | |
| 40 <i>U. marginalis.</i> | Lamarck. | <i>a</i> Bengal. <i>b</i> Madras.** | |
| 41 <i>U. metanever.</i> | Rafinesque. | Ohio. | |
| 42 <i>U. multiradiata.</i> | Lea. | " | |
| 43 <i>U. occidens.</i> | " | Susquehana. | |
| 44 <i>U. ochraceus.</i> | Say. | New York. | |
| 45 <i>U. parma.</i> | Benson. | Tenasserim. | |
| 46 <i>U. patula.</i> | Lea. | Ohio. | |
| 47 <i>U. planulatus.</i> | " | Hab. ? | |
| 48 <i>U. pugio.</i> | Benson. | Pegu. | Mr. W.T.Blanford. |
| 49 <i>U. pustulosus.</i> | Lea. | North America. | |
| 50 <i>U. pyramidatus.</i> | " | " | |
| 51 <i>U. Rangianus.</i> | " | Ohio River. | |
| 52 <i>U. rectus.</i> | Lamarck. | Mississippi. | |
| 53 <i>U. Requiami.</i> | Michaud. | Garonne. | M.J.L.Laporte |
| 54 <i>U. rotundatus.</i> | Lamarck. | Louisiana ? | |
| 55 <i>U. rubiginosus.</i> | Lea. | Ohio. | |
| 56 <i>U. Shepardianus.</i> | " | Georgia. | |
| 57 <i>U. Shurtleffianus.</i> | " | Lower Nerbudda. | Mr. W.T.Blanford. |
| 58 <i>U. simus.</i> | " | North America. | |
| 59 <i>U. sinuatus.</i> | Lamarck. | Garonne. | |
| 60 <i>U. Sowerbianus.</i> | Lea. | Tennessee. | |
| 61 <i>U. splendidus.</i> | " | North America. | |
| 62 <i>U. sulcatus.</i> | " | Ohio. | |
| 63 <i>U. triangularis.</i> | Barnes. | " | |
| 64 <i>U. triembolus.</i> | Benson. | Bengal. | Mr.W.T. Blanford. |
| 65 <i>U. trigonus.</i> | Lea. | North America. | |
| 66 <i>U. Troostensis.</i> | " | Tennessee. | |
| 67 <i>U. tuberculatus.</i> | Barnes. | Salt River, North America. | |
| 68 <i>U. valentinus.</i> | Rossmaestri. | Albufera, Spain. | |

| | | |
|----------------------------|--|---------------------------------------|
| 69 U. Wynegungaensis. Lea. | | <i>a</i> Cortalai River.*** |
| | | <i>b</i> River Godavery. Mr.W.T.Blan- |
| | | ford. |

| | | | |
|----------------------------------|---------|-----------|---|
| 70 U. sp ? (near lævi- rostris.) | Benson. | Calcutta. | " |
|----------------------------------|---------|-----------|---|

GENUS.—MARGARITANA. *Schumacher*, 1817.

| | | |
|--------------|------|----------------|
| 1 M. rugosa. | Lea. | North America. |
|--------------|------|----------------|

SUB-GENUS.—ALASMODONTA. *Say*, 1820.

| | | |
|-----------------|------|----------------|
| 1 A. marginata. | Say. | Massachusetts. |
|-----------------|------|----------------|

GENUS.—ANODONTA. *Cuvier*, 1798.

| | | | |
|-------------------|-------------|------------------|----------------|
| 1 A. anatina. | Linnæus. | Bordeaux. | M.J.L.Laporte |
| 2 A. cataracta. | Say. | River Hudson, U. | States. |
| 3 A. Cumingii. | Lea. | Malacca. | |
| 4 A. cygnea. | Linnæus. | Bordeaux. | M.J.L.Laporte. |
| 5 A. fluviatilis. | Lea. | North America. | |
| 6 A. Louisiana. | „ | Erie Canal. | |
| 7 A. piscinalis. | Draparnaud. | Gironde. | M.J.L.Laporte. |
| 8 A. trapezialis. | Lamarck. | Hab. ? | |
| 9 A. undulata. | ? | Westfeild. | |

GENUS.—PSEUDODON. *Gould*, 1844.

| | | |
|-------------------|--------|--------|
| 1 P. inoscularis. | Gould. | Hab. ? |
|-------------------|--------|--------|

SUB-FAMILY 3.—IRIDINÆ.

GENUS.—IRIDINA. *Lamarch*, 1819.

| | | |
|-----------------|--------|--------|
| 1 I. McMoorkii. | Gould. | Hab. ? |
|-----------------|--------|--------|

GENUS.—HYRIA. *Lamarch*, 1819.

| | | |
|-----------------|----------|--------|
| 1 H. corrugata. | Lamarck. | Hab. ? |
|-----------------|----------|--------|

GENUS.—CASTALIA. *Lamarch*, 1819.

| | | |
|---------------|----------|---------------|
| 1 C. ambigua. | Sowerby. | River Amazon. |
|---------------|----------|---------------|

FAMILY 26.—ÆTHERIIDÆ.

GENUS.—ÆTHERIA. *Lamarch*, 1808.

| | | |
|------------------|----------|--------------|
| 1 Æ. semilunata. | Lamarck. | West Africa. |
|------------------|----------|--------------|

FAMILY 27.—MYTILIDÆ.

GENUS.—MYTILUS. *Linnæus*, 1758.

| | | | |
|--------------|----------|----------------------------------|---------------|
| 1 M. edulis. | Linnæus. | <i>a</i> North Atlantic Shores.* | M.J.L.Laporte |
| „ (young.) | „ | <i>b</i> „ „ | |

c Britain.

| | | |
|-----------------|----------|----------------|
| 2 M. latus. | Lamarck. | a New Zealand. |
| „ (young.) | „ | b Madras.** |
| 3 M. ungulatus. | Linnæus. | Chili. |

GENUS.—MODIOLA. *Lamarch*, 1799.

| | | |
|---------------------|----------|---------------------------------|
| 1 M. arcuatula. | Hanley. | Malacca. |
| 2 M. barbata. | Lamarck. | Britain. |
| 3 M. emarginatus. | Benson. | Calcutta. |
| 4 M. marmorata. | Forbes. | Britain. |
| 5 M. Metcalfei. | Hanley. | Island of Radock. M. Robillard. |
| 6 M. modiolus. | Linnæus. | Britain. |
| 7 M. Philippinarum. | Hanley. | Philippines.* |
| 8 M. plicatula. | Lamarck. | United States.* |

GENUS.—LITHODOMUS. *Cuvier*, 1817.

| | | |
|------------------|-----------|--------------|
| 1 L. antillarum. | Philippi. | West Indies. |
| 2 L. gracilis. | „ | Malacca. |

FAMILY 28.—AVICULIDÆ.

GENUS.—AVICULA. *Lamarch*, 1799.

| | | |
|-------------------|----------|--|
| 1 A. fucata. | Gould. | Japan. |
| 2 A. margarifera. | Linnæus. | a Ceylon. b Isld. of Reunion. M. Robillard. c Port Blair, An- Dr. Gamach. damans. |
| | | d Madras.* |

GENUS.—PERNA. *Bruguière*, 1792.

| | | |
|-------------------|---|---------------------------------|
| 1 P. dentifera. | ? | Isld. of Reunion. M. Robillard. |
| 2 P. Morillardii. | ? | „ „ |

GENUS.—MALLEUS. *Lamarch*, 1799.

| | | |
|----------------|----------|--------------|
| 1 M. anatinus. | Lamarck. | Moluccas. |
| 2 M. vulgaris. | Linnæus. | China Seas.* |

GENUS.—CRENATULA. *Lamarch*, 1802.

| | | |
|---------------|----------|----------|
| 1 C. nigrina. | Lamarck. | Red Sea. |
|---------------|----------|----------|

GENUS.—PINNA. *Linnæus*, 1758.

| | | |
|----------------|-----------|--|
| 1 P. bicolor. | Chemnitz. | Malacca. |
| 2 P. Japonica. | Hanley. | Japan.* |
| 3 P. nigra. | Chemnitz. | a South Seas, &c. b Tahiti. Sir W. Denison. |
| 4 P. Rumphii. | Hanley. | Moluccas. |
| 5 P. saccata. | Linnæus | Sandwich Islds. |

ORDER 4.—PECTINACEA. *H. and A. Adams.*

FAMILY 1.—TRIGONIIDÆ.

GENUS.—TRIGONIA. *Bruguière*, 1789.

- 1 *T. margaratacea*. Lamarck. Tasmania.

FAMILY 2.—ARCIDÆ.

GENUS.—ARCA. *Lamarch*, 1799.

| | | | |
|--------------------------|------------|---|----------------|
| 1 <i>A. decussata</i> . | Reeve. | Tahiti. | Sir W. Denison |
| 2 <i>A. disparilis</i> . | „ | Malacca. | |
| 3 <i>A. fusca</i> . | Bruguière. | Singapore. | |
| 4 <i>A. gibbosa</i> . | Reeve. | Hab. ? | |
| 5 <i>A. granosa</i> . | Linnæus. | <i>a</i> Philippines. <i>b</i> Madras. | |
| 6 <i>A. holoserica</i> . | Reeve. | Kingsmill Island. | M. Robillard. |
| 7 <i>A. inflata</i> . | „ | „ | |
| 8 <i>A. lactea</i> . | Linnæus. | <i>a</i> Britain. <i>b</i> Dalmatia. | |
| 9 <i>A. pexata</i> . | Say. | Massachusetts. | |
| 10 <i>A. rhombea</i> . | Born. | Madras. | |
| 11 <i>A. tortuosa</i> . | Linnæus. | <i>a</i> Singapore. <i>b</i> Madras. | |
| 12 <i>A. velata</i> . | Sowerby. | <i>a</i> Pacific Ocean. <i>b</i> Madras. | |
| 13 <i>A. volueris</i> . | Reeve. | Malacca. | |

GENUS.—SCAPHULA. *Benson*, 1834.

- 1 *S. delta*. W.T. Blanford. Pegu. Mr. W.T. Blanford.

GENUS.—CUCULLÆA. *Lamarch*.

- 1 *C. concamerata*. Martini. Indian Ocean.

GENUS.—PECTUNCULUS. *Lamarch*, 1801.

- 1 *P. parcipictus*. Reeve. Hab. ?
2 *P. tenuicostatus*. „ *a* Australia.
b Madras.

FAMILY 3.—NUCULIDÆ.

GENUS.—NUCULA. *Lamarch*, 1799.

- 1 *N. nucleus*. Turton. Britain.
1 *N. radiata*. Hanley. „

GENUS.—LEDA. *Schumacher*, 1817.

- 1 *L. caudata*. Donovan. Britain.

FAMILY 4.—PECTENIDÆ.

GENUS.—PECTEN. *Bruguière*, 1789.

| | | | |
|------------------------------|---------------|---|---------------|
| 1 <i>P. asperrimus.</i> | Lamarck. | Australia. | |
| 2 <i>P. ballotæ.</i> | ? | New Caledonia. | M. Robillard. |
| 3 <i>P. flabelloides.</i> | Reeve. | <i>a</i> Moluccas. <i>b</i> Madras.* | |
| 4 <i>P. histrionicus.</i> | Gmelin. | Ceylon. | |
| 5 <i>P. irradians.</i> | Lamarck. | Mediterranean. | |
| 6 <i>P. Jacobæus.</i> | Linnæus. | <i>a</i> Mediterranean. <i>b</i> Atlantic. M.J.L.Laporte | |
| 7 <i>P. maximus.</i> | „ | <i>a</i> Britain. <i>b</i> Atlantic. ? M.J.L.Laporte | |
| 8 <i>P. niveus.</i> | Macgillivray. | Scotland. | |
| 9 <i>P. opercularis.</i> | Linnæus, var. | <i>a b & c</i> Britain, &c.* | |
| 10 <i>P. pallium.</i> | „ | Pacific & Eastern Seas. | |
| 11 <i>P. plica.</i> | „ | Ceylon.* | |
| 12 <i>P. pleuronectes.</i> | „ | <i>a</i> China.* <i>b</i> Negapatam.* | |
| 13 <i>P. radula.</i> | „ | Philippines. | |
| 14 <i>P. senatorius.</i> | Gmelin. | Moluccas, &c.* | |
| 15 <i>P. Singaporinus.</i> | Sowerby. | Singapore. | |
| 16 <i>P. tigrinus.</i> | Müller. | Britain. | |
| 17 <i>P. Tranquebaricus.</i> | Gmelin. | Chikulcoody, N. of Pulicat.*** | |
| 18 <i>P. varius.</i> | Linnæus. | Seas of Europe.* M.J.L.Laporte | |
| 19 <i>P. ventricosus.</i> | Sowerby. | St. Elena, W. Columbia. | |
| 20 <i>P. ziczac.</i> | Linnæus. | Red Sea. | |

GENUS.—LIMA. *Bruguière*, 1792.

| | | | |
|------------------------|-----------|-------------------|---------------|
| 1 <i>L. aperta.</i> | Sowerby. | Britain. | |
| 2 <i>L. fragilis.</i> | Chemnitz. | Kingsmill Island. | M. Robillard. |
| 3 <i>L. Loscombiæ.</i> | Leach. | Britain. | |
| 4 <i>L. squamosa.</i> | Lamarck. | „ | |

GENUS.—PEDUM. *Bruguière*, 1792.

| | | | |
|----------------------------|------------|----------|--|
| 1 <i>P. spondyloideum.</i> | Bruguière. | Red Sea. | |
|----------------------------|------------|----------|--|

GENUS.—SPONDYLUS. *Lamarch*, 1809.

| | | | |
|-----------------------|---------|------------------|---------------|
| 1 <i>S. unicolor.</i> | Sowerby | Hab. ? | |
| 2 <i>S. sp. ?</i> | ? | Cargados Island. | M. Robillard. |

GENUS.—PLICATULA. *Lamarch*, 1801.

| | | | |
|---------------------|--------|--------|--|
| 1 <i>P. ramosa.</i> | Reeve. | China. | |
|---------------------|--------|--------|--|

FAMILY 5.—ANOMIIDÆ.

GENUS.—ANOMIA. *Linnæus*, 1767.

- 1 A. ? sp. ? Philippines.

GENUS.—PLACUNANOMIA. *Broderip*, 1832.

- 1 P. alope. Gray. California.

GENUS.—PLACUNA. *Lamarch*, 1799.

- 1 P. placenta. Linnæus. Indian Ocean.*

- 2 P. sella. Gmelin. ,

FAMILY 6.—OSTREIDÆ.

GENUS.—VULSELLA. *Lamarch*, 1799.

- 1 V. spongiarum. Lamarck. S. Australia.

GENUS.—OSTREA. *Linnæus*, 1758.

- 1 O. edulis ? Linnæus. Hab. ?

- 2 O. rosacea. Deshayes. Africa.
-

CLASS V.—BRACHIOPODA. *Dumeril*, 1806.FAMILY 1.—TEREBRATULIDÆ. *D'Orbigny*.GENUS.—TEREBRATULA. *Lwyd*, 1698.

- 1 T. caput-serpentis. Linnæus. Britain.

FAMILY 3.—RHYNCHONELLIDÆ. *D'Orbigny*.GENUS.—RHYNCHONELLA. *Fischer*, 1809.

- 1 R. psittacea. Chemnitz. North Seas.

FAMILY 7.—CRANIADÆ. *D'Orbigny*.GENUS.—CRANIA. *Retzius*, 1781.

- 1 C. anomala. Müller. North Atlantic.

FAMILY 8.—ORBICULIDÆ. *D'Orbigny*.GENUS.—ORBICULA. *Cuvier*, 1798.

- 1 O. lamellosa. Broderip. Peru.

FAMILY 9.—LINGULIDÆ.

GENUS.—LINGULA. *Bruguière*, 1789.

- 1 L. anatina. Lamarck. Philippines.
-

ALPHABETICAL INDEX OF GENERA.

| <i>Page.</i> | | <i>Page.</i> | |
|--------------------------|----|-------------------------|----|
| ACHATINA | 47 | Cassis..... | 13 |
| Achatinella | 46 | Castalia..... | 71 |
| Acmae | 35 | Cataulus..... | 56 |
| Adamsiella | 57 | Cemoria..... | 34 |
| Ætheria | 71 | Cerithidea..... | 24 |
| Alasmodontæ | 71 | Cerithium..... | 23 |
| Alcadia | 58 | Chama..... | 67 |
| Alexia | 53 | Chamostrea..... | 61 |
| Alycæus | 54 | Chemnitzia..... | 16 |
| Amphibola | 51 | Chenopus..... | 20 |
| Amphidesma | 63 | Chilina..... | 50 |
| Ampullacera | 51 | Chiton..... | 35 |
| Ampullaria | 28 | Chitonellus..... | 35 |
| Anatina | 60 | Choanopoma..... | 56 |
| Ancillaria | 10 | Circe..... | 65 |
| Ancylus | 51 | Clanculus..... | 33 |
| Anodonta | 71 | Clausilia..... | 49 |
| Anomia | 75 | Clavagella..... | 59 |
| Anostoma | 42 | Cleodora..... | 2 |
| Aplustrum | 35 | Columbella..... | 12 |
| Aplysia | 36 | Concholepas..... | 9 |
| Arca | 73 | Conus..... | 16 |
| Argonauta | 1 | Corbis..... | 68 |
| Arinia | 56 | Corbula..... | 60 |
| Asaphis | 62 | Crania..... | 75 |
| Aspergillum | 59 | Crassatella..... | 68 |
| Assiminia | 58 | Crassina..... | 68 |
| Atys | 35 | Cremnobates..... | 26 |
| Auricula | 53 | Crenatula..... | 72 |
| Avicula | 72 | Crepidula..... | 29 |
| BALEA | 49 | Crucibulum..... | 29 |
| Bankivia | 33 | Cucullæa..... | 73 |
| Barnea | 59 | Cultellus..... | 60 |
| Bithynia | 28 | Cumingia..... | 63 |
| Boysia | 42 | Cyclas..... | 66 |
| Buccinum | 6 | Cyclophorus..... | 55 |
| Bulimus | 43 | Cyclostomus..... | 57 |
| Bulla | 35 | Cyclotopsis..... | 56 |
| Bullæa | 36 | Cyclotus..... | 54 |
| Bullia | 6 | Cylindrella..... | 48 |
| CÆCUM | 28 | Cyllene..... | 6 |
| Calyptreæ | 29 | Cymbium..... | 11 |
| Cancellaria | 23 | Cypræa..... | 20 |
| Capsa | 63 | Cypriocardia..... | 66 |
| Cardita | 69 | Cyprina..... | 66 |
| Cardium | 67 | Cyrena..... | 66 |
| Carinaria | 2 | Cyrtulus..... | 4 |
| Carychium | 53 | Cytherea..... | 64 |
| Cassidaria | 13 | DACTYLINA | 59 |
| Cassidula | 53 | Delphinula | 32 |
| | | Dentalium | 34 |

| <i>Page.</i> | <i>Page.</i> | | |
|----------------------|--------------|--------------------|--------|
| Dermatocera..... | 56 | Lithodomus..... | 72 |
| Diacria..... | 2 | Littorina..... | 25 |
| Dione..... | 64 | Loligo..... | 1 |
| Diplommatina..... | 54 | Lucidella..... | 58 |
| Dolabella..... | 36 | Lucina..... | 68 |
| Dolum..... | 13 | Lucinopsis..... | 63 |
| Donax..... | 63 | Lutraria..... | 62 |
| Dosinia..... | 65 | Lyonsia..... | 61 |
| EBURNA..... | 7 | MACHÆRA..... | 60 |
| Elenchus..... | 33 | Mactra..... | 61 |
| Emarginula..... | 34 | Magilus..... | 9 |
| Ennea..... | 42 | Malleus..... | 72 |
| Erato..... | 12 | Margarita..... | 33 |
| Eulima..... | 16 | Margaritana..... | 71 |
| FASCIOLARIA..... | 10 | Marginella..... | 12 |
| Ficula..... | 13 | Martesia..... | 59 |
| Fissurella..... | 34 | Megalomastoma..... | 56 |
| Fusus..... | 3 | Megaspira..... | 49 |
| GADINEA..... | 34 | Melampus..... | 52 |
| Galatea..... | 63 | Melania..... | 24 |
| Galeomma..... | 68 | Melanopsis..... | 25 |
| Gastrochaena..... | 59 | Meroë..... | 65 |
| Geomelania..... | 53 | Mesodesma..... | 63 |
| Georissa..... | 58 | Mitra..... | 11 |
| Glauconoma..... | 66 | Modiola..... | 72 |
| Glycimeris..... | 60 | Monoceros..... | 9 |
| HALIOTIS..... | 33 | Monodonta..... | 33 |
| Haminea..... | 35 | Monoptygma..... | 16 |
| Harpa..... | 12 | Morula..... | 9 |
| Helicina..... | 58 | Murex..... | 2 |
| Helix..... | 36 | Mya..... | 60 |
| Hipponyx..... | 29 | Myochama..... | 61 |
| Hippopus..... | 68 | Myodora..... | 61 |
| Hyalæa..... | 2 | Mytilus..... | 71 |
| Hybocistis..... | 55 | NARICA..... | 29 |
| Hydatina..... | 35 | Nassa..... | 7 |
| Hydrocena..... | 57 | Natica..... | 14 |
| Hyria..... | 71 | Nautilus..... | 1 |
| IANTHINA..... | 2 | Navicella..... | 31 |
| Iphiginea..... | 63 | Neæra..... | 61 |
| Iridina..... | 71 | Nerita..... | 30 |
| Isocardia..... | 67 | Neritina..... | 30 |
| KELLIA..... | 68 | Neritopsis..... | 29 |
| LACUNA..... | 26 | Novacula..... | 60 |
| Leda..... | 73 | Nucula..... | 73 |
| Leptoconchus..... | 9 | OCTOPUS..... | 1 |
| Leptopoma..... | 56 | Odostonia..... | 16 |
| Leptoxis..... | 25 | Oleacina..... | 47 |
| Leuconia..... | 53 | Oliva..... | 9 |
| Lima..... | 74 | Omphalotropis..... | 58 |
| Limax..... | 50 | Oniscia..... | 13 |
| Limnæa..... | 50 | Opisthoporus..... | 54 |
| Lingula..... | 72 | Opisthostoma..... | 55 |
| | | Orbicula..... | 75 |
| | | Ostrea..... | 75 |
| | | Otopoma..... | 57 |
| | | Ovulum..... | 23 |

| <i>Page.</i> | | <i>Page.</i> | |
|---------------------|----|--------------------|----|
| PALUDINA..... | 27 | Scalaria..... | 15 |
| Paludomus..... | 27 | Scaphula..... | 73 |
| Pandora..... | 61 | Serobicularia..... | 63 |
| Panopæa..... | 60 | Sigaretus..... | 15 |
| Parmacella..... | 50 | Siliquaria..... | 29 |
| Parmophorus..... | 34 | Siphonaria..... | 51 |
| Partula..... | 45 | Solarium..... | 16 |
| Patella..... | 34 | Solecurtus..... | 60 |
| Pecten..... | 74 | Solemya..... | 68 |
| Pectunculus..... | 73 | Solen..... | 60 |
| Pedum..... | 74 | Soletellina..... | 62 |
| Perna..... | 72 | Spiraxis..... | 47 |
| Persona..... | 5 | Spirula..... | 1 |
| Petricola..... | 66 | Spondylus..... | 74 |
| Pharus..... | 60 | Stoastoma..... | 58 |
| Phasianella..... | 31 | Stomatella..... | 33 |
| Phcladidea..... | 59 | Streptaxis..... | 42 |
| Pholas..... | 59 | Strombus..... | 18 |
| Phorus..... | 29 | Struthiolaria..... | 20 |
| Phos..... | 6 | Stylifer..... | 16 |
| Physa..... | 51 | Succinea..... | 50 |
| Pileopsis..... | 29 | TAPES..... | 65 |
| Pinna..... | 72 | Tectura..... | 34 |
| Pirena..... | 25 | Telescopium..... | 24 |
| Pisidium..... | 66 | Tellina..... | 62 |
| Placuna..... | 75 | Terebellum..... | 20 |
| Placunonomia..... | 75 | Terebra..... | 15 |
| Planaxis..... | 26 | Terebratula..... | 75 |
| Planorbis..... | 51 | Teredo..... | 59 |
| Pleurobranchus..... | 36 | Thracia..... | 61 |
| Pleurotoma..... | 4 | Tornatella..... | 35 |
| Plicatula..... | 74 | Trichotropis..... | 23 |
| Pomatias..... | 57 | Tridacna..... | 67 |
| Proserpina..... | 53 | Trigonia..... | 73 |
| Psamnobia..... | 62 | Triton..... | 4 |
| Psammotella..... | 62 | Trochatella..... | 58 |
| Pseudodon..... | 71 | Trochiscus..... | 33 |
| Pterocera..... | 19 | Trochita..... | 29 |
| Pterocyclus..... | 54 | Trochus..... | 32 |
| Pupa..... | 48 | TruncateLLA..... | 53 |
| Pupina..... | 56 | Tudora..... | 57 |
| Purpura..... | 7 | Turbanella..... | 10 |
| Pusionella..... | 15 | Turbo..... | 31 |
| Pyramidella..... | 15 | Turritella..... | 28 |
| Pyrula..... | 4 | UMBRELLA..... | 36 |
| Pythia..... | 52 | Ungulina..... | 68 |
| QUOYIA..... | 27 | Unio..... | 69 |
| RANELLA..... | 5 | VALVATA..... | 28 |
| Rangia..... | 8 | Velutina..... | 14 |
| Rhynchonella..... | 75 | Venerupis..... | 66 |
| Ricinula..... | 8 | Venus..... | 64 |
| Ringicula..... | 16 | Vermetus..... | 29 |
| Rissoa..... | 27 | Vertagus..... | 24 |
| Rostellaria..... | 20 | Vitrina..... | 50 |
| Rotella..... | 32 | Voluta..... | 11 |
| SANGUINOLARIA..... | 62 | Vulsella..... | 75 |
| Saxicava..... | 60 | ZIZYPHINUS..... | 33 |

ERRATA.

Page 52, for Ariculdiæ read Ariculidæ.

„ 65 „ Merœ „ Meroë.

„ 68 *opposite* 1 G. Ambigua *Black mark.*







SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00591 8743